

Pliki .tpl

boxes/Basket/box.tpl

```

1         <div class="box" id="box_basket">
2             <div class="boxhead">
- 3                 <span>{$boxNs->$box_id->title|escape}</span>
+ 3                 <span>{$boxNs->$box_id->title|escape}</spa
n>
4             </div>
5             <div class="innerbox">
- 6                 <div class="arrow"><a href="{route key='basket'}" title="{translate key='Cart'}" rel="nofollow"></a></div>
+ 6                 <div class="arrow"><a href="{route key='basket'}" title="{translate key='Cart'}" rel="nofollow"></a></div>
7                 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
8                 <p class="products"><span>{translate key="products"}:</span> <em>{$user->basket->countProducts()}</em></p>
9                 <p class="sum"><span>{translate key="value"}:</span> <em>{currency value=$user->basket->sumProducts()}</em>
</p>

```

boxes/Bestsellers/box.tpl

```

1     {if count($boxNs->$box_id->list)}
2         <div class="box{if 3 == $boxNs->$box_id->format} slider loading{if 1 == $boxNs->$box_id->automove} slider_automove{
/if}{/if}" id="box_bestsellers">
3             <div class="boxhead">
- 4                 <span>{$boxNs->$box_id->title|escape}</span>
+ 4                 <span>{$boxNs->$box_id->title|escape}</spa
n>
5             </div>
6             <div class="innerbox">
7                 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
84
85
86                 {if !$bs_product->isBundle()}
87                     <button class="addtobasket btn btn-red" type="submit">
- 87                         
+ 87                         
88                     <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate
key="Add to cart"}{/if}</span>

```

```

89         </button>
90     {else}

97         {assign var="availabilityNotifyUser" value=$bs_product->defaultStock->getAvaila
bilityNotifyByUser()}
98         <fieldset class="availability-notifier-container{if $availabilityNotifyUser !=
null} none{/if}">
99             <button class="availability-notifier-btn btn btn-red" type="submit" data-is
-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $bs_product->defaultStock->getIdentifier()}" data-product-id="{ $
bs_product->product->product_id}" data-product-name="{ $bs_product->translation->name|escape}">
- 100                 
+ 100                 
101                 <span>{translate key="Notify of product availability"}</span>
102             </button>
103         </fieldset>
104         {if true == $user_logged}
105             <fieldset class="availability-notifier-unsubscribe-container{if $availabili
tyNotifyUser == null} none{/if}">
106                 <button type="submit" class="availability-notifier-unsubscribe-btn btn
btn-red" data-stock-id="{ $bs_product->defaultStock->stock->stock_id}">
- 107                 
+ 107                 
108                 <span>{translate key="Cancel notify"}</span>
109             </button>
110         </fieldset>

```

boxes/Currencies/box.tpl

```

1         <div class="box" id="box_currencies">
2             <div class="boxhead">
- 3                 <span>{ $boxNs->$box_id->title|escape}</span>
+ 3                 <span>{ $boxNs->$box_id->title|escape}</spa
n>
4             </div>
5             <div class="innerbox">
6                 {if $boxNs->$box_id->text}<h5 class="boxintro">{ $boxNs->$box_id->text}</h5>{/if}

```

```

17         {foreach from=$boxNs->$box_id->list item=desc key=cur}
18         <li{if $cur == $boxNs->$box_id->currency} class="selected" {/if}
19             ><a href="?currency={ $cur|escape}" title="{ $desc|escape}" class="{ $cur|escape}">
- 20                 <!--  -->
+ 20                 <!--  -->
21                 <span>{ $desc|escape}</span>
22                 </a>
23         </li>

```

boxes/Custom/box.tpl

```

2         {if 1 == $boxNs->$box_id->border}
3             {if $boxNs->$box_id->title}
4                 <div class="boxhead">
- 5                     <span>{$boxNs->$box_id->title|escape}</span>
+ 5                     <span>{$boxNs->$box_id->title|escape}</spa
n>
6                 </div>
7             {/if}
8         <div class="innerbox">

```

boxes/Filter/box.tpl

```

2         <div class="box {if 1 == $filter_counter}foldable{/if} loading" id="box_filter" {if $boxNs->$box_id->select_display} data-select-di
splay="1"{/if} data-limit="{ $boxNs->$box_id->list_limit}">
3             <div class="boxhead">
4                 <span>
- 5                     {$boxNs->$box_id->title|escape}
+ 5                     {$boxNs->$box_id->title|escape}
6                 </span>
7             </div>
8

```

```

23         {if $item.active or (isset($item.counter) and $item.counter) or !isset($item.counter)}
24             <li class="{if $item.active}selected fa fa-times{/if} {if $item.color}color-filter{/if}">
25                 <a title="{ $item.name|escape}" href="{if $item.active}{$item.link_remove}{else}{if $filter_type
== 1 || !$item.link_add}{$item.link_solo}{else}{$item.link_add}{/if}{/if}" {if $item.color} class="color-filter"{/if}>
- 26                     
+ 26                     
27                 {if $item.html}
28                     { $item.html}
29                 {else}

```

```

58
59
60         <div class="bottombuttons">
61             <button class="btn" type="button" id="filterprice">
- 61                 
+ 61                 
62                 <span>{translate key='Filter'}</span>
63             </button>
64         </div>

```

boxes/FreeShipping/box.tpl

```

2         {if $fs}
3             <div class="box" id="box_freeshipping">
4                 <div class="boxhead">
- 5                     <span>{$boxNs->$box_id->title|escape}</span>
+ 5                     <span>{$boxNs->$box_id->title|escape}</spa

```

```

n>
6         </div>
7         <div class="innerbox">
- 8         <div class="arrow"></div>
+ 8         <div class="arrow"></div>
9         {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
10        {if 0 == $user->basket->count()}
11        {translate key='Free shipping (%s) on orders of %s and more.' pl=$fs->translation->name currencyl=$fs->
shipping->free_shipping format=true}

```

boxes/LanguageList/box.tpl

```

1         <div class="box" id="box_languages">
2         <div class="boxhead">
- 3         <span>{$boxNs->$box_id->title|escape}</span>
+ 3         <span>{$boxNs->$box_id->title|escape}</spa
n>
4         </div>
5         <div class="innerbox">
6         {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}

```

```

16        {foreach from=$boxNs->$box_id->list item=language}
17        <li{if $language->name == $boxNs->$box_id->language} class="selected"{/if}>
18        <a href="{ $language->url}" title="{ $language->title|escape}" class="spanhover">
- 19        
+ 19        
20        <span>{$language->title|escape}</span>
21        </a>
22        </li>

```

```

28        {foreach from=$boxNs->$box_id->list item=language}
29        <li{if $language->name == $boxNs->$box_id->language} class="selected"{/if}>
30        <a href="{ $language->url}" title="{ $language->title|escape}" class="{ $language->name|escape}">
- 31        t
itle|escape}">
+ 31        title|escape}">
32        </a>
33        </li>
34        {/foreach}

```

boxes/Login/box.tpl

```

1         <div class="box" id="box_loginsmall">
2         <div class="boxhead">
- 3         <span>{$boxNs->$box_id->title|escape}</span>
+ 3         <span>{$boxNs->$box_id->title|escape}</spa
n>

```

```
4 </div>
5 <div class="innerbox">
6     {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
```

```
19
20 <div class="row">
21     <button type="submit" class="btn login">
22         
23         
24         <span>{translate key="Sign in"}</span>
25     </button>
26 </div>
27 <a href="{ $boxNs->$box_id->passlink}" class="remind row">
28     
29     
30     <span>{translate key="Forgot your password?"}</span>
31 </a>
32 {if $enable_register}
33     <a href="{ $boxNs->$box_id->reglink}" class="register row">
34         
35         
36         <span>{translate key="Create an account"}</span>
37     </a>
38 {/if}
```

```
38 {else}
39     <p class="hello row">{translate key="Hello"} <b>{$user->user->getName()}|escape</b></p>
40     <a href="{route key='panel'}" title="My account" class="myaccount btn btn-red row">
41         
42         
43         <span>{translate key="My account"}</span>
44     </a>
45     <a href="{route key='logout'}" title="Sign out" class="logout btn row">
46         
47         
48         <span>{translate key="Sign out"}</span>
49     </a>
50 {/if}
```

boxes/Menu/box.tpl

```
1 <div class="box" id="box_menu">
2     <div class="large standard boxhead">
3         <span>{$boxNs->$box_id->title|escape}</span>
4         <span>{$boxNs->$box_id->title|escape}</span>
5     </div>
6 </div>
```

```

6      {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}

```

```

10      <ul class="folded">
11      {/if}
12      {$boxNs->$box_id->list}
- 13      {if 1 == $boxNs->$box_id->link_news}<li id="category_novelties"><a href="{ $boxNs->$box_id->url_new}" ti
title="{translate key='New products'}" class="novelties">{translate key="New
products"}</a></li>{/if}
- 14      {if 1 == $boxNs->$box_id->link_promotions}<li id="category_promo"><a href="{ $boxNs->$box_id->url_promot
ions}" title="{translate key='Products on sale'}" class="promo">{translate
key="Products on sale"}</a></li>{/if}
+ 13      {if 1 == $boxNs->$box_id->link_news}<li id="category_novelties"><a href="{ $boxNs->$box_id->url_new}" ti
tle="{translate key='New products'}" class="novelties">{translate key="
New products"}</a></li>{/if}
+ 14      {if 1 == $boxNs->$box_id->link_promotions}<li id="category_promo"><a href="{ $boxNs->$box_id->url_promot
ions}" title="{translate key='Products on sale'}" class="promo">{transl
ate key="Products on sale"}</a></li>{/if}
15      </ul>
16      </div>
17      </div>

```

boxes/NewProducts/box.tpl

```

1      {if count($boxNs->$box_id->list)}
2          <div class="box{if 3 == $boxNs->$box_id->format} slider loading{if 1 == $boxNs->$box_id->automove} slider_automove{
/if}{/if}" id="box_lastadded">
3          <div class="boxhead">
- 4              <span>{$boxNs->$box_id->title|escape}</span>
+ 4              <span>{$boxNs->$box_id->title|escape}</spa
n>
5          </div>
6          <div class="innerbox">
7              {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}

```

```

86
87      {if !$newproduct->isBundle()}
88      <button class="addtobasket btn btn-red" type="submit">
- 89      
+ 89      
90      <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate
key="Add to cart"}{/if}</span>
91      </button>
92      {else}

```

```

99      {assign var="availabilityNotifyUser" value=$newproduct->defaultStock->getAvaila
bilityNotifyByUser()}
100     <fieldset class="availability-notifier-container{if $availabilityNotifyUser !=
null} none{/if}">

```

```

101 <button class="availability-notifier-btn btn btn-red" type="submit" data-is
-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $newproduct->defaultStock->getIdentifier()}" data-product-id="{ $
newproduct->product->product_id}" data-product-name="{ $newproduct->translation->name|escape}">
- 102 
+ 102 
103 <span>{translate key="Notify of product availability"}</span>
104 </button>
105 </fieldset>
106 {if true == $user_logged}
107 <fieldset class="availability-notifier-unsubscribe-container{if $availabili
tyNotifyUser == null} none{/if}">
108 <button type="submit" class="availability-notifier-unsubscribe-btn btn
btn-red" data-stock-id="{ $newproduct->defaultStock->stock->stock_id}">
- 109 
+ 109 
110 <span>{translate key="Cancel notify"}</span>
111 </button>
112 </fieldset>

```

boxes/News/box.tpl

```

1 {if $boxNs->$box_id->list|@count}
2 <div class="box" id="box_articlelistsmall">
3 <div class="boxhead">
- 4 <span>{$boxNs->$box_id->title|escape}</span>
+ 4 <span>{$boxNs->$box_id->title|escape}</span>
5 </div>
6 <div class="innerbox">
7 {if $boxNs->$box_id->text}

12 <h5 class="article_name row">
13 {if $box_article->article->content|strlen > 0}
14 <a href="{route function='news' key=$box_article->getIdentifier() newsId=$box_article->getIdentifier() news
Name=$box_article->article->name newsYear="Y"|date:$box_article->articleTimestamp newsMonth="m"|date:$box_article->articleTimestamp news
Day="d"|date:$box_article->articleTimestamp}">
- 15 <span class="article_name_span">{$box_art
icle->article->name|escape}</span>
+ 15 <span class="article_name_span">{$box_
article->article->name|escape}</span>
16 </a>
17 {else}
- 18 <span class="article_name_span">{$box_article
->article->name|escape}</span>
+ 18 <span class="article_name_span">{$box arti
cle->article->name|escape}</span>
19 {/if}
20 </h5>
21 <div class="article-info">

```

boxes/NewsCalendar/box.tpl

```
1 <div class="box" id="box_article_calendar">
2 <div class="boxhead">
- 3 <span>{$boxNs->$box_id->title|escape}</span>
+ 3 <span>{$boxNs->$box_id->title|escape}</span>
4 </div>
5 <div class="innerbox">
6 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
```

boxes/NewsCategories/box.tpl

```
1 {if $boxNs->$box_id->list|@count}
2 <div class="box" id="box_article_categories">
3 <div class="boxhead">
- 4 <span>{$boxNs->$box_id->title|escape}</span>
+ 4 <span>{$boxNs->$box_id->title|escape}</span>
5 </div>
6 <div class="innerbox">
7 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
```

boxes/NewsTagCloud/box.tpl

```
1 {if $boxNs->$box_id->tagCloud->getItemList()|count}
2 <div class="box" id="box_article_tagcloud">
3 <div class="boxhead">
- 4 <span>{$boxNs->$box_id->title|escape}</span>
+ 4 <span>{$boxNs->$box_id->title|escape}</span>
5 </div>
6 <div class="innerbox">
7 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
```

boxes/Newsletter/box.tpl

```
1 <div class="box" id="box_newsletter">
2 <div class="boxhead">
- 3 <span>{$boxNs->$box_id->title|escape}</span>
+ 3 <span>{$boxNs->$box_id->title|escape}</spa
n>
4 </div>
5 <div class="innerbox">
6 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}

9 {include file='formantisipam.tpl'}
10 <input type="text" name="email" value="" placeholder="{translate key='Enter your e-mail address'}"
class="newsletter-input">
11 <button type="submit" class="btn btn-red">
- 12 
```

```
+ 12 
13 <span>{translate key="Subscribe"}</span>
14 </button>
15
```

boxes/Paczkomaty/box.tpl

```
1 <div class="box" id="box_paczkomaty">
2 <div class="boxhead">
- 3 <span>{$boxNs->$box_id->title|escape}</span>
+ 3 <span>{$boxNs->$box_id->title|escape}</spa
n>
4 </div>
5 <div class="innerbox">
6 <div style="text-align: center;">
- 7 <a href="http://paczkomaty.pl/" target="_blank" rel="noopener" title="Paczkomaty InPost"></a>
+ 7 <a href="http://paczkomaty.pl/" target="_blank" rel="noopener" title="Paczkomaty InPost"></a>
8 </div>
9 </div>
10 </div>
```

boxes/Polls/box.tpl

```
1 {if $boxNs->$box_id->poll}
2 <div class="box" id="box_polls">
3 <div class="boxhead">
- 4 <span>{$boxNs->$box_id->title|escape}</span>
+ 4 <span>{$boxNs->$box_id->title|escape}</spa
n>
5 </div>
6 <div class="innerbox">
7 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
```

```
20 <input type="hidden" name="redirect" value="{ $request_uri|escape} ">
21 <div class="bottombuttons">
22 <button class="btn" type="submit">
- 23 
+ 23 
24 <span>{translate key='Vote'}</span>
25 </button>
26 </div>
```

boxes/Pricelist/box.tpl

```
1 {if true == $boxNs->$box_id->show_me}
2 <div class="box" id="box_pricelist">
```

```

3      <div class="boxhead">
- 4      <span>{$boxNs->$box_id->title|escape}</span>
+ 4      <span>{$boxNs->$box_id->title|escape}</spa
n>
5      </div>
6      <div class="innerbox">
7          {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}

```

```

11          {if 1 == $boxNs->$box_id->html}
12          <li class="html">
13              <a href="{ $boxNs->$box_id->html_link|escape}" title="{translate key='Pricelist in HTML format'}
" class=" html">
- 14          
+ 14          
15              <span>{translate key="HTML"}</span>
16              </a>
17          </li>

```

```

19          {if 1 == $boxNs->$box_id->xls}
20          <li class="excel">
21              <a href="{ $boxNs->$box_id->xls_link|escape}" title="{translate key='Pricelist in Excel form
at'}" class=" excel">
- 22          
+ 22          
23              <span>{translate key="XLS"}</span>
24              </a>
25          </li>

```

```

31          {if 1 == $boxNs->$box_id->html}
32          <li class="html">
33              <a href="{ $boxNs->$box_id->html_link|escape}" title="{translate key='Pricelist in HTML format'}
" class=" html">
- 34          
+ 34          
35              <span>{translate key="HTML"}</span>
36              </a>
37          </li>

```

```

39          {if 1 == $boxNs->$box_id->xls}
40          <li class="excel">
41              <a href="{ $boxNs->$box_id->xls_link|escape}" title="{translate key='Pricelist in Excel format'}
" class=" excel">
- 42          
+ 42          
43              <span>{translate key="Excel"}</span>
44              </a>
45          </li>

```

boxes/Producers/box.tpl

```
1         <div class="box" id="box_producers">
2             <div class="boxhead">
- 3                 <span>{$boxNs->$box_id->title|escape}</span>
+ 3                 <span>{$boxNs->$box_id->title|escape}</spa
n>
4             </div>
5             <div class="innerbox">
6                 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
```

boxes/ProductFilter/box.tpl

```
1     {if true == $boxNs->$box_id->show_me}
2         <div class="box" id="box_productfilter">
3             <div class="boxhead">
- 4                 <span>{$boxNs->$box_id->title|escape} {$boxNs
->$box_id->layout_type}</span>
+ 4                 <span>{$boxNs->$box_id->title|escape} {$bo
xNs->$box_id->layout_type}</span>
5             </div>
6             <div class="innerbox">
7                 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
```

```
41
42         <div class="buttons row">
43             <button type="submit" class="btn filter">
- 44                 
+ 44                 
45                 <span>{translate key="Filter"}</span>
46             </button>
47             <button type="submit" class="btn clearbutton resetsubmit">
- 48                 
+ 48                 
49                 <span>{translate key="Clean the filter"}</span>
50             </button>
51         </div>
```

boxes/ProductOfTheDay/box.tpl

```
1     {if count($boxNs->$box_id->list)}
2         <div class="box{if 1 == $boxNs->$box_id->format} slider loading{if 1 == $boxNs->$box_id->automove} slider_automove{
/if}{/if}" id="box_productoftheday">
3             <div class="boxhead">
- 4                 <span>{$boxNs->$box_id->title|escape}</span>
+ 4                 <span>{$boxNs->$box_id->title|escape}</spa
n>
```

```

5         </div>
6         <div class="innerbox">
7             {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}

```

```

78         {/if}
79         {if !$potd->isBundle()}
80             <button class="addtobasket btn btn-red" type="submit">
- 81                 
+ 81                 
82                 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add
to cart"}{/if}</span>
83             </button>
84         {else}

```

```

91         {assign var="availabilityNotifyUser" value=$potd->defaultStock->getAvailabilityNotifyBy
User()}
92         <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} no
ne{/if}">
93             <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged=
"{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $potd->defaultStock->getIdentifier()}" data-product-id="{ $potd->product-
>product_id}" data-product-name="{ $potd->translation->name|escape}">
- 94                 
+ 94                 
95                 <span>{translate key="Notify of product availability"}</span>
96             </button>
97         </fieldset>
98         {if true == $user_logged}
99         <fieldset class="availability-notifier-unsubscribe-container{if $availabilityNotify
User == null} none{/if}">
100             <button type="submit" class="availability-notifier-unsubscribe-btn btn btn-red"
data-stock-id="{ $potd->defaultStock->stock->stock_id}">
- 101                 
+ 101                 
102                 <span>{translate key="Cancel notify"}</span>
103             </button>
104         </fieldset>

```

boxes/Recent/box.tpl

```

1     {if count($boxNs->$box_id->list)}
2         <div class="box{if 1 == $boxNs->$box_id->format} slider loading{if 1 == $boxNs->$box_id->automove} slider_automove{/if}{/if}" i
d="box_recent">
3             <div class="boxhead">
- 4                 <span>{$boxNs->$box_id->title|escape}</span>
+ 4                 <span>{$boxNs->$box_id->title|escape}</span>
5             </div>
6             <div class="innerbox">
7                 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}

```

```

80
81         {if !$special_product->isBundle()}
82             <button class="addtobasket btn btn-red" type="submit">
- 83                 
+ 83                 
84                 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart"}{/
if}</span>
85             </button>
86         {else}

```

```

93         {assign var="availabilityNotifyUser" value=$special_product->defaultStock->getAvailabilityNotifyByU
ser()}
94         <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} none{/if}">
95             <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged="{if true ==
$user_logged}true{else}false{/if}" data-stock-id="{ $special_product->defaultStock->getIdentifier()}" data-product-id="{ $special_product
->product->product_id}" data-product-name="{ $special_product->translation->name|escape}">
- 96                 
+ 96                 
97                 <span>{translate key="Notify of product availability"}</span>
98             </button>
99         </fieldset>
100         {if true == $user_logged}
101             <fieldset class="availability-notifier-unsubscribe-container{if $availabilityNotifyUser == null
} none{/if}">
102                 <button type="submit" class="availability-notifier-unsubscribe-btn btn btn-red" data-stock-
id="{ $special_product->defaultStock->stock->stock_id}">
- 103                 
+ 103                 
104                 <span>{translate key="Cancel notify"}</span>
105             </button>
106         </fieldset>

```

boxes/Search/box.tpl

```

1         <div class="box" id="box_search">
2             <div class="boxhead">
- 3                 <span>{ $boxNs->$box_id->title|escape}</span>
+ 3                 <span>{ $boxNs->$box_id->title|escape}</spa
n>
4             </div>
5             <div class="innerbox">
6                 {if $boxNs->$box_id->text}<h5 class="boxintro">{ $boxNs->$box_id->text}</h5>{/if}

```

```

11         {include file='formantisipam.tpl'}
12         <input type="text" name="search" placeholder="{translate key='search in the store...'}" value="
" class="search-input">
13         <button class="btn btn-red" type="submit">
- 14         

```

```

+ 14 
15 <span>{translate key='Search'}</span>
16 </button>
17 {if 1 == $boxNs->$box_id->extended}

```

boxes/SpecialOffer/box.tpl

```

1 {if count($boxNs->$box_id->list)}
2 <div class="box{if 1 == $boxNs->$box_id->format} slider loading{if 1 == $boxNs->$box_id->automove} slider_automove{
/if}{/if}" id="box_specialoffer">
3 <div class="boxhead">
- 4 <span>{$boxNs->$box_id->title|escape}</span>
+ 4 <span>{$boxNs->$box_id->title|escape}</spa
n>
5 </div>
6 <div class="innerbox">
7 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}

```

```

80
81 {if !$special_product->isBundle()}
82 <button class="addtobasket btn btn-red" type="submit">
- 83 
+ 83 
84 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add
to cart"}}{/if}</span>
85 </button>
86 {else}

```

```

93 {assign var="availabilityNotifyUser" value=$special_product->defaultStock->getAvailabil
ityNotifyByUser()}
94 <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} no
ne{/if}">
95 <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged=
"{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $special_product->defaultStock->getIdentifier()}" data-product-id="{ $spe
cial_product->product->product_id}" data-product-name="{ $special_product->translation->name|escape}">
- 96 
+ 96 
97 <span>{translate key="Notify of product availability"}</span>
98 </button>
99 </fieldset>
100 {if true == $user_logged}
101 <fieldset class="availability-notifier-unsubscribe-container{if $availabilityNotify
User == null} none{/if}">
102 <button type="submit" class="availability-notifier-unsubscribe-btn btn btn-red"
data-stock-id="{ $special_product->defaultStock->stock->stock_id}">
- 103 
+ 103 
104 <span>{translate key="Cancel notify"}</span>
105 </button>

```

boxes/UsersOnline/box.tpl

```

1         <div class="box" id="box_statistics">
2             <div class="boxhead">
- 3                 <span>{$boxNs->$box_id->title|escape}</span>
+ 3                 <span>{$boxNs->$box_id->title|escape}</spa
n>
4             </div>
5             <div class="innerbox">
6                 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
7                 {foreach from=$boxNs->$box_id->stats item=val key=label}
8                 <div class="f-row">
- 9                     <div class="f-grid-6"> {$label|escape}</
div><div class="f-grid-6">{$val|escape}</div>
+ 9                     <div class="f-grid-6"> {$label|escape}
: </div><div class="f-grid-6">{$val|escape}</div>
10                    </div>
11                    {/foreach}
12                </div>

```

scripts/archive/expired.tpl

```

7         <div class="center-row s-grid-6">
8             <div class="box rodo_expired-section">
9                 <div class="boxhead">
- 10                    <h3>{translate key="Your archive has expired"
}</h3>
+ 10                    <h3>{translate key="Your archive has expir
ed"}</h3>
11                </div>
12                <div class="f-row">
13                    <p>{translate key="Send us an %semail%s to access a new data archive." p1="<a href='mailto:$contact_email'>
" p2="</a>"}</p>

```

scripts/archive/index.tpl

```

9         <form action="" method="post">
10             <fieldset>
11                 <div class="boxhead">
- 12                    <h3>{translate key="Enter a verificat
ion code that we have sent to your email"}</h3>
+ 12                    <h3>{translate key="Enter a verifi
cation code that we have sent to your email"}</h3>
13                </div>
14                <div class="f-row">
15                    <p>{translate key="To protect your data, we have sent you a one-time verification code to your addr
ess %s. Enter the code to access the data." p1="$marked_email"}</p>

```

```

37         <div class="bottombuttons f-row">
38             <div class="center-row f-grid-6">
39                 <button verification-submit-action type="submit" name="download" value="download" class="btn bt
n-red">
- 40                 
+ 40                 
41                 <span>{translate key='Download your archive'}
42                 (<span class="js__convert-size-pretty">{$archive_size|escape}</span>)
43             </span>

```

scripts/basket/address.tpl

```

33         <div class="f-grid-6">
34             <div class="client-data">
35                 <h4 class="separator">
- 36                 
+ 36                 
37                 {translate key='Billing and shipping address'}
38             </h4>
39             <table class="maindata">

```

```

126         <td>
127             <button type="submit" name="address_submit" value="address_subm
128             it" class="button address_submit">
- 129             
+ 129             
130             <span>&raquo;</span>
131         </button>
132     </td>

```

```

237         <td>
238             <button type="submit" name="address_submit2" value="address_sub
239             mit2" class="button address_submit">
- 240             
+ 240             
241             <span>&raquo;</span>
242         </button>
243     </td>

```

```
465
```



```
466         <div class="bottombuttons">
467             <button type="submit" name="button2" value="button2" class="important summary btn-red btn">
- 468                 
+ 468                 
469             <span>
470                 {if $shipping_extra_step}
471                 {translate key='Payment & Shipping'}
```

```
478             {$recaptcha}
479
480             <button type="submit" name="button1" value="button1" class="btn back">
- 481                 
+ 481                 
482                 <span>{translate key='Back'}</span>
483             </button>
484         </div>
```

scripts/basket/done.tpl

```
25         <div class="box" id="box_basketfinal">
26             <div class="boxhead">
27                 <span>
- 28                     
+ 28                     
29                     {translate key='Thank you for your order'}
30                 </span>
31             </div>
```

scripts/basket/finished.tpl

```
24         <div class="box" id="box_basketfinal">
25             <div class="boxhead">
26                 <span>
- 27                     
+ 27                     
28                     {translate key='Message after payment'}
29                 </span>
30             </div>
```

scripts/basket/index.tpl

```
25         <div class="box unibox" id="box_basketlist">
26             <div class="boxhead">
27                 <h3>
- 28                     
+ 28                     
29                     {translate key='Contents of your cart'}
```

```
30      </h3>
31    </div>
```

```
119
120      <td class="actions">
121        <a href="{route key='basketRemove' basketId=$basket_product->getIdentifier(
- 122      
+ 122      
123        <span>{translate key='Remove'}</span>
124        <i class="fa fa-times"></i>
125      </a>
```

```
222      </span>
223      <span class="action">
224        <button type="submit" class="btn">
- 225      
+ 225      
226        <span>{translate key="Use"}</span>
227        <i class="icon-ok"></i>
228      </button>
```

```
257      <span class="button" id="recalc" data-recount="{if $recount}true{else}false{/if}">
258        <input type="hidden" name="recount" value="1" />
259        <button type="submit" name="button" value="button" class="btn">
- 260      
+ 260      
261        <span>{translate key='Calculate'}</span>
262      </button>
263    </span>
```

```
307      <div class="buttons">
308        <span class="back">
309          <button type="submit" class="btn back" name="button1" value="button1">
- 310      
+ 310      
311          <span>{translate key='Continue shopping'}</span>
312        </button>
313      </span>
314      <span class="forward">
315        <button type="submit" class="important order btn btn-red" name="button2" value="button2
">
- 316      
+ 316      
317        <span>{translate key='Order now'}</span>
318      </button>
319    </span>
```

scripts/basket/shipping.tpl

```
130 <input type="hidden" name="shippingform" value="1" >
131 <div class="bottombuttons">
132 <button type="submit" name="button1" value="button1" class="btn undo back">
- 133 
+ 133 
134 <span>{translate key='Back'}</span>
135 </button>
136 {if count($shippings) && count($payments)}
137 <button type="submit" name="button2" value="button2" class="btn right btn-red order">
- 138 
+ 138 
139 <span>{translate key='Summary'}</span>
140 </button>
141 {/if}
```

scripts/basket/step2.tpl

```
42 <div class="register r--l-flex r--l-column r--l-flex-spacebetween {if $allow_single}r--l-box-3-5{el
se}r--l-box-6{/if}">
43 <div class="r--spacing-s">
44 <h3>
- 45 
+ 45 
46 {translate key="I do not have an account yet"}
47 </h3>
48
```

```
60 <form action="{route key='basketRegister'}" method="get" class="register">
61 <fieldset>
62 <button class="btn btn-red important register" type="submit">
- 63 
+ 63 
64 <span>{translate key='Create an account'}</span>
65 </button>
66 </fieldset>
```

```
72 <div class="basket-no-register r--l-flex r--l-column r--l-flex-spacebetween {if $enable_register} r
--l-box-3-5 register-enabled{else} r--l-box-5{/if}">
73 <div class="r--spacing-s">
74 <h3>
- 75 
+ 75 
76 {if $enable_register === false}
77 {translate key="I do not have an account"}
```

```

86
87     <form action="{route key='basketNoRegister'}" method="get" class="order">
88         <button class="btn btn-red important order" type="submit">
- 89             
+ 89             
90             <span>{translate key='Place an order'}</span>
91         </button>
92     </form>

```

```

95
96     <div class="login r--l-flex r--l-column r--l-flex-spacebetween {if $allow_single && $enable_register}r-
- l-box-3-5{elseif $allow_single || $enable_register}r--l-box-5{else}r--l-box-10{/if}">
97         <h3>
- 98             
+ 98             
99             {translate key='I already have an account'}
100         </h3>
101

```

```

124     </div>
125
126     <button type="submit" class="btn btn-red important">
- 127         
+ 127         
128         <span>{translate key='Sign in'}</span>
129     </button>
130 </fieldset>

```

scripts/basket/step3.tpl

```

326     <input type="hidden" name="summaryform" value="1" >
327     <div class="bottombuttons">
328         <button type="submit" name="button1" value="button1" class="btn undo back">
- 329             
+ 329             
330             <span>{translate key='Back'}</span>
331         </button>
332         <button type="submit" name="button2" value="button2" class="btn btn-red order clickhide">
- 333             
+ 333             
334             <span>{translate key='Confirm order'}</span>
335         </button>
336     </div>

```

scripts/body_head.tpl

```
27         </li>
28         <li class="myaccount">
29             <a href="{route key='panel'}" title="{translate key='My account'}" class="myaccount">
- 30                 
+ 30                 
31                 <span>{translate key="My account"}</span>
32             </a>
33         </li>
34         <li class="logout">
35             <a href="{route key='logout'}" title="{translate key='Sign out'}" class="logout">
- 36                 
+ 36                 
37                 <span>{translate key='Sign out'}</span>
38             </a>
39         </li>
```

```
41         {if $enable_register}
42             <li class="register">
43                 <a href="{route key='register'}" title="{translate key='Create an account'}" class="register">
- 44                 
+ 44                 
45                 <span>{translate key='Create an account'}</span>
46             </a>
47         </li>
48         {/if}
49         <li class="login">
50             <a href="{route key='login'}" title="{translate key='Sign in'}" class="login">
- 51                 
+ 51                 
52                 <span>{translate key='Sign in'}</span>
53             </a>
54         </li>
```

```
71         {dynamic}
72         <div class="basket right{if 0 == $user->basket->countProducts()} empty-basket{/if}">
73             <a href="{route key='basket'}" title="{translate key='Cart'}" class="count">
- 74                 
+ 74                 
75             <span class="countlabel">
76                 <span>{translate key="Cart"}:</span>
77             <b>
```

```
137         <fieldset>
138             <input type="text" name="search" placeholder="{translate key='search in the store...'}" value="" class="search-
input s-grid-3" />
139             <button type="submit" class="search-btn btn btn-red">
```

```
- 140      
+ 140      
141      <span>{translate key="Search"}</span>
142      </button>
143      <a href="{route key='search'}" title="{translate key='advanced search'}" class="none adv-search">{translate
key='advanced search'}</a>
```

```
157      <div class="breadcrumbs large tablet row">
158          <div class="innerbreadcrumbs row container">
159              <a href="{baseDir nonempty=1}" title="{translate key='Home page'}" rel="nofollow" class="breadcrumb-home left">
- 160                  
+ 160                  
161                  <span>{translate key="You are here"}:</span>
162              </a>
163          </div>
```

scripts/categories/list.tpl

```
25      {if $categories->getTotalItemCount() > 0}
26          <div class="box" id="box_categories">
27              <div class="boxhead">
- 28                  <h3>{translate key='List of categories'}<
/h3>
+ 28                  <h3>{translate key='List of categories
'}</h3>
29              </div>
30              <div class="innerbox">
```

```
33          <h5>
34              <a href="{route function='category' key=$category->getIdentifier() page=1 sort=1 view=$view cat
egoryId=$category->getIdentifier() categoryName=$category->translation->name
35                  }" title="{ $category->translation->name|escape}" class="">
- 36                  
+ 36                  
37                  <span>{ $category->translation->name|escape}</span>
38              </a>
39          </h5>
```

scripts/contact/index.tpl

```
25      <div class="box" id="box_contact">
26          <div class="boxhead">
27              <h3>
- 28                  
+ 28                  
29                  {translate key="Contact form"}
30              </h3>
```

```

171         <div class="f-grid-12">
172             {$recaptcha}
173             <button type="submit" class="btn btn-red2 send">
- 174                 
+ 174                 
175                 <span>{translate key="Send"}</span>
176             </button>
177         </div>

```

scripts/error/not-found.tpl

```

25         <div class="box" id="box_404">
26             <div class="boxhead">
27                 <h3>
- 28                     
+ 28                     
29                     {translate key="Requested page does not exist"}
30                 </h3>
31             </div>

```

```

40             {include file='formantispan.tpl'}
41             <input type="text" name="search" value="" placeholder="{translate key='search in the store...'}"
" class="fadingtext">
42             <button class="btn" type="submit">
- 43                 
+ 43                 
44                 <span>{translate key='Search'}</span>
45             </button>
46         </fieldset>

```

scripts/flash_messages.tpl

```

6         <div class="alert-error alert">
7             <button type="button" class="close icon-remove" >
8                 <span>{translate key="close"}</span>
- 9                 
+ 9                 
10             </button>
11             <div class="row">
12                 <p>{$item.message}</p>

```

```

19         <div class="alert-warning alert">
20             <button type="button" class="close icon-remove" >
21                 <span>{translate key="close"}</span>

```

```
- 22      
+ 22      
 23      </button>
 24      <div class="row">
 25      <p>{$item.message}</p>
```

```
 31      <div class="alert-info alert">
 32      <button type="button" class="close icon-remove" >
 33      <span>{translate key="close"}</span>
- 34      
+ 34      
 35      </button>
 36      <div class="row">
 37      <p>{$item.message}</p>
```

```
 43      <div class="alert-success alert">
 44      <button type="button" class="close icon-remove" >
 45      <span>{translate key="close"}</span>
- 46      
+ 46      
 47      </button>
 48      <div class="row">
 49      <p>{$item.message}</p>
```

scripts/footer.tpl

```
  9      {if $link->getHref()}
 10      <li>
 11      <a href="{ $link->getHref() |escape}" {if $link->isPopup()}target="_blank" rel="noopener"{/if} ti
title="{ $link->getTitle() |escape}" id="footlink{ $link->getIdentifier()}">
- 12      
+ 12      
 13      { $link->getTitle() |escape}
 14      </a>
 15      </li>
```

```
 32
 33      <div class="up">
 34      <a href="#" title="{translate key="up"}" class="btn fa fa-2x fa-angle-up">
- 35      
+ 35      
 36      <span>{translate key="up"}</span>
 37      </a>
 38      </div>
```

scripts/header.tpl


```
14 <link rel="home" href="{baseDir nonempty=1}" />
15 <link rel="shortcut icon" href="{s$path}images/favicon.png">
16 {feature name="pwa"}
- 17 <link rel="manifest" href="{baseDir}/public/manifest.json">
- 18 <link rel="apple-touch-icon" sizes="192x192" href="{baseDir}/userdata/pwa/icons/192x192_icon.png">
+ 17 <link rel="manifest" href="{baseDir}/userdata/public/manifest.json">
+ 18 <link rel="apple-touch-icon" sizes="192x192" href="{baseDir}/userdata/public/pwa/icons/192x192_icon.png">
19 {/feature}
20
21 <link rel="dns-prefetch" href="//fonts.gstatic.com">
```

```
25
26 <link id="csslink" rel="stylesheet" type="text/css" href="{sfc type='css' id=$skin_id user=$user_css gallery=0 lang=$lang_full}" />
27
- 28 <script type="text/javascript" src="{baseDir}/public/scripts/fastdom.min.js"></script>
+ 28 <script type="text/javascript" src="{baseDir}/libraries/scripts/fastdom.min.js"></script>
29 <script type="text/javascript" src="{sfc type='js' id=$skin_id user=$user_js gallery=0 lang=$lang_full moo=0 jq=1 mainname='main-jq
'}"></script>
30
31 {if count($seo_links)}
```

scripts/headerlinks.tpl

```
6 <li class="home-link-menu-li">
7 <h3>
8 <a href="{baseDir nonempty=1}" title="{translate key='Home page'}">
- 9 
+ 9 
10 </a>
11 </h3>
12 </li>
17 <h3>
18 <a {if $link->isPopup()}target="_blank" rel="noopener"{/if} href="{ $link->getHref($view)|escape}" t
title="{ $link->getTitle()|escape}" id="headlink{ $link->getIdentifier()}" class="spanhover mainlevel">
19 <span>{ $link->getTitle()|escape}</span>
- 20 
+ 20 
21 </a>
22 </h3>
23 {if $link->hasSubCategories()}
34 <ul class="menu-mobile rwd-show-medium rwd-hide-full">
35 <li class="menu-mobile-li small-menu flex flex-4">
36 <a href="{baseDir nonempty=1}" title="{translate key='Menu'}" class="fa fa-align-justify">
```

```

- 37 
+ 37 
38 </a>
39 </li>
40 <li class="menu-mobile-li small-search flex flex-4" id="activ-search">
41 <a title="{translate key='Search'}" class="fa fa-search">
- 42 
+ 42 
43 </a>
44 </li>
45 <li class="menu-mobile-li small-panel flex flex-4" id="activ-panel">
46 <a href="{route key='panel'}" title="{translate key='My account'}" class="fa fa-user">
- 47 
+ 47 
48 </a>
49 </li>
50 <li class="menu-mobile-li small-cart flex flex-4">
51 <a href="{route key='basket'}" title="{translate key='Cart'}" class="icon icon-custom-cart">
- 52 
+ 52 
53 </a>
54 </li>
55 </ul>

```

scripts/headermenu.tpl

```

6 <a href="{route function='category' key=$cat->getIdentifier() categoryName=$cat->translation->name cate
goryId=$cat->getIdentifier() view=$view resetparams=true}"
7 title="{ $cat->translation->name|escape}" id="headercategory{ $cat->getIdentifier()}" class="spanhove
r">
8 <span>{ $cat->translation->name|escape}</span>
- 9 
+ 9 
10 </a>
11 </h3>
12

```

scripts/headernews.tpl

```

6 <a href="{route function='newsCategory' key=$cat->getIdentifier() categoryId=$cat->getIdentifier() cate
goryName=$cat->category->name view=$view resetparams=true}"
7 title="{ $cat->category->name|escape}" id="headernews{ $cat->getIdentifier()}" class="spanhover">
8 <span>{ $cat->category->name|escape}</span>
- 9 
+ 9 
10 </a>
11 </h3>
12 </li>

```

scripts/index/index.tpl

```
28         {if 'products' == $skin_settings->main->mode && count($products)}
29         <div class="box" id="box_mainproducts">
30             <div class="boxhead">
- 31                 <h1 class="category-name row">{translate
key="Recommended products"}</h1>
+ 31                 <h1 class="category-name row">{transla
te key="Recommended products"}</h1>
32             </div>
33             <div class="sort-and-view">
34                 {if 1 == $skin_settings->productlist->allowviewchange}
```

scripts/info/index.tpl

```
25         <div class="box box_infopage" id="infopage{$page->getIdentifier()}">
26             <div class="boxhead">
27                 <span>
- 28                     
+ 28                     
29                     {$page->page->name|escape}
30                 </span>
31             </div>
```

scripts/links/index.tpl

```
25         {if count($links) > 0}
26         <div class="box" id="box_links">
27             <div class="boxhead">
- 28                 <h3>{translate key="Links"}</h3>
+ 28                 <h3>{translate key="Links"}</h3>
29             </div>
30         </div>
31         <div class="innerbox">
```

scripts/login/login.tpl

```
42         <div class="f-row">
43             <form action="{route key='login'}" method="post" class="f-grid-6 login-inner">
44                 <fieldset class="">
- 45                     <h3 class="login-head"><span>{tra
nslate key="Sign in"}</span></h3>
+ 45                     <h3 class="login-head"><span>{
translate key="Sign in"}</span></h3>
46                     {include file='formantisipam.tpl'}
47                     <input type="hidden" name="last_url" value="{last_url|escape}" />
48                     <label for="mail_input_long">{translate key="E-mail"}</label>
```

```
51         <input type="password" name="pass" id="pass_input_long" size="30">
52         {$recaptcha}
53         <button type="submit" class="btn btn-red login">
- 54             
+ 54             
55             <span>{translate key="Sign in"}</span>
56         </button>
57         <p>{translate key='Forgot your password? %sClick here%s.' p1="<a href=\"\$passlink\">" p2='</a>'}
    }</p>
```

```
61         {if $enable_register}
62         <div class="f-grid-6 register-inner">
63         <h3 class="register-head">
- 64             
+ 64             
65             <span>{translate key="Create an account"}</span>
66         </h3>
67     </div>
```

```
78         <fieldset>
79         {include file='formantisipam.tpl'}
80         <button type="submit" class="btn register">
- 81             
+ 81             
82             <span>{translate key="Create an account"}</span>
83         </button>
84     </fieldset>
```

scripts/login/passremind.tpl

```
42
43     <div class="bottombuttons">
44     <button type="submit" class="btn passchange">
- 45         
+ 45         
46         <span>{translate key="Change password"}</span>
47     </button>
48 </div>
```

scripts/login/passremind2.tpl

```
61     </div>
62     <div class="bottombuttons">
63     <button type="submit" class="btn save">
- 64         
+ 64         
```

```
65         <span>{translate key="Save"}</span>
66     </button>
67 </div>
```

scripts/login/register.tpl

```
41         {/if}
42
43     <h3>
- 44         {translate key="Registration"}</span
+ 44         {translate key="Registration"}</s
pan>
45     </h3>
46
47     <div class="innerbox address-handler">
```

```
284     </div>
285     <div class="bottombuttons">
286         <button type="submit" class="btn btn-red right register">
- 287         
+ 287         
288         <span>{translate key="Create an account"}</span>
289     </button>
290 </div>
```

scripts/news/comments.tpl

```
2     <div class="box row tab" id="box_articlecomments">
3         <div class="boxhead tab-head">
4             <h3>
- 5             
+ 5             
6             {translate key="Post comments"} ({$article_comments|count})
7         </h3>
8     </div>
```

```
53         {/if}
54
55     <button type="submit" class="btn">
- 56     
+ 56     
57     <span>{translate key="Send"}</span>
58 </button>
59
```

scripts/news/files.tpl

```
2      <div class="box row tab" id="box_articlefiles">
3          <div class="boxhead tab-head">
4              <h3>
- 5                  
+ 5                  
6                  {translate key="Files"} ({article->files|count})
7              </h3>
8          </div>
```

scripts/news/index.tpl

```
23
24          <article class="box" id="box_article">
25              <div class="row article-header">
- 26                  
+ 26                  
27                  <span class="article-name">{article->article->name|escape}</span>
28                  {if $enable_comments}
29                      <a class="article-comments" href="{route function='news' key=$article->getIdentifier() newsId=$article-
>getIdentifier() newsName=$article->article->name newsYear="Y"|date:$article->articleTimestamp newsMonth="m"|date:$article->articleTimes
tamp newsDay="d"|date:$article->articleTimestamp}#commentform">
```

scripts/news/listofarticles.tpl

```
3      {foreach from=$articles item=article name=list}
4          <article>
5              <div class="row article-header">
- 6                  
+ 6                  
7                  {if $enable_comments || ($enable_download && $article->files|count > 0) || ($article->article->content|strlen > 0 &
& $article->article->short_content != $article->article->content)}
8                      <a class="article-name" href="{route function='news' key=$article->getIdentifier() newsId=$article->getIdentifi
er() newsName=$article->article->name newsYear="Y"|date:$article->articleTimestamp newsMonth="m"|date:$article->articleTimestamp newsDay
="d"|date:$article->articleTimestamp}">{article->article->name|escape}</a>
9                  {else}
```

scripts/newsletter/unsign.tpl

```
24          <div class="box" id="box_newsletterunsign">
25              <div class="boxhead">
26                  <h3>
- 27                  
+ 27                  
28                  {translate key="Unsubscribe from our newsletter"}
29                  </h3>
30              </div>
```

```
38         </div>
39
40         <button type="submit" class="btn unsign">
- 41             
+ 41             
42             <span>{translate key="Unsubscribe"}</span>
43         </button>
44     </fieldset>
```

scripts/panel/address-edit.tpl

```
28         <div class="box" id="box_address">
29             <div class="boxhead">
30                 <span>
- 31                     
+ 31                     
32                     {if $address_id > 0}
33                         {translate key="Edit address"}
34                     {else}
```

```
138
139         <div class="bottombuttons">
140             <button type="submit" name="button1" value="button1" class="btn undo">
- 141                 
+ 141                 
142                 <span>&laquo; {translate key='Back'}</span>
143             </button>
144             <button type="submit" name="button2" value="button2" class="btn btn-red important save">
- 145                 
+ 145                 
146                 {if $address_id > 0}
147                 <span>{translate key='Save'}</span>
148             {else}
```

scripts/panel/address.tpl

```
89
90         <div class="links">
91             <a href="{route key='panelAddressEdit' addressId=$address->address_book_id}" class="edit
t btn spanhover">
- 92                 
+ 92                 
93                 <span>{translate key='edit'}</span>
94             </a>
95
96             <a href="{route key='panelAddressRemove' addressId=$address->address_book_id}" class="r
emove btn spanhover titlequestion" title="{translate key='Are you sure you want to remove the address: %s, %s %s?' p1=$address->street_1
```

```

|escape p2=$address->zip_code|escape p3=$address->city|escape}">
- 97 
+ 97 
98 <span>{translate key='remove'}</span>
99 </a>
100
101 {if 0 == $address->default}
102 <a href="{route key='panelAddressDefault' addressId=$address->address_book_id}" cla
ss="default spanhover btn">
- 103 
+ 103 
104 <span>{translate key='set as billing address'}</span>
105 </a>
106 {else}
107 <em class="default">
- 108 
+ 108 
109 <span>{translate key='default billing address'}</span>
110 </em>
111 {/if}
112
113 {if 0 == $address->shipping_default}
114 <a href="{route key='panelAddressShipping' addressId=$address->address_book_id}" cl
ass="shipping spanhover btn">
- 115 
+ 115 
116 <span>{translate key='set as delivery address'}</span>
117 </a>
118 {else}
119 <em class="shipping">
- 120 
+ 120 
121 <span>{translate key='default delivery address'}</span>
122 </em>
123 {/if}

128 {/if}
129
130 <a class="add btn-red spanhover btn" href="{route key='panelAddressEdit'}">
- 131 
+ 131 
132 <span>{translate key='Add an address'}</span>
133 </a>
134 </div>

```

scripts/panel/comments.tpl

```

28 <div class="box" id="box_productcomments">
29 <div class="boxhead">

```



```

30         <span>
- 31         
+ 31         
32         {translate key="Products reviews"}
33     </span>
34 </div>

```

scripts/panel/edit.tpl

```

24     <div class="box" id="box_useredit">
25         <div class="boxhead">
26             <span>
- 27             
+ 27             
28             {translate key="Edit your profile"}
29         </span>
30     </div>

```

```

154
155         <div class="bottombuttons row">
156             <button type="submit" class="btn save">
- 157             
+ 157             
158             <span>{translate key="Save"}</span>
159         </button>
160     </div>

```

scripts/panel/favourites.tpl

```

28     <div class="box" id="box_favourites">
29         <div class="boxhead">
30             <span>
- 31             
+ 31             
32             {translate key="Products on wishlist"}
33         </span>
34     </div>

```

```

95         {route key=$basketAddRoute stockId=$id}" title="{translate key='add to cart
'}
96         {/if}
97         " class="btn btn-red2 addtobasket spanhover">
- 98         
+ 98         
99         <span>
100             {if $product->product->isBundle()}
101                 {translate key='check more'}

```

```

109                                     {assign var="availabilityNotifyUser" value=$product->getAvailabilityNotifyByUse
r()}
110                                     <div class="availability-notifier-unsubscribe-container{if $availabilityNotifyU
ser == null} none{/if}">
111                                         <a href="#" data-stock-id="{ $product->stock->stock_id}" title="{translate k
ey="cancel notify"}" class="btn btn-red2 availability-notifier-unsubscribe-btn spanhover">
- 112                                     
+ 112                                     
113                                         <span>{translate key='cancel notify'}</span>
114                                         </a>
115                                     </div>
116
117                                     <div class="availability-notifier-container{if $availabilityNotifyUser} none{/i
f}">
118                                         <a href="#" data-is-logged="{if true == $user_logged}true{else}false{/if}"
data-product-id="{ $product->product->product->product_id}" data-stock-id="{ $product->stock->stock_id}" data-product-name="{ $product->pro
duct->translation->name|escape}" title="{translate key="notify of product availability"}" class="btn btn-red2 availability-notifier-btn
spanhover">
- 119                                     
+ 119                                     
120                                         <span>{translate key='notify of product availability'}</span>
121                                         </a>
122                                     </div>

```

```

124                                     {/if}
125
126                                     <a href="{route key='panelRemoveFavourite' stockId=$id}" title="{translate key='remove'
}" class="btn remove spanhover">
- 127                                     
+ 127                                     
128                                         <span>{translate key='remove'}</span>
129                                         </a>
130                                     </td>

```

scripts/panel/index.tpl

```

94                                     </table>
95                                     {if $orders_alllink}
96                                         <a class="allorders btn spanhover" href="{route key='panelOrders'}">
- 97                                     
+ 97                                     
98                                         <span>{translate key='Order history (%d)' pl=$orders_count}</span>
99                                         </a>
100                                     {/if}

```

```

106                                     <p class="mail">{ $user->user->userinfo->email|escape}</p>
107

```

```
108 <a href="{route key='panelEdit'}" class="editprofile btn spanhover">
- 109 
+ 109 
110 <span>{translate key='Edit your profile'}</span>
111 </a>
112 <a href="{route key='panelPassword'}" class="changepass btn spanhover">
- 113 
+ 113 
114 <span>{translate key='Change password'}</span>
115 </a>
116
```

```
155 </li>
156 </ul>
157 <a href="{route key='panelAddressList'}" class="editaddresses btn spanhover">
- 158 
+ 158 
159 <span>{translate key='Edit an address'}</span>
160 </a>
161
```

```
182
183 {if $loyalty_exchange_enabled}
184 <a href="{route key='loyaltyList'}" class="loyaltylist button spanhover">
- 185 
+ 185 
186 <span>{translate key='Go to the list of products that you can exchange for points'}</span>
187 </a>
188 {/if}
```

```
229 <div class="row">
230 {if $comments_count > 0}
231 <a href="{route key='panelComments'}" class="prodcomments btn spanhover">
- 232 
+ 232 
233 <span>{translate key='Your product reviews (%d)' p0=$comments_count}</span>
234 </a>
235 {/if}
236 {if $favourites_count > 0}
237 <a href="{route key='panelFavourites'}" class="prodstorage btn spanhover">
- 238 
+ 238 
239 <span>{translate key='Products on wishlist (%d)' p0=$favourites_count}</span>
240 </a>
241 {/if}
```

```

62         <li class="confirm"><strong>{translate key='E-mail confirmation'}: </strong>
63         <span class="confirm">
64             {if 1 == $order->order->confirm}
- 65                 
+ 65                 
66                 <span class="confirmed">{translate key='confirmed'}</span>
67             {else}
- 68                 
+ 68                 
69                 <span class="notconfirmed">{translate key='none!'}</span>
70             {/if}
71         </span>

```

```

356         {if !$onlinepayment->isFinished() and $onlinepayment->isStarted()}
357         {translate key='Your payment is being processed.'}
358         <button class="btn btn-red2 important pay" type="submit">
- 359             
+ 359             
360             <span>{translate key='Pay again'}</span>
361         </button>
362         {else}
363         <button class="btn btn-red2 important pay" type="submit">
- 364             
+ 364             
365             <span>{translate key='Pay'}</span>
366         </button>
367         {/if}
368     {/if}
369     {else}
370     <button class="btn btn-red2 important pay" type="submit">
- 371         
+ 371         
372         <span>{translate key='Pay'}</span>
373     </button>
374 {/if}

```

scripts/panel/orders.tpl

```

55         {if $config_confirm}
56         <td class="status">
57             {if 1 == $order->order->confirm}
- 58                 
+ 58                 
59                 <span class="confirmed">{translate key='confirmed'}</span>
60             {else}
- 61                 
+ 61                 

```

```

62         <span class="notconfirmed">{translate key='none!'}</span>
63     {/if}
64 </td>

```

```

66
67     <td class="actions">
68         <a href="{route key='panelOrder' orderId=$id}" class="details btn btn-red spanhover" ti
title="{translate key='Order details'}">
- 69         
+ 69         
70         <span>{translate key='details'}</span>
71     </a>
72
73     {if $order->getAmountToPay() > 0 && $order->hasSupportOnlinePayment()}
74     <a href="{route key='panelPayment' orderId=$id}" class="payment btn spanhover">
- 75     
+ 75     
76     <span>{translate key='pay'}</span>
77     </a>
78     {/if}
79
80     {if $order->invoice && true == $show_invoice}
81     <a href="{baseDir}/console/invoices/pdf/id/{$order->invoice->invoice->invoice_id}"
class="invoice btn spanhover">
- 82     
+ 82     
83     <span>{translate key='invoice'}</span>
84     </a>
85     {/if}

```

scripts/panel/password.tpl

```

76
77     <div class="bottombuttons">
78     <button type="submit" class="btn save">
- 79     
+ 79     
80     <span>{translate key="Save"}</span>
81     </button>
82 </div>

```

scripts/panel/verification.tpl

```

9         <form action="" method="post">
10         <fieldset>
11         <div class="boxhead">
- 12         <h3>{translate key="Enter a verificat
ion code that we have sent to your email"}</h3>

```

```

+ 12      <h3>{translate key="Enter a verifi
cation code that we have sent to your email"}</h3>
13      </div>
14      <div class="f-row">
15          <p>{translate key="To protect your data, we have sent you a one-time verification code to your addr
ess %s. Enter the code to access the data." p1="$marked_email"}</p>

```

```

37      <div class="bottombuttons f-row">
38          <div class="center-row f-grid-6">
39              <button verification-submit-action type="submit" name="download" value="download" class="btn bt
n-red">
- 40          
+ 40          
41              {translate key='Ready'}
42          </button>
43      </div>

```

scripts/product/attributes.tpl

```

2      <div class="box tab" id="box_productdata">
3          <div class="boxhead tab-head">
4              <h3>
- 5          
+ 5          
6              {translate key="Technical data"}
7          </h3>
8      </div>

```

scripts/product/bundle.tpl

```

2      <div class="box tab" id="box_bundle" data-composing="0" data-composing-limit="5" data-bundle-items="{ $product->bundle->items|@count }">
3          <div class="boxhead">
4              <h3>
- 5          
+ 5          
6              {translate key="Bundled products"}
7          </h3>
8      </div>

```

scripts/product/comments.tpl

```

2      <div class="box row tab" id="box_productcomments">
3          <div class="boxhead tab-head">
4              <h3>
- 5          
+ 5          
6              {translate key="Product reviews"} ({$product_comments|count})
7          </h3>

```

```

30         <div class="alert-error alert">
31             <button type="button" class="close icon-remove">
32                 <span>{translate key="close"}</span>
- 33                 
+ 33                 
34             </button>
35         <div class="row">
36             <p>{translate key="You have to fill name or nick field."}</p>

```

```

43         <div class="alert-error alert">
44             <button type="button" class="close icon-remove">
45                 <span>{translate key="close"}</span>
- 46                 
+ 46                 
47             </button>
48         <div class="row">
49             <p>{translate key="You have to fill comment field."}</p>

```

```

82         {$recaptcha}
83
84         <button type="submit" class="btn">
- 85             
+ 85             
86             <span>{translate key="Send"}</span>
87         </button>
88     </fieldset>

```

scripts/product/description.tpl

```

2         <div class="box tab" id="box_description">
3             <div class="boxhead">
4                 <h3>
- 5                 
+ 5                 
6                 {translate key="Description"}
7             </h3>
8         </div>

```

```

17         {foreach from=$product->files item=file}
18             <li>
19                 <a href="{route key='productFile' name=$file->name file=$file->file_name}" title="{if $file->descriptio
n}{$file->description|escape}{else}{$file->name|escape}{/if}" class="spanhover">
- 20                 
+ 20                 

```

```
21         <span>{if $file->description}{$file->description|escape}{else}{$file->name|escape}{/if}</span>
22     </a>
23 </li>
```

scripts/product/gallery-tab.tpl

```
2     <div class="box row tab" id="box_productgallery">
3         <div class="boxhead tab-head">
4             <h3>
- 5                 
+ 5                 
6                 {translate key="Product gallery"}
7             </h3>
8         </div>
```

scripts/product/index.tpl

```
347         </div>
348         <div class="button_wrap">
349             <button type="submit" class="addtobasket btn btn-red">
- 350                 
+ 350                 
351                 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{transl
ate key="Add to cart"}{/if}</span>
352             </button>
353             {if false != $loyalty_points && !$loyalty_exchange}
```

```
372         <fieldset class="availability-notifier-container{if $availabilityNotify
User != null || 1 == (int) $product->defaultStock->availability->availability->can_buy} none{/if}">
373             <div class="button_wrap">
374                 <button type="submit" class="availability-notifier-btn btn btn-
red" data-is-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->stock->stock_id}" data-produ
ct-id="{ $product->product->product_id}" data-product-name="{ $product->translation->name|escape}">
- 375                 
+ 375                 
376                 <span>{translate key="notify of product availability"}</spa
n>
377             </button>
378         </div>
```

```
381         <fieldset class="availability-notifier-unsubscribe-container{if $av
ailabilityNotifyUser == null || 1 == (int) $product->defaultStock->availability->availability->can_buy} none{/if}">
382             <div class="button_wrap">
383                 <button type="submit" class="availability-notifier-unsubscr
```



```
ibe-btn btn btn-red" data-stock-id="{ $product->defaultStock->stock->stock_id}">
- 384 
+ 384 
385 <span>{translate key="cancel notify"}</span>
386 </button>
387 </div>
```

```
394
395 {if 1 == $skin_settings->productdetails->storage}
396 <a href="{route key='favouriteAdd' stockId=$product->defaultStock->getIdentifie
r()}" title="{translate key='add to wish list'}" class="addtofav">
- 397 
+ 397 
398 <span>{translate key="add to wish list"}</span>
399 </a>
400 {/if}
```

```
420 <em class="vote-message">{translate key="Rating"}:</em>
421 <span class="votestars">{if $can_vote} id="votestars_{ $product->
getIdentifier()|escape}"{/if}>
422 {foreach from=$vote_stars item=star name=list}
- 423 
+ 423 
424 {/foreach}
425 </span>
426 <span class="none">
```

```
466 {if 1 == $skin_settings->productdetails->question}
467 <li class="question">
468 <a data-href="{route key='productQuestion' productId=$product->getI
dentifier()}" title="{translate key='ask about product'}" class="question ajaxlayer">
- 469 
+ 469 
470 <span>{translate key="ask about product"}</span>
471 </a>
472 </li>
```

```
475 {if 1 == $skin_settings->productdetails->recommend}
476 <li class="mailfriend">
477 <a href="{route key='productMailFriend' productId=$product->getIden
tifier()}" title="{translate key='recommend to a friend'}" class="mailfriend">
- 478 
+ 478 {translate key="recommend to a friend"}</span>
480   </a>
481 </li>

```

```

484     {if $scan_comment}
485     <li class="comment">
486       <a href="#commentform" title="{translate key='add your review'}
" class="comment addcomment">
- 487     
+ 487     
488       <span>{translate key="add your review"}</span>
489     </a>
490   </li>
491   {else}
492   <li class="comment">
493     <a href="#" title="{translate key='Only registered users can ad
d reviews.'}" class="comment addcomment alert-modal">
- 494     
+ 494     
495     <span>{translate key="add your review"}</span>
496   </a>
497 </li>

```

scripts/product/loyalty.tpl

```

1     <div class="box" id="box_loyalty">
2       <div class="boxhead">
3         <h3>
- 4         
+ 4         
5         {translate key="Exchangeable products in the loyalty program"}
6       </h3>
7     </div>
8
9     <div class="innerbox">
10      <div class="mb-2">
- 11      <span class="mb-2 r--fs-xl">{translate key="Your points: %s" p1=$user_points}</span>
+ 11      <span class="mb-2 r--fs-xl">{translate key="Your points: %s" p1=$user_points}</span>
12
13      {if count($awarding_msgs) > 0}
14      <div class="tooltip">

```

scripts/product/mailfriend.tpl

```
23
24     <div class="box" id="box_mailfriend">
25         <div class="boxhead">
- 26             <h3>{translate key="Recommend product to a f
friend"}</h3>
+ 26             <h3>{translate key="Recommend product to
a friend"}</h3>
27         </div>
28
29     <div class="innerbox">
```

```
60         {$recaptcha}
61
62         <button type="submit" class="btn send">
- 63             
+ 63             
64             <span>{translate key="Send"}</span>
65         </button>
66     </fieldset>
```

scripts/product/question.tpl

```
14     <script>
15         shoper.ajaxlayer.modal.callbacks.close = function() {
16             setTimeout(function() {
- 17                 this.destroyModal.bind(this)
+ 17                 this.destroyModal.bind(this);
18                 location.reload();
19             }.bind(shoper.ajaxlayer.modal), 600);
20     }
```

```
85
86     <div class="row">
87         <button type="submit" class="btn">
- 88             
+ 88             
89             <span>{translate key='Send'}</span>
90         </button>
91     </div>
```

scripts/product/related.tpl

```
2     <div class="box row tab" id="box_productrelated">
3         <div class="boxhead tab-head">
4             <h3>
- 5                 
+ 5                 
```

```
6         {translate key="Related products"}
7         </h3>
8     </div>
```

```
126         <fieldset>
127             {if !$rproduct->isBundle()}
128                 <button class="addtobasket btn btn-red" type="submit">
- 129                     
+ 129                     
130                 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key=
"Add to cart"}{/if}</span>
131                 <input type="hidden" value="{ $rproduct->defaultStock->getIdentifier()|escap
e}" name="stock_id">
132             </button>
```

```
140         {assign var="availabilityNotifyUser" value=$rproduct->defaultStock->getAvailability
NotifyByUser()}
141         <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null
} none{/if}">
142             <button class="availability-notifier-btn btn btn-red" type="submit" data-is-log
ged="{if true == $user_logged>true{else}false{/if}" data-stock-id="{ $rproduct->defaultStock->getIdentifier()}" data-product-id="{ $rprodu
ct->product->product_id}" data-product-name="{ $rproduct->translation->name|escape}">
- 143                 
+ 143                 
144                 <span>{translate key="Notify of product availability"}</span>
145             </button>
146         </fieldset>
147         {if true == $user_logged}
148             <fieldset class="availability-notifier-unsubscribe-container{if $availabilityNo
tifyUser == null} none{/if}">
149                 <button type="submit" class="availability-notifier-unsubscribe-btn btn btn-
red" data-stock-id="{ $rproduct->defaultStock->stock->stock_id}">
- 150                     
+ 150                     
151                 <span>{translate key="Cancel notify"}</span>
152             </button>
153         </fieldset>
```

scripts/product/searchbox.tpl

```
1     <div class="box{if is_object($products) && $products->getCurrentItemCount() > 0} folden{/if}" id="box_productsearch">
2         <div class="boxhead">
3             <span>
- 4                 
+ 4                 
5                 {translate key="Product search"}
6             </span>
7         </div>
```

```

99
100     <div class="buttons f-grid-8">
101         <button type="submit" class="btn btn-red search">
- 102             
+ 102             
103             <span>{translate key="Search"}</span>
104         </button>
105         <button type="reset" class="reset">
- 106             
+ 106             
107             <span>{translate key="Clean the filter"}</span>
108         </button>
109     </div>

```

scripts/product/shipping-costs.tpl

```

2     <div class="box row tab" id="box_productdeliveries">
3         <div class="boxhead tab-head">
4             <h3>
- 5                 
+ 5                 
6                 {translate key="Shipping costs"}
7             </h3>
8             <span class="hint">

```

scripts/product/tableofproducts.tpl

```

213
214             {if !$product->isBundle() || !$bundleHasVariants}
215                 <button class="addtobasket btn btn-red" type="submit">
- 216                     
+ 216                     
217                     <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to
cart"}{/if}</span>
218                 </button>
219             {else}

225             {assign var="availabilityNotifyUser" value=$product->defaultStock->getAvailabilityNotifyByU
ser()}
226             <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} none{/
if}">
227                 <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged="{if
true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}" data-product-id="{ $product->produc
t->product_id}" data-product-name="{ $product->translation->name|escape}">
- 228                     
+ 228                     
229                     <span>{translate key="Notify of product availability"}</span>
230                 </button>

```

```

231         </fieldset>
232         {if true == $user_logged}
233         <fieldset class="availability-notifier-unsubscribe-container{if $availabilityNotifyUser
== null} none{/if}">
234         <button type="submit" class="availability-notifier-unsubscribe-btn btn btn-red" dat
a-stock-id="{ $product->defaultStock->stock->stock_id}">
- 235         
+ 235         
236         <span>{translate key="Cancel notify"}</span>
237         </button>
238         </fieldset>

```

```

457
458         {if !$product->isBundle() || !$bundleHasVariants}
459         <button class="addtobasket btn btn-red" type="submit">
- 460         
+ 460         
461         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart
"}{/if}</span>
462         </button>
463         {else}

```

```

471         {assign var="availabilityNotifyUser" value=$product->defaultStock->getAvailabilityNotifyByUser(
)}}
472         <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} none{/if}"
>
473         <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged="{if tru
e == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}" data-product-id="{ $product->product->p
roduct_id}" data-product-name="{ $product->translation->name|escape}">
- 474         
+ 474         
475         <span>{translate key="Notify of product availability"}</span>
476         </button>
477         </fieldset>
478         {if true == $user_logged}
479         <fieldset class="availability-notifier-unsubscribe-container{if $availabilityNotifyUser ==
null} none{/if}">
480         <button type="submit" class="availability-notifier-unsubscribe-btn btn btn-red" data-st
ock-id="{ $product->defaultStock->stock->stock_id}">
- 481         
+ 481         
482         <span>{translate key="Cancel notify"}</span>
483         </button>
484         </fieldset>

```

```

488         {/if}
489
490         <a class="btn large tablet quickview" {if $enablebasket}data-price="true"{/if} data-eval="{ $skin_settings->

```

```
productdetails->score}" data-id="{product->product->product_id}">
- 491 <span>{translate key="check more"}</span>
+ 491 <span>{translate key="check more"}</sp
an>
492 </a>
493 </div>
494 </div>
```

scripts/search.tpl

```
4 <div class="search-input search__input-area r--l-flex r--l-flex-vcenter">
5 <div class="search__input-area-item">
6 <span class="js__search-clear-btn search__btn icon icon-close search__icon none" role="button" aria-label="clear search inp
ut"></span>
- 7 
+ 7 
8 </div>
9
10 <div class="search__input-area-item search__input-area-item_grow">
```

Pliki .css

Pliki .less

styles/_responsive.less

```
1052 }
1053 }
1054 }
+ 1055
+ 1056 .hint {
+ 1057 position: inherit;
+ 1058
+ 1059 &__content {
+ 1060 top: auto;
+ 1061 left: (@gridSpacing * 0.25);
+ 1062 right: (@gridSpacing * 0.25);
+ 1063
+ 1064 margin-top: (@gridSpacing * 0.25);
+ 1065
+ 1066 &::after {
+ 1067 display: none;
+ 1068 }
+ 1069 }
+ 1070 }
```

```
1071     }  
1072  
1073     .mraty-widget {
```

```
2238     }  
2239     }  
2240  
- 2241     #box_productdeliveries {  
- 2242         .product-deliveries {  
- 2243             .delivery-container {  
- 2244                 max-width: 100%;  
- 2245                 min-width: 100%;  
- 2246             }  
+ 2241         .product-deliveries {  
+ 2242             .delivery-container {  
+ 2243                 max-width: 100%;  
+ 2244                 min-width: 100%;  
2245             }  
2246         }  
2247     }
```

Pliki .js