

Pliki .tpl

boxes/Bestsellers/box.tpl

```
29         </div>
30     </a>
31
- 32     <div class="price row">
+ 32     <div class="price price_extended row">
33         {if $showprices}
34             {if $price_mode == '1' || $price_mode == '3'}
35                 {if $bs_product->specialOffer}
- 36                 <del>{currency value=$bs_product->defaultStock->getPrice()}</del>
- 37                 <em class="color">{currency value=$bs_product->defaultStock->getSpecialOfferPri
ce()}</em>
ntifier() != $bs_product->currency->getIdentifier()}}
+ 38                 <em>({currency id=$bs_product->product->currency_id rate=1 value=$bs_product
t->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 36                 <p>
+ 37                 <em class="color">{currency value=$bs_product->defaultStock->getSpecialOffe
rPrice()}</em>
+ 38                 </p>
+ 39
+ 40                 <p class="price__regular">
+ 41                     {translate key="Regular price"}:
+ 42                     <del class="price__inactive">{currency value=$bs_product->defaultStock->get
Price()}</del>
+ 43                 </p>
+ 44
+ 45                     {feature name="omnibus_frontend"}
+ 46                     {if $showLowestPriceHistory}
+ 47                     <div class="f-row clear">
+ 48                         {translate key='Lowest price'}:
+ 49                         <strong class="price__inactive">
+ 50                             {currency value=$bs_product->stock->getHistoricalLowestPrice()}
+ 51                         </strong>
+ 52                     </div>
+ 53                     {/if}
+ 54                 </feature>
+ 55
```

```

+ 56                                     {if $bs_product->currency and $currency->getIdentifier() != $bs_product->current
cy->getIdentifier()}}
+ 57                                     <p class="product__currency">
+ 58                                     {translate key="Price"} ({ $bs_product->currency->currency->name|escape}
):
+ 59                                     <em class="default-currency">({currency id=$bs_product->product->current
cy_id rate=1 value=$bs_product->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 60                                     </p>
61                                     {/if}
62                                     {else}
- 63                                     <em>{currency value=$bs_product->defaultStock->getPrice()}</em>
+ 39                                     <p>
+ 40                                     <em>{currency value=$bs_product->defaultStock->getPrice()}</em>
+ 41                                     </p>
+ 42
43                                     {if $bs_product->currency and $currency->getIdentifier() != $bs_product->current
cy->getIdentifier()}}
- 44                                     <em>({currency id=$bs_product->product->currency_id rate=1 value=$bs_product->defaultStock->getCurrencyPrice()})</em>
+ 41                                     <p class="product__currency">
+ 42                                     {translate key="Price"} ({ $bs_product->currency->currency->name|escape}
):
+ 43                                     <em class="default-currency">({currency id=$bs_product->product->current
cy_id rate=1 value=$bs_product->defaultStock->getCurrencyPrice()})</em>
+ 44                                     </p>
45                                     {/if}
46                                     {/if}
47                                     {/if}

```

```

78                                     <span class="hide price-netto">
79                                     {/if}
80                                     {if $bs_product->specialOffer}
- 81                                     <del>{currency value=$bs_product->defaultStock->getPrice(true)}</del>
- 82                                     <em class="color">{currency value=$bs_product->defaultStock->getSpecialOfferPrice(true)}</em>
                                     {if $bs_product->currency and $currency->getIdentifier() != $bs_product->currency->getIdentifier()}}
- 83                                     <em>({currency id=$bs_product->product->currency_id rate=1 value=$bs_product->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
+ 81                                     <p>
+ 82                                     <em class="color">{currency value=$bs_product->defaultStock->getSpecialOfferPrice(true)}</em>
+ 83                                     </p>
+ 84
+ 85                                     <p class="price__regular">
+ 86                                     {translate key="Regular price"}:
+ 87                                     <del class="price__inactive">{currency value=$bs_product->defaultStock->getPrice(true)}</del>
+ 88                                     </p>
+ 89
+ 90                                     {feature name="omnibus_frontend"}

```

```

+ 91                                     {if $showLowestPriceHistory}
+ 92                                     <div class="f-row clear">
+ 93                                     {translate key='Lowest price'}:
+ 94                                     <strong class="price__inactive">
+ 95                                     {currency value=$bs_product->stock->getHistoricalLowestPrice(
e(true))}
+ 96                                     </strong>
+ 97                                     </div>
+ 98                                     {/if}
+ 99                                     {/feature}
+ 100
+ 101                                     {if $bs_product->currency and $currency->getIdentifier() != $bs_product->cu
rrency->getIdentifier()}
+ 102                                     <p class="product__currency">
+ 103                                     {translate key="Price"} ({$bs_product->currency->currency->name|esc
ape}):
+ 104                                     <em class="default-currency">({currency id=$bs_product->product->cu
rrency_id rate=1 value=$bs_product->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
+ 105                                     </p>
+ 106                                     {/if}
+ 107                                     {else}
- 108                                     <em>{currency value=$bs_product->defaultStock->getPrice(true)}</em>
+ 84                                     <p>
+ 85                                     <em>{currency value=$bs_product->defaultStock->getPrice(true)}</em>
+ 86                                     </p>
+ 87
+ 88                                     {if $bs_product->currency and $currency->getIdentifier() != $bs_product->cu
rrency->getIdentifier()}
- 89                                     <em>({currency id=$bs_product->product->currency_id rate=1 value=$bs_pr
oduct->defaultStock->getCurrencyPrice(true)})</em>
+ 86                                     <p class="product__currency">
+ 87                                     {translate key="Price"} ({$bs_product->currency->currency->name|esc
ape}):
+ 88                                     <em class="default-currency">({currency id=$bs_product->product->cu
rrency_id rate=1 value=$bs_product->defaultStock->getCurrencyPrice(true)})</em>
+ 89                                     </p>
+ 90                                     {/if}
+ 91                                     {/if}
+ 92                                     {if $price_mode != '2'}

```

boxes/NewProducts/box.tpl

```

29                                     </div>
30                                     </a>
31
- 32                                     <div class="price row">
+ 32                                     <div class="price price_extended row">
33                                     {if $showprices}
34                                     {if $price_mode == '1' || $price_mode == '3'}
35                                     {if $newproduct->specialOffer}

```

```

- 36 <del>{currency value=$newproduct->defaultStock->getPrice()}</del>
- 37 <em class="color">{currency value=$newproduct->defaultStock->getSpecialOfferPrice()}</em>
+ 36 <p>
+ 37 <em class="color">{currency value=$newproduct->defaultStock->getSpecialOfferPri
ce()}</em>
+ 38 </p>
+ 39
+ 40 <p class="price__regular">
+ 41 {translate key="Regular price":
+ 42 <del class="price__inactive">{currency value=$newproduct->defaultStock->getPric
e()}</del>
+ 43 </p>
+ 44
+ 45 {feature name="omnibus_frontend"}
+ 46 {if $showLowestPriceHistory}
+ 47 <div class="f-row clear">
+ 48 {translate key='Lowest price':
+ 49 <strong class="price__inactive">
+ 50 {currency value=$newproduct->stock->getHistoricalLowestPrice(true)}
+ 51 </strong>
+ 52 </div>
+ 53 {/if}
+ 54 {/feature}
+ 55
56 {if $newproduct->currency and $currency->getIdentifier() != $newproduct->currency->
getIdentifier()}
- 57 <em>({currency id=$newproduct->product->currency_id rate=1 value=$newproduct->d
efaultStock->getCurrencySpecialOfferPrice()})</em>
+ 38 <p class="product__currency">
+ 39 {translate key="Price"} ({ $newproduct->currency->currency->name|escape}):
+ 40 <em class="default-currency">({currency id=$newproduct->product->currency_i
d rate=1 value=$newproduct->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 41 </p>
42 {/if}
43 {else}
- 44 <em>{currency value=$newproduct->defaultStock->getPrice()}</em>
+ 41 <p>
+ 42 <em>{currency value=$newproduct->defaultStock->getPrice()}</em>
+ 43 </p>
+ 44
45 {if $newproduct->currency and $currency->getIdentifier() != $newproduct->currency->
getIdentifier()}
- 46 <em>({currency id=$newproduct->product->currency_id rate=1 value=$newproduct->d
efaultStock->getCurrencyPrice()})</em>
+ 43 <p class="product__currency">
+ 44 {translate key="Price"} ({ $newproduct->currency->currency->name|escape}):
+ 45 <em class="default-currency">({currency id=$newproduct->product->currency_i
d rate=1 value=$newproduct->defaultStock->getCurrencyPrice()})</em>
+ 46 </p>

```

```

47                                     {/if}
48                                     {/if}
49                                     {/if}

```

```

78                                     <span class="hide price-netto">
79                                     {/if}
80                                     {if $newproduct->specialOffer}
- 81                                     <del>{currency value=$newproduct->defaultStock->getPrice(true)}</del>
- 82                                     <em class="color">{currency value=$newproduct->defaultStock->getSpecialOfferPri
ce(true)}</em>
+ 81                                     <p>
+ 82                                     <em class="color">{currency value=$newproduct->defaultStock->getSpecialOffe
rPrice(true)}</em>
+ 83                                     </p>
+ 84
+ 85                                     <p class="price__regular">
+ 86                                     {translate key="Regular price"}:
+ 87                                     <del class="price__inactive"><del>{currency value=$newproduct->defaultStock
->getPrice(true)}</del>
+ 88                                     </p>
+ 89
+ 90                                     {feature name="omnibus_frontend"}
+ 91                                     {if $showLowestPriceHistory}
+ 92                                     <div class="f-row clear">
+ 93                                     {translate key='Lowest price'}:
+ 94                                     <strong class="price__inactive">
+ 95                                     {currency value=$newproduct->stock->getHistoricalLowestPrice(tr
ue)}
+ 96                                     </strong>
+ 97                                     </div>
+ 98                                     {/if}
+ 99                                     {/feature}
+ 100
+ 101                                     {if $newproduct->currency and $currency->getIdentifier() != $newproduct->curren
cy->getIdentifier()}
- 102                                     <em>({currency id=$newproduct->product->currency_id rate=1 value=$newproduc
t->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
+ 83                                     <p class="product__currency">
+ 84                                     {translate key="Price"} ({ $newproduct->currency->currency->name|escape}
):
+ 85                                     <em class="default-currency">({currency id=$newproduct->product->curren
cy_id rate=1 value=$newproduct->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
+ 86                                     </p>
+ 87                                     {/if}
+ 88                                     {else}
- 89                                     <em>{currency value=$newproduct->defaultStock->getPrice(true)}</em>
+ 86                                     <p>
+ 87                                     <em>{currency value=$newproduct->defaultStock->getPrice(true)}</em>
+ 88                                     </p>
+ 89

```

```

90         {if $newproduct->currency and $currency->getIdentifier() != $newproduct->current
cy->getIdentifier()}}
- 91         <em>({currency id=$newproduct->product->currency_id rate=1 value=$newproduct
t->defaultStock->getCurrencyPrice(true)})</em>
+ 88         <p class="product_currency">
+ 89         {translate key="Price"} ({ $newproduct->currency->currency->name|escape}
):
+ 90         <em class="default-currency">({currency id=$newproduct->product->current
cy_id rate=1 value=$newproduct->defaultStock->getCurrencyPrice(true)})</em>
+ 91         </p>
92         {/if}
93     {/if}
94     {if $price_mode != '2'}

```

boxes/ProductOfTheDay/box.tpl

```

22         <span class="productname">{$potd->translation->name|escape}</span>
23     </div>
24 </a>
- 25 <div class="price row">
+ 25 <div class="price price_extended row">
26     {if $showprices}
27         {if $price_mode == '1' || $price_mode == '3'}
28         {if $potd->specialOffer}
- 29         <del>{currency value=$potd->defaultStock->getPrice()}</del>
- 30         <em class="color">{currency value=$potd->defaultStock->getSpecialOfferPrice()}</em>
+ 29         <p>
+ 30         <em class="color">{currency value=$potd->defaultStock->getSpecialOfferPrice()}</em>
+ 31     </p>
+ 32
+ 33     <p class="price_regular">
+ 34         {translate key="Regular price"}:
+ 35         <del class="price_inactive">{currency value=$potd->defaultStock->getPrice()}</del>
+ 36     </p>
+ 37
+ 38     {feature name="omnibus_frontend"}
+ 39         {if $showLowestPriceHistory}
+ 40         <div class="f-row clear">
+ 41             {translate key='Lowest price'}:
+ 42             <strong class="price_inactive">
+ 43                 {currency value=$potd->stock->getHistoricalLowestPrice()}
+ 44             </strong>
+ 45         </div>
+ 46         {/if}
+ 47     {/feature}
+ 48
49     {if $potd->currency and $currency->getIdentifier() != $potd->currency->getIdentifier()}}

```

```

- 50      <em>({currency id=$potd->product->currency_id rate=1 value=$potd->defaultStock->get
CurrencySpecialOfferPrice()})</em>
+ 31      <p class="product__currency">
+ 32      {translate key="Price"} ({ $potd->currency->currency->name|escape}):
+ 33      <em class="default-currency">({currency id=$potd->product->currency_id rate=1 v
alue=$potd->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 34      </p>
35      {/if}
36      {else}
- 37      <em>{currency value=$potd->defaultStock->getPrice()}</em>
+ 34      <p>
+ 35      <em>{currency value=$potd->defaultStock->getPrice()}</em>
+ 36      </p>
+ 37
38      {if $potd->currency and $currency->getIdentifier() != $potd->currency->getIdentifier()}

- 39      <em>({currency id=$potd->product->currency_id rate=1 value=$potd->defaultStock->get
CurrencyPrice()})</em>
+ 36      <p class="product__currency">
+ 37      {translate key="Price"} ({ $potd->currency->currency->name|escape}):
+ 38      <em>({currency id=$potd->product->currency_id rate=1 value=$potd->defaultStock-
>getCurrencyPrice()})</em>
+ 39      </p>
40      {/if}
41      {/if}
42      {/if}

```

```

71      <span class="hide price-netto">
72      {/if}
73      {if $potd->specialOffer}
- 74      <del>{currency value=$potd->defaultStock->getPrice(true)}</del>
- 75      <em class="color">{currency value=$potd->defaultStock->getSpecialOfferPrice(true)}<
/em>
+ 74      <p>
+ 75      <em class="color">{currency value=$potd->defaultStock->getSpecialOfferPrice(tru
e)}</em>
+ 76      </p>
+ 77
+ 78      <p class="price__regular">
+ 79      {translate key="Regular price"}:
+ 80      <del class="price__inactive">{currency value=$potd->defaultStock->getPrice(true
)}</del>
+ 81      </p>
+ 82
+ 83      {feature name="omnibus_frontend"}
+ 84      {if $showLowestPriceHistory}
+ 85      <div class="f-row clear">
+ 86      {translate key='Lowest price'}:
+ 87      <strong class="price__inactive">
+ 88      {currency value=$potd->stock->getHistoricalLowestPrice(true)}

```

```

+ 89 </strong>
+ 90 </div>
+ 91 {/if}
+ 92 {/feature}
+ 93
94 {if $potd->currency and $currency->getIdentifier() != $potd->currency->getIdentifie
r()}}
- 95 <em>({currency id=$potd->product->currency_id rate=1 value=$potd->defaultStock-
>getCurrencySpecialOfferPrice(true)})</em>
+ 76 <p class="product_currency">
+ 77 {translate key="Price"} ({$potd->currency->currency->name|escape}):
+ 78 <em class="default-currency">({currency id=$potd->product->currency_id rate
=1 value=$potd->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
+ 79 </p>
80 {/if}
81 {else}
- 82 <em>{currency value=$potd->defaultStock->getPrice(true)}</em>
+ 79 <p>
+ 80 <em>{currency value=$potd->defaultStock->getPrice(true)}</em>
+ 81 </p>
+ 82
83 {if $potd->currency and $currency->getIdentifier() != $potd->currency->getIdentifie
r()}}
- 84 <em>({currency id=$potd->product->currency_id rate=1 value=$potd->defaultStock-
>getCurrencyPrice(true)})</em>
+ 81 <p class="product_currency">
+ 82 {translate key="Price"} ({$potd->currency->currency->name|escape}):
+ 83 <em class="default-currency">({currency id=$potd->product->currency_id rate
=1 value=$potd->defaultStock->getCurrencyPrice(true)})</em>
+ 84 </p>
85 {/if}
86 {/if}
87 {if $price_mode != '2'}

```

boxes/Recent/box.tp1

```

23 </div>
24 </a>
25
- 26 <div class="price row">
+ 26 <div class="price price_extended row">
27 {if $showprices}
28 {if $price_mode == '1' || $price_mode == '3'}
29 {if $special_product->specialOffer}
- 30 <del>{currency value=$special_product->defaultStock->getPrice()}</del>
- 31 <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice()}</em>
+ 30 <p>
+ 31 <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice()}</em>
+ 32 </p>
+ 33

```

```

+ 34         <p class="price_regular">
+ 35             {translate key="Regular price"}:
+ 36             <del class="price_inactive">{currency value=$special_product->defaultStock->getPrice()}</del>
+ 37         </p>
+ 38
+ 39         {feature name="omnibus_frontend"}
+ 40             {if $showLowestPriceHistory}
+ 41                 <div class="f-row clear">
+ 42                     {translate key='Lowest price'}:
+ 43                     <strong class="price_inactive">
+ 44                         {currency value=$special_product->stock->getHistoricalLowestPrice()}
+ 45                     </strong>
+ 46                 </div>
+ 47             </if>
+ 48         </feature>
+ 49
50         {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->getIdentifier()}}
- 51         <em>({currency id=$special_product->product->currency_id rate=1 value=$special_product->default
Stock->getCurrencySpecialOfferPrice()})</em>
+ 32         <p class="product_currency">
+ 33             {translate key="Price"} ({ $special_product->currency->currency->name|escape}):
+ 34             <em class="default-currency">{currency id=$special_product->product->currency_id rate=1 val
ue=$special_product->defaultStock->getCurrencySpecialOfferPrice()}</em>
+ 35         </p>
36         </if>
37     {else}
- 38         <em>{currency value=$special_product->defaultStock->getPrice()}</em>
+ 35         <p>
+ 36         <em>{currency value=$special_product->defaultStock->getPrice()}</em>
+ 37         </p>
38         {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->getIdentifier()}}
- 39         <em>({currency id=$special_product->product->currency_id rate=1 value=$special_product->default
Stock->getCurrencyPrice()})</em>
+ 37         <p class="product_currency">
+ 38             {translate key="Price"} ({ $special_product->currency->currency->name|escape}):
+ 39             <em class="default-currency">{currency id=$special_product->product->currency_id rate=1 val
ue=$special_product->defaultStock->getCurrencyPrice()}</em>
+ 40         </p>
41         </if>
42     </if>
43 </if>

```

```

71         <span class="hide price-netto">
72     </if>
73     {if $special_product->specialOffer}
- 74         <del>{currency value=$special_product->defaultStock->getPrice(true)}</del>
- 75         <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice(true)}</
em>

```

```

+ 74         <p>
+ 75         <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice(true
)}</em>
+ 76     </p>
+ 77
+ 78     <p class="price__regular">
+ 79         {translate key="Regular price"}:
+ 80         <del class="price__inactive">{currency value=$special_product->defaultStock->getPrice(true)
}</del>
+ 81     </p>
+ 82
+ 83         {feature name="omnibus_frontend"}
+ 84         {if $showLowestPriceHistory}
+ 85         <div class="f-row clear">
+ 86             {translate key='Lowest price'}:
+ 87             <strong class="price__inactive">
+ 88                 {currency value=$special_product->stock->getHistoricalLowestPrice(true)}
+ 89             </strong>
+ 90         </div>
+ 91         {/if}
+ 92     </feature>
+ 93
94         {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->ge
tIdentifier()}}
- 95         <em>({currency id=$special_product->product->currency_id rate=1 value=$special_product->def
aultStock->getCurrencySpecialOfferPrice(true)})</em>
+ 76         <p class="product__currency">
+ 77             {translate key="Price"} ({ $special_product->currency->currency->name|escape}):
+ 78             <em class="default-currency">{currency id=$special_product->product->currency_id rate=1
value=$special_product->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
+ 79         </p>
80         {/if}
81         {else}
- 82         <em>{currency value=$special_product->defaultStock->getPrice(true)}</em>
+ 79         <p>
+ 80         <em>{currency value=$special_product->defaultStock->getPrice(true)}</em>
+ 81         </p>
+ 82
83         {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->ge
tIdentifier()}}
- 84         <em>({currency id=$special_product->product->currency_id rate=1 value=$special_product->def
aultStock->getCurrencyPrice(true)})</em>
+ 81         <p class="product__currency">
+ 82             {translate key="Price"} ({ $special_product->currency->currency->name|escape}):
+ 83             <em class="default-currency">{currency id=$special_product->product->currency_id rate=1
value=$special_product->defaultStock->getCurrencyPrice(true)}</em>
+ 84         </p>
85         {/if}
86         {/if}
87         {if $price_mode != '2'}

```

boxes/Recommendations/box.tpl

```
24         {if $showprices}
25             {if $price_mode == '1' || $price_mode == '3'}
26                 {if $rec->object->specialOffer}
- 27                     <del>{currency value=$rec->object->defaultStock->getPrice()}</del>
- 28                     <em class="color">{currency value=$rec->object->defaultStock->getSpecialOfferPrice()}</em>
+ 27                     <p>
+ 28                         <em class="color">{currency value=$rec->object->defaultStock->getSpecialOfferPrice()}</em>
+ 29                     </p>
+ 30
+ 31                     <p class="price__regular">
+ 32                         {translate key="Regular price"}:
+ 33                     <p class="price__inactive">{currency value=$rec->object->defaultStock->getPrice()}</del>
+ 34                     </p>
+ 35
+ 36                     {feature name="omnibus_frontend"}
+ 37                     {if $showLowestPriceHistory}
+ 38                         <div class="f-row clear">
+ 39                             {translate key='Lowest price'}:
+ 40                             <strong class="price__inactive">
+ 41                                 {currency value=$rec->object->stock->getHistoricalLowestPrice()}
+ 42                             </strong>
+ 43                         </div>
+ 44                     {/if}
+ 45                 {/feature}
+ 46
+ 47             {if $rec->object->currency and $currency->getIdentifier() != $rec->object->currency->getIdentifier(
- 48             <em>({currency id=$rec->object->product->currency_id rate=1 value=$rec->object->defaultStock->g
etCurrencySpecialOfferPrice()})</em>
+ 29                 <p class="product__currency">
+ 30                     {translate key="Price"} ({ $rec->object->currency->currency->name|escape }):
+ 31                     <em class="default-currency">({currency id=$rec->object->product->currency_id rate=1 value=
$rec->object->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 32                 </p>
+ 33             {/if}
+ 34             {else}
- 35                 <em>{currency value=$rec->object->defaultStock->getPrice()}</em>
+ 32                 <p>
+ 33                     <em>{currency value=$rec->object->defaultStock->getPrice()}</em>
+ 34                 </p>
+ 35
+ 36             {if $rec->object->currency and $currency->getIdentifier() != $rec->object->currency->getIdentifier(
- 37             <em>({currency id=$rec->object->product->currency_id rate=1 value=$rec->object->defaultStock->g
etCurrencyPrice()})</em>
+ 34                 <p class="product__currency">
+ 35                     {translate key="Price"} ({ $rec->object->currency->currency->name|escape }):
+ 36                     <em class="default-currency">({currency id=$rec->object->product->currency_id rate=1 value=
```

```

$rec->object->defaultStock->getCurrencyPrice())}</em>
+ 37 </p>
38     {/if}
39     {/if}
40     {/if}

69         <span class="hide price-netto">
70     {/if}
71     {if $rec->object->specialOffer}
- 72         <del>{currency value=$rec->object->defaultStock->getPrice(true)}</del>
- 73         <em class="color">{currency value=$rec->object->defaultStock->getSpecialOfferPrice(true)}</em>
+ 72         <p>
+ 73         <em class="color">{currency value=$rec->object->defaultStock->getSpecialOfferPrice(true)}</
em>
+ 74     </p>
+ 75
+ 76     <p class="price__regular">
+ 77         {translate key="Regular price"}:
+ 78         <del class="price__inactive">{currency value=$rec->object->defaultStock->getPrice(true)}</d
el>
+ 79     </p>
+ 80
+ 81     {feature name="omnibus_frontend"}
+ 82     {if $showLowestPriceHistory}
+ 83     <div class="f-row clear">
+ 84         {translate key='Lowest price'}:
+ 85         <strong class="price__inactive">
+ 86             {currency value=$rec->object->stock->getHistoricalLowestPrice(true)}
+ 87         </strong>
+ 88     </div>
+ 89     {/if}
+ 90     {/feature}
+ 91
92     {if $rec->object->currency and $currency->getIdentifier() != $rec->object->currency->getIdentif
ier()}
- 93     <em>({currency id=$rec->object->product->currency_id rate=1 value=$rec->object->defaultStoc
k->getCurrencySpecialOfferPrice(true)})</em>
+ 74     <p class="product_currency">
+ 75         {translate key="Price"} ({ $rec->object->currency->currency->name|escape}):
+ 76         <em class="default-currency">({currency id=$rec->object->product->currency_id rate=1 va
lue=$rec->object->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
+ 77     </p>
78     {/if}
79     {else}
- 80     <em>{currency value=$rec->object->defaultStock->getPrice(true)}</em>
+ 77     <p>
+ 78     <em>{currency value=$rec->object->defaultStock->getPrice(true)}</em>
+ 79     </p>
+ 80
81     {if $rec->object->currency and $currency->getIdentifier() != $rec->object->currency->getIdentif

```

```

- 82      ier()}}
      <em>({currency id=$rec->object->product->currency_id rate=1 value=$rec->object->defaultStoc
k->getCurrencyPrice(true)}}</em>
+ 79      <p class="product_currency">
+ 80      {translate key="Price"} ({ $rec->object->currency->currency->name|escape}):
+ 81      <em class="default-currency">({currency id=$rec->object->product->currency_id rate=1 va
lue=$rec->object->defaultStock->getCurrencyPrice(true)}}</em>
+ 82      </p>
83      {/if}
84      {/if}
85      {if $price_mode != '2'}

```

boxes/SpecialOffer/box.tpl

```

24      </a>
25
26      {if $showprices}
- 27      <div class="price row">
+ 27      <div class="price price_extended row">
28          {if $price_mode == '1' || $price_mode == '3'}
29          {if $special_product->specialOffer}
- 30          <del>{currency value=$special_product->defaultStock->getPrice()}</del>
- 31          <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPrice(
)}</em>
+ 30          <p>
+ 31          <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPr
ice()}</em>
+ 32          </p>
+ 33
+ 34          <p class="price_regular">
+ 35          {translate key="Regular price"}:
+ 36          <del class="price_inactive">{currency value=$special_product->defaultStock->getPri
ce()}</del>
+ 37          </p>
+ 38
+ 39          {feature name="omnibus_frontend"}
+ 40          {if $showLowestPriceHistory}
+ 41          <div class="f-row clear">
+ 42              {translate key='Lowest price'}:
+ 43              <strong class="price_inactive">
+ 44                  {currency value=$special_product->stock->getHistoricalLowestPrice()}
+ 45              </strong>
+ 46          </div>
+ 47          {/if}
+ 48          {/feature}
+ 49
50          {if $special_product->currency and $currency->getIdentifier() != $special_product->curr
ency->getIdentifier()}
- 51          <em>({currency id=$special_product->product->currency_id rate=1 value=$special_pro
duct->defaultStock->getCurrencySpecialOfferPrice()})</em>

```

```

+ 32         <p class="product_currency">
+ 33             {translate key="Price"} ({$special_product->currency->currency->name|escape}):
+ 34             <em class="default-currency">{currency id=$special_product->product->currency_id
d rate=1 value=$special_product->defaultStock->getCurrencySpecialOfferPrice()}</em>
+ 35         </p>
36     {/if}
37     {else}
- 38         <em>{currency value=$special_product->defaultStock->getPrice()}</em>
+ 35         <p>
+ 36             <em>{currency value=$special_product->defaultStock->getPrice()}</em>
+ 37         </p>
38         {if $special_product->currency and $currency->getIdentifier() != $special_product->curr
ency->getIdentifier()}
- 39         <em>({currency id=$special_product->product->currency_id rate=1 value=$special_produ
ct->defaultStock->getCurrencyPrice()}</em>
+ 37         <p class="product_currency">
+ 38             {translate key="Price"} ({$special_product->currency->currency->name|escape}):
+ 39             <em class="default-currency">{currency id=$special_product->product->currency_id
d rate=1 value=$special_product->defaultStock->getCurrencyPrice()}</em>
+ 40         </p>
41     {/if}
42 {/if}
43 {/if}

```

```

70         {if $price_mode != '2'}
71         <span class="hide price-netto">
72         {/if}
- 73         {if $special_product->specialOffer}
- 74         <del>{currency value=$special_product->defaultStock->getPrice(true)}</del>
+ 73         {if $special_product->specialOffer}
+ 74         <p>
75         <em class="color">{currency value=$special_product->defaultStock->getSpecialOfferPr
ice(true)}</em>
- 76         {if $special_product->currency and $currency->getIdentifier() != $special_product->
currency->getIdentifier()}
- 77         <em>({currency id=$special_product->product->currency_id rate=1 value=$special_
product->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
+ 75         </p>
+ 76
+ 77         <p class="price_regular">
+ 78             {translate key="Regular price"}:
+ 79             <del class="price_inactive">{currency value=$special_product->defaultStock->getPri
ce(true)}</del>
+ 80         </p>
+ 81
+ 82         {feature name="omnibus_frontend"}
+ 83         {if $showLowestPriceHistory}
+ 84         <div class="f-row clear">
+ 85             {translate key='Lowest price'}:
+ 86             <strong class="price_inactive">

```

```

+ 87 } {currency value=$special_product->stock->getHistoricalLowestPrice(true)}
+ 88 </strong>
+ 89 </div>
90 {/if}
- 91 {else}
+ 77 {/feature}
+ 78
+ 79 {if $special_product->currency and $currency->getIdentifier() != $special_product->curr
ency->getIdentifier()}
+ 80 <p class="product_currency">
+ 81 {translate key="Price"} ({ $special_product->currency->currency->name|escape}):
+ 82 <em class="default-currency">{currency id=$special_product->product->currency_id
d rate=1 value=$special_product->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
+ 83 </p>
+ 84 {/if}
+ 85 {else}
+ 86 <p>
87 <em>{currency value=$special_product->defaultStock->getPrice(true)}</em>
- 88 {if $special_product->currency and $currency->getIdentifier() != $special_product->
currency->getIdentifier()}
- 89 <em>({currency id=$special_product->product->currency_id rate=1 value=$special_
product->defaultStock->getCurrencyPrice(true)}</em>
- 90 {/if}
+ 79 </p>
+ 80
+ 81 {if $special_product->currency and $currency->getIdentifier() != $special_product->curr
ency->getIdentifier()}
+ 82 <p class="product_currency">
+ 83 {translate key="Price"} ({ $special_product->currency->currency->name|escape}):
+ 84 <em class="default-currency">{currency id=$special_product->product->currency_id
d rate=1 value=$special_product->defaultStock->getCurrencyPrice(true)}</em>
+ 85 </p>
86 {/if}
+ 87 {/if}
88 {if $price_mode != '2'}
89 </span>
90 {/if}

```

scripts/product/bundle.tpl

```

104
105 <p class="price">
106 {if $showprices}
- 107 <del class="default-currency r--fs-xl">
- 108 {if $item->isOption()}
- 109 {if $price_mode == 1 || $price_mode == 3}
- 110 {currency value=$item->getPrice()}
- 111 {else}
- 112 {currency value=$item->getPrice(true)}

```

```

- 113         {/if}
- 114         {else}
- 115         {if $price_mode == 1 || $price_mode == 3}
- 116         {currency value=$item->product->defaultStock->getPrice()}
+ 107         <p>
+ 108         {translate key="The price of product outside the bundle"}
+ 109
+ 110         <span class="default-currency r--fs-1">
+ 111         {if $item->isOption()}
+ 112         {if $price_mode == 1 || $price_mode == 3}
+ 113         {currency value=$item->getPrice()}
+ 114         {else}
+ 115         {currency value=$item->getPrice(true)}
+ 116         {/if}
117         {else}
- 118         {currency value=$item->product->defaultStock->getPrice(true)}
+ 109         {if $price_mode == 1 || $price_mode == 3}
+ 110         {currency value=$item->product->defaultStock->getPrice()}
+ 111         {else}
+ 112         {currency value=$item->product->defaultStock->getPrice(true)}
+ 113         {/if}
114         {/if}
- 115         {/if}
- 116         </del> {translate key="Cheaper in the bundle!"}
+ 111         </span>
+ 112         </p>
+ 113
+ 114         <strong>{translate key="Cheaper in the bundle!"}</strong>
115         {/if}
116         </p>
117

```

scripts/product/index.tpl

```

121         {elseif $showprices}
122         {if $price_mode == '1' || $price_mode == '3'}
123         <div class="price">
- 124         <span class="price-name">{translate key="Price"}:</span>
- 125         {if $product->specialOffer}
- 126         <em class="main-price color">{currency value=$product->defaultStock
->getSpecialOfferPrice()}</em>
- 127         <del>{currency value=$product->defaultStock->getPrice()}</del>
- 128         <span class="none" itemprop="price">
- 129         {currency value=$product->defaultStock->getSpecialOfferPrice()
float_currency=true}
- 130         </span>
- 131         {if $product->currency and $currency->getIdentifier() != $product->
currency->getIdentifier()}
- 132         <em class="default-currency">({currency id=$product->product->
currency_id rate=1 value=$product->defaultStock->getCurrencySpecialOfferPrice()})</em>

```

```

- 133                                     {/if}
- 134                                     {else}
- 135                                     <del class="none"></del>
- 136
- 137                                     <em class="main-price">{currency value=$product->defaultStock->getP
rice()}</em>
- 138                                     <span class="none" itemprop="price">
- 139                                     {currency value=$product->defaultStock->getPrice() float_curren
cy=true}
- 140                                     </span>
- 141                                     {if $product->currency and $currency->getIdentifier() != $product->
currency->getIdentifier()}
- 142                                     <em class="default-currency">({currency id=$product->product->c
urrency_id rate=1 value=$product->defaultStock->getCurrencyPrice()})</em>
+ 124                                     <div class="price__container">
+ 125                                     {if $price_mode == '1'}
+ 126                                     <span class="price-name">{translate key="Gross price"}:</span>
+ 127                                     {else}
+ 128                                     <span class="price-name">{translate key="Price"}:</span>
129                                     {/if}
130
- 131                                     {if $product->isBundle() && $original_bundle_products_price != fal
se}
- 132                                     <del class="original-bundle-price">
- 133                                     {translate key="instead of"} {currency value=$original_bund
le_products_price}
- 134                                     </del>
- 135                                     {/if}
- 136                                     {/if}
- 137                                     </div>
- 138                                     {/if}
+ 127                                     {if $product->specialOffer}
+ 128                                     <em class="main-price color">{currency value=$product->defaultS
tock->getSpecialOfferPrice()}</em>
129
- 130                                     {if $product->product->unit_price_calculation && $unit_price_calculation}
- 131                                     {if $price_mode == '1' || $price_mode == '3'}
- 132                                     {assign var=unit value=$product->defaultStock->getUnitPriceCalculationU
nit()}
- 133                                     <div class="unit-price-container gross">
- 134                                     <span class="price-name">&nbsp;</span>
- 135                                     <span class="container">( 1 <span class="unit">{$unit->translation-
>name}</span> =
- 136                                     <span class="price">
- 137                                     {if $product->specialOffer}
- 138                                     {currency value=$product->defaultStock->getUnitPriceCalcula
tionSpecialOfferPrice()}
- 139                                     {else}
- 140                                     {currency value=$product->defaultStock->getUnitPriceCalcula
tionPrice()}
+ 129                                     {if $additional_tax_info == '1'}

```

```

+ 130 {assign var=productTax value=$product->getTax()}}
+ 131 <div class="tax-additional-info tax-gross">
+ 132 {if $product->defaultStock->getPrice() != $product->def
aultStock->getPrice(true)}}
+ 133 <span>{translate key="incl. %s TAX, excl. shipping
costs" s1=$productTax->taxValue->name}</span>
+ 134 {else}
+ 135 <span>{translate key="excl. shipping costs"}</span>
+ 136 {/if}
+ 137 </div>
138 {/if}
- 139 </span> )</span>
- 140 </div>
- 141 {/if}
- 142 {/if}
143
- 144 {if $price_mode == '1' || $price_mode == '3'}
- 145 {if $additional_tax_info == '1'}
- 146 {assign var=productTax value=$product->getTax()}}
- 147 <div class="tax-additional-info tax-gross">
- 148 {if $product->defaultStock->getPrice() != $product->defaultStock->g
etPrice(true)}}
- 149 <span>{translate key="incl. %s TAX, excl. shipping costs" s1=$p
roductTax->taxValue->name}</span>
- 150 {else}
- 151 <span>{translate key="excl. shipping costs"}</span>
- 152 {/if}
- 153 </div>
- 154 {/if}
- 155 {/if}
156
- 157 {if $price_mode == '1' || $price_mode == '2'}
- 158 <div class="price-netto">
- 159 {if $price_mode == '1'}
- 160 <span class="price-name">{translate key="Net price"}:</span>
- 161 {else}
- 162 <span class="price-name">{translate key="Price"}:</span>
- 163 {/if}
- 164 {if $product->specialOffer}
- 165 <em class="main-price" {if $price_mode == '1'}class="no-color"{/if}
>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
- 166 {if $price_mode == '2'}
+ 133 {if $product->product->unit_price_calculation && $unit_price_ca
lculatation}
+ 134 {assign var=unit value=$product->defaultStock->getUnitPrice
CalculationUnit()}}
+ 135 <div class="unit-price-container gross">
+ 136 <span class="price-name">&nbsp;</span>
+ 137 <span class="container">( 1 <span class="unit">{$unit->
translation->name}</span> =

```

```

+ 138 <span class="price">
+ 139 {if $product->specialOffer}
+ 140 {currency value=$product->defaultStock->getUnit
PriceCalculationSpecialOfferPrice()}
+ 141 {else}
+ 142 {currency value=$product->defaultStock->getUnit
PriceCalculationPrice()}
+ 143 {/if}
+ 144 </span> )</span>
+ 145 </div>
+ 146 {/if}
+ 147
+ 148 <p class="price__regular">
+ 149 {translate key="Regular price":
+ 150 <del class="price__inactive">{currency value=$product->defa
ultStock->getPrice()}</del>
+ 151 </p>
+ 152
+ 153 <span class="none" itemprop="price">
- 154 {currency value=$product->defaultStock->getSpecialOfferPric
e(true) float_currency=true}
+ 135 {currency value=$product->defaultStock->getSpecialOfferPric
e() float_currency=true}
+ 136 </span>
- 137 {/if}
- 138 <del>{currency value=$product->defaultStock->getPrice(true)}</del>
- 139 {if $product->currency and $currency->getIdentifier() != $product->
currency->getIdentifier()}
- 140 <em class="default-currency">({currency id=$product->product->
currency_id rate=1 value=$product->defaultStock->getCurrencySpecialOfferPrice(true)})</em>
- 141 {/if}
- 142 {else}
- 143 <em class="main-price" {if $price_mode == '1'}class="no-color"{/if}
>{currency value=$product->defaultStock->getPrice(true)}</em>
- 144 {if $price_mode == '2'}
+ 137
+ 138 {feature name="omnibus_frontend"}
+ 139 {if $showLowestPriceHistory}
+ 140 <div class="f-row clear">
+ 141 {translate key='The lowest price during 30 days pri
or to the reduction'}:
+ 142 <strong class="js__omnibus-price-gross price__inact
ive">
+ 143 {currency value=$product->stock->getHistoricall
lowestPrice()|escape}
+ 144 </strong>
+ 145 <span class="hint">
+ 146 <span class="icon icon-help"></span>
+ 147 <span class="hint__content">
+ 148 {translate key='If the product is sold for less tha
n 30 days, the lowest price since the product went on sale is displayed.'}

```

```

+ 149 </span>
+ 150 </span>
+ 151 </div>
+ 152 {/if}
+ 153 {/feature}
+ 154
+ 155 {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier()}
+ 156 <p>
+ 157 {translate key="Price"} ({ $product->currency->currency-
+ 158 <em class="default-currency">{currency id=$product->product->currency_id rate=1 value=$product->defaultStock->getCurrencySpecialOfferPrice()}</em>
+ 159 </p>
+ 160 {/if}
+ 161 {else}
+ 162 <del class="none"></del>
+ 163
+ 164 <em class="main-price">{currency value=$product->defaultStock->
+ 165 getPrice()}</em>
+ 166 {if $additional_tax_info == '1'}
+ 167 {assign var=productTax value=$product->getTax()}
+ 168 <div class="tax-additional-info tax-gross">
+ 169 {if $product->defaultStock->getPrice() != $product->defaultStock->getPrice(true)}
+ 170 <span>{translate key="incl. %s TAX, excl. shipping
+ 171 costs" s1=$productTax->taxValue->name}</span>
+ 172 {else}
+ 173 <span>{translate key="excl. shipping costs"}</span>
+ 174 {/if}
+ 175 </div>
+ 176 {/if}
+ 177 {if $product->product->unit_price_calculation && $unit_price_calculation}
+ 178 {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit()}
+ 179 <div class="unit-price-container gross">
+ 180 <span class="price-name">&nbsp;</span>
+ 181 <span class="container">(1 <span class="unit">{ $unit->translation->name}</span> =
+ 182 <span class="price">
+ 183 {if $product->specialOffer}
+ 184 {currency value=$product->defaultStock->getUnitPriceCalculationSpecialOfferPrice()}
+ 185 {else}
+ 186 {currency value=$product->defaultStock->getUnitPriceCalculationPrice()}
+ 187 {/if}

```

```

+ 188                                     </span> )</span>
+ 189                                     </div>
+ 190                                     {/if}
+ 191
192                                     <span class="none" itemprop="price">
- 193                                     {currency value=$product->defaultStock->getPrice(true) floa
t_currency=true}
+ 139                                     {currency value=$product->defaultStock->getPrice() float_cu
rrency=true}
140                                     </span>
- 141                                     {/if}
- 142                                     {if $product->currency and $currency->getIdentifier() != $product->
currency->getIdentifier()}
- 143                                     <em class="default-currency">({currency id=$product->product->c
urrency_id rate=1 value=$product->defaultStock->getCurrencyPrice(true)})</em>
- 144                                     {/if}
+ 141                                     {if $product->currency and $currency->getIdentifier() != $produ
ct->currency->getIdentifier()}
+ 142                                     <p>
+ 143                                     {translate key="Price"} ({ $product->currency->currency-
>name|escape}):
+ 144                                     <em class="default-currency">{currency id=$product->pro
duct->currency_id rate=1 value=$product->defaultStock->getCurrencyPrice()}</em>
+ 145                                     </p>
+ 146                                     {/if}
147
- 148                                     {if $product->isBundle() && $original_bundle_products_price != fal
se}
- 149                                     <del class="original-bundle-price">
- 150                                     {translate key="instead of"} {currency value=$original_bund
le_products_net_price}
- 151                                     </del>
+ 143                                     {if $product->isBundle() && $original_bundle_products_price !=
false}
+ 144                                     <p class="original-bundle-price">
+ 145                                     {translate key="The price of products outside the bundl
e"}: {currency value=$original_bundle_products_price}
+ 146                                     </p>
+ 147                                     {/if}
148                                     {/if}
- 149                                     {/if}
+ 145                                     </div>
146                                     </div>
147                                     {/if}
148
- 149                                     {if $product->product->unit_price_calculation && $unit_price_calculation}
- 150                                     {if $price_mode == '1' || $price_mode == '2'}
- 151                                     {assign var=unit value=$product->defaultStock->getUnitPriceCalculationU
nit()}
- 152                                     <div class="unit-price-container net">
- 153                                     <span class="price-name">&nbsp;</span>

```

```

- 154 <span class="container">( 1 <span class="unit">{$unit->translation-
>name}</span> =
- 155 <span class="price">
- 156 {if $product->specialOffer}
- 157 {currency value=$product->defaultStock->getUnitPriceCalcula
tionSpecialOfferPrice(true)}
- 158 {else}
- 159 {currency value=$product->defaultStock->getUnitPriceCalcula
tionPrice(true)}
+ 149 {if $price_mode == '1' || $price_mode == '2'}
+ 150 <div class="price-netto">
+ 151 <div class="price-netto__container">
+ 152 {if $price_mode == '1'}
+ 153 <span class="price-name">{translate key="Net price"}:</span>
+ 154 {else}
+ 155 <span class="price-name">{translate key="Price"}:</span>
+ 156 {/if}
+ 157 {if $product->specialOffer}
+ 158 <em class="main-price" {if $price_mode == '1'}class="no-color"{
/if}>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
+ 159
+ 160 {if $additional_tax_info == '1'}
+ 161 {assign var=productTax value=$product->getTax()}
+ 162 <div class="tax-additional-info tax-net">
+ 163 {if $product->defaultStock->getPrice() != $product->def
aultStock->getPrice(true)}
+ 164 <span>{translate key="excl. %s TAX, excl. shipping
costs" s1=$productTax->taxValue->name}</span>
+ 165 {else}
+ 166 <span>{translate key="excl. shipping costs"}</span>
+ 167 {/if}
+ 168 </div>
+ 169 {/if}
+ 170
+ 171 {if $product->product->unit_price_calculation && $unit_price_ca
lculatation}
+ 172 {if $price_mode == '1' || $price_mode == '2'}
+ 173 {assign var=unit value=$product->defaultStock->getUnitP
riceCalculationUnit()}
+ 174 <div class="unit-price-container net">
+ 175 <span class="price-name">&nbsp;</span>
+ 176 <span class="container">( 1 <span class="unit">{$un
it->translation->name}</span> =
+ 177 <span class="price">
+ 178 {if $product->specialOffer}
+ 179 {currency value=$product->defaultStock->get
UnitPriceCalculationSpecialOfferPrice(true)}
+ 180 {else}
+ 181 {currency value=$product->defaultStock->get
UnitPriceCalculationPrice(true)}

```

```

+ 182                                     {/if}
+ 183                                     </span> )</span>
+ 184                                     </div>
+ 185                                     {/if}
+ 186                                     {/if}
+ 187
+ 188                                     {if $price_mode == '2'}
+ 189                                     <span class="none" itemprop="price">
+ 190                                     {currency value=$product->defaultStock->getSpecialOffer
Price(true) float_currency=true}
+ 191                                     </span>
+ 192                                     {/if}
- 193                                     </span> )</span>
- 194                                     </div>
- 195                                     {/if}
- 196                                     {/if}
+ 197
- 198                                     {if ($price_mode == '1' || $price_mode == '2')}
- 199                                     {if $additional_tax_info == '1'}
- 200                                     {assign var=productTax value=$product->getTax()}
- 201                                     <div class="tax-additional-info tax-net">
- 202                                     {if $product->defaultStock->getPrice() != $product->defaultStock->g
etPrice(true)}
- 203                                     <span>{translate key="excl. %s TAX, excl. shipping costs" s1=$p
roductTax->taxValue->name}</span>
+ 152                                     <p class="price__regular">
+ 153                                     {translate key="Regular price":
+ 154                                     <del class="price__inactive">{currency value=$product->defa
ultStock->getPrice(true)}</del>
+ 155                                     </p>
+ 156
+ 157                                     {feature name="omnibus_frontend"}
+ 158                                     {if $showLowestPriceHistory}
+ 159                                     <div class="f-row clear">
+ 160                                     {translate key='The lowest price during 30 days pri
or to the reduction'}:
+ 161                                     <strong class="js__omnibus-price-net price__inactiv
e">
+ 162                                     {currency value=$product->stock->getHistoricall
lowestPrice(true)}
+ 163                                     </strong>
+ 164                                     <span class="hint">
+ 165                                     <span class="icon icon-help"></span>
+ 166                                     <span class="hint_content">
+ 167                                     {translate key='If the product is sold for
less than 30 days, the lowest price since the product went on sale is displayed.'}
+ 168                                     </span>
+ 169                                     </span>
+ 170                                     </div>
+ 171                                     {/if}
+ 172                                     {/feature}

```

```

+ 173
+ 174                                     {if $product->currency and $currency->getIdentifier() != $produ
ct->currency->getIdentifier()}}
+ 175                                     <p>
+ 176                                     {translate key="Price"} ({ $product->currency->currency-
>name|escape}):
+ 177                                     <em class="default-currency">{currency id=$product->pr
oduct->currency_id rate=1 value=$product->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
+ 178                                     </p>
+ 179                                     {/if}
180                                     {else}
- 181                                     <span>{translate key="excl. shipping costs"}</span>
+ 154                                     <em class="main-price" {if $price_mode == '1'}class="no-color"{
/if}>{currency value=$product->defaultStock->getPrice(true)}</em>
+ 155                                     {if $price_mode == '2'}
+ 156                                     <span class="none" itemprop="price">
+ 157                                     {currency value=$product->defaultStock->getPrice(true)
float_currency=true}
+ 158                                     </span>
+ 159                                     {/if}
+ 160
+ 161                                     {if $additional_tax_info == '1'}
+ 162                                     {assign var=productTax value=$product->getTax()}}
+ 163                                     <div class="tax-additional-info tax-net">
+ 164                                     {if $product->defaultStock->getPrice() != $product->def
aultStock->getPrice(true)}}
+ 165                                     <span>{translate key="excl. %s TAX, excl. shipping
costs" s1=$productTax->taxValue->name}</span>
+ 166                                     {else}
+ 167                                     <span>{translate key="excl. shipping costs"}</span>
+ 168                                     {/if}
+ 169                                     </div>
+ 170                                     {/if}
+ 171
+ 172                                     {if $product->product->unit_price_calculation && $unit_price_ca
lculatation}
+ 173                                     {if $price_mode == '1' || $price_mode == '2'}
+ 174                                     {assign var=unit value=$product->defaultStock->getUnitP
riceCalculationUnit()}}
+ 175                                     <div class="unit-price-container net">
+ 176                                     <span class="price-name">&nbsp;</span>
+ 177                                     <span class="container">( 1 <span class="unit">{$un
it->translation->name}</span> =
+ 178                                     <span class="price">
+ 179                                     {if $product->specialOffer}
+ 180                                     {currency value=$product->defaultStock->get
UnitPriceCalculationSpecialOfferPrice(true)}
+ 181                                     {else}
+ 182                                     {currency value=$product->defaultStock->get
UnitPriceCalculationPrice(true)}

```

```

+ 183                                     {/if}
+ 184                                     </span> )</span>
+ 185                                     </div>
+ 186                                     {/if}
+ 187                                     {/if}
+ 188
+ 189                                     {if $product->currency and $currency->getIdentifier() != $produ
ct->currency->getIdentifier()}}
+ 190                                     <p>
+ 191                                     {translate key="Price"} ({ $product->currency->currency-
>name|escape}):
+ 192                                     <em class="default-currency">{currency id=$product->pro
duct->currency_id rate=1 value=$product->defaultStock->getCurrencyPrice(true)}</em>
+ 193                                     </p>
+ 194                                     {/if}
+ 195
+ 196                                     {if $product->isBundle() && $original_bundle_products_price !=
false}
+ 197                                     <p class="original-bundle-price">
+ 198                                     {translate key="The price of products outside the bundl
e"}: {currency value=$original_bundle_products_net_price}
+ 199                                     </p>
+ 200                                     {/if}
201                                     {/if}
202                                     </div>
- 203                                     {/if}
+ 157                                     </div>
158                                     {/if}
159
- 160                                     <meta itemprop="priceCurrency" content="{ $currency->currency->name|escape}">
- 161
- 162                                     {feature name="omnibus_frontend"}
- 163                                     {if $product->specialOffer && $showLowestPriceHistory}
- 164                                     <div class="f-row clear pt-1">
- 165                                     {translate key='The lowest price during 30 days prior to the promot
ion: '}
- 166                                     <strong class="js__omnibus-price">
- 167                                     {currency value=$product->stock->getHistoricalLowestPrice()}|esc
ape}
- 168                                     </strong>
- 169                                     <span class="hint">
- 170                                     <span class="icon icon-help"></span>
- 171                                     <span class="hint_content">
- 172                                     {translate key='If the product is sold for less than 30 day
s, the lowest price since the product went on sale is displayed.'}
- 173                                     </span>
- 174                                     </span>
- 175                                     </div>
+ 160                                     {feature name="promotion_time"}
+ 161                                     {if $product->specialOffer}
+ 162                                     <p class="promo-time">

```

```

+ 163 {translate key="The promotion runs until"} {date value=$product->sp
    ecialOffer->specialOffer->date_to}
+ 164 </p>
165 {/if}
166 {/feature}
- 167 {/if}
168
- 169
+ 164 <meta itemprop="priceCurrency" content="{ $currency->currency->name|escape}">
+ 165 {/if}
166
167 {if $product->getRichSnippetForAvailability() == 'instore_only'}
168 <link itemprop="availability" href="{ $schema}://schema.org/InStoreOnly" />

```

scripts/product/related.tpl

```

10 <div class="innerbox tab-content product-related">
11     {foreach from=$related_products item=rproduct name=list}
12         {if ($rproduct->inLoyaltyExchange() && $loyalty_exchange) || !$loyalty_exchange}
- 13 <div data-product-id="{ $rproduct->product->product_id}" data-category="{ $rproduct->defaultCategory->translation->na
me|escape}" {if $rproduct->product->producer_id}data-producer="{ $rproduct->producer->manufacturer->name|escape}"{/if} class="product row
{if $smarty.foreach.list.index % 2}odd{else}even{/if}">
+ 13 <div data-product-id="{ $rproduct->product->product_id}" data-category="{ $rproduct->defaultCategory->translation->na
me|escape}" {if $rproduct->product->producer_id}data-producer="{ $rproduct->producer->manufacturer->name|escape}"{/if} class="product pro
duct_extended row {if $smarty.foreach.list.index % 2}odd{else}even{/if}">
14 <div class="f-row">
15 <h3 class="rwd-show-medium rwd-hide-full">
16 <a href="{route function=$productRoute key=$rproduct->product->product_id productName=$rproduct->transl
ation->name

```

```

44 <span class="label-price">{translate key="Price"}:</span>
45 {if $price_mode == '1' || $price_mode == '3'}
46 {if $rproduct->specialOffer}
- 47 <em class="color">{currency value=$rproduct->defaultStock->getSpecialOfferPrice()}<
/em>
- 48 <del>{currency value=$rproduct->defaultStock->getPrice()}</del>
+ 47 <p>
+ 48 <em class="color">{currency value=$rproduct->defaultStock->getSpecialOfferPrice
()}</em>
+ 49 </p>
+ 50
+ 51 {if $additional_tax_info == '1'}
+ 52 {assign var=productTax value=$rproduct->getTax()}
+ 53 <div class="tax-additional-info">
+ 54 {if ($price_mode == '1' || $price_mode == '3') && $rproduct->defaultStock->
getPrice() != $rproduct->defaultStock->getPrice(true)}
+ 55 {translate key="incl. %s TAX, excl. shipping costs" s1=$productTax->tax
Value->name}
+ 56 {elseif $price_mode == '2' && $rproduct->defaultStock->getPrice() != $rprod
uct->defaultStock->getPrice(true)}

```

```

+ 57 {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->tax
Value->name}
+ 58 {else}
+ 59 {translate key="excl. shipping costs"}
+ 60 {/if}
+ 61 </div>
+ 62 {/if}
+ 63
+ 64 {if $rproduct->product->unit_price_calculation && $unit_price_calculation}
+ 65 {assign var=unit value=$rproduct->defaultStock->getUnitPriceCalculationUnit()}
+ 66 <div class="unit-price-container">
+ 67 {if $price_mode == '1' || $price_mode == '3'}
+ 68 <i class="default-currency">
+ 69 ( 1 {$unit->translation->name} =
+ 70 {if $rproduct->specialOffer}
+ 71 {currency value=$rproduct->defaultStock->getUnitPriceCalculationUnit()
nSpecialOfferPrice()}
+ 72 {else}
+ 73 {currency value=$rproduct->defaultStock->getUnitPriceCalculationUnit()
nPrice()}
+ 74 {/if}
+ 75 )
+ 76 </i>
+ 77 {elseif $price_mode == '2'}
+ 78 <i class="default-currency">
+ 79 ( 1 {$unit->translation->name} =
+ 80 {if $rproduct->specialOffer}
+ 81 {currency value=$rproduct->defaultStock->getUnitPriceCalculationUnit()
nSpecialOfferPrice(true)}
+ 82 {else}
+ 83 {currency value=$rproduct->defaultStock->getUnitPriceCalculationUnit()
nPrice(true)}
+ 84 {/if}
+ 85 )
+ 86 </i>
+ 87 {/if}
+ 88 </div>
+ 89 {/if}
+ 90
+ 91 <p class="price_regular">
+ 92 {translate key="Regular price":
+ 93 <del class="price_inactive">{currency value=$rproduct->defaultStock->getPrice(
)}}</del>
+ 94 </p>
+ 95
+ 96 {feature name="omnibus_frontend"}
+ 97 {if $showLowestPriceHistory}
+ 98 <div class="f-row clear">
+ 99 {translate key='The lowest price during 30 days prior to the reduction'
}:
+ 100 <strong class="js_omnibus-price-gross price_inactive">

```

```

+ 101 } {currency value=$rproduct->stock->getHistoricalLowestPrice()|escape
+ 102 }
+ 103 </strong>
+ 104 <span class="hint">
+ 105 <span class="icon icon-help"></span>
+ 106 <span class="hint_content">
+ 107 {translate key='If the product is sold for less than 30 days, t
he lowest price since the product went on sale is displayed.'}
+ 108 </span>
+ 109 </div>
+ 110 {/if}
+ 111 {/feature}
+ 112
+ 113 {if $rproduct->currency and $currency->getIdentifier() != $rproduct->currency->getI
dentifier()}}
- 114 <em>({currency id=$rproduct->product->currency_id rate=1 value=$rproduct->defau
ltStock->getCurrencySpecialOfferPrice()})</em>
+ 49 <p>
+ 50 {translate key="Price"} ({ $rproduct->currency->currency->name|escape}):
+ 51 <em class="default-currency">({currency id=$rproduct->product->currency_id
rate=1 value=$rproduct->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 52 </p>
53 {/if}
54 {else}
55 <em>{currency value=$rproduct->defaultStock->getPrice()}</em>

```

```

126
127 {if $price_mode == '1' || $price_mode == '2'}
128 {if $price_mode == '1'}
- 129 <i class="price-netto">({translate key="net"}:
+ 129 <div class="price-netto">
130 {/if}
131 {if $rproduct->specialOffer}
- 132 <em>{currency value=$rproduct->defaultStock->getSpecialOfferPrice(true)}</em>
- 133 <del>{currency value=$rproduct->defaultStock->getPrice(true)}</del>
- 134 {if $rproduct->currency and $currency->getIdentifier() != $rproduct->currency->
getIdentifier()}}
- 135 <em>({currency id=$rproduct->product->currency_id rate=1 value=$rproduct->d
efaultStock->getCurrencySpecialOfferPrice(true)}</em>
- 136 {/if}
- 137 {else}
- 138 <em>{currency value=$rproduct->defaultStock->getPrice(true)}</em>
- 139 {if $rproduct->currency and $currency->getIdentifier() != $rproduct->currency->
getIdentifier()}}
- 140 <em>({currency id=$rproduct->product->currency_id rate=1 value=$rproduct->d
efaultStock->getCurrencyPrice(true)}</em>
- 141 {/if}
- 142 {/if}
- 143 {if $price_mode == '1'}

```

```

- 144         )</i>
- 145     {/if}
- 146 {/if}
+ 132         <p>
+ 133             {if $price_mode == '1'}{translate key="Net price": {/if}
+ 134             <em>{currency value=$rproduct->defaultStock->getSpecialOfferPrice(true)}</e
m>
+ 135         </p>
136
- 137         {if $rproduct->product->unit_price_calculation && $unit_price_calculation}
- 138             {assign var=unit value=$rproduct->defaultStock->getUnitPriceCalculationUnit()}
- 139             <div class="unit-price-container">
- 140                 {if $price_mode == '1' || $price_mode == '3'}
- 141                     <i class="default-currency">
- 142                         ( 1 {$unit->translation->name} =
- 143                         {if $rproduct->specialOffer}
- 144                         {currency value=$rproduct->defaultStock->getUnitPriceCalculationSpecial
OfferPrice()}
- 145                         {else}
- 146                         {currency value=$rproduct->defaultStock->getUnitPriceCalculationPrice()
}
+ 134             <div class="price_additional-info">
+ 135                 {if $additional_tax_info == '2' && $price_mode == '2'}
+ 136                 {assign var=productTax value=$rproduct->getTax()}
+ 137                 <div class="tax-additional-info">
+ 138                     {if $price_mode == '2' && $rproduct->defaultStock->getPrice() != $r
product->defaultStock->getPrice(true)}
+ 139                     {translate key="excl. %s TAX, excl. shipping costs" s1=$product
Tax->taxValue->name}
+ 140                     {else}
+ 141                     {translate key="excl. shipping costs"}
+ 142                     {/if}
+ 143                 </div>
144             {/if}
- 145         )
- 146     </i>
- 147     {elseif $price_mode == '2'}
- 148         <i class="default-currency">
- 149             ( 1 {$unit->translation->name} =
- 150             {if $rproduct->specialOffer}
- 151             {currency value=$rproduct->defaultStock->getUnitPriceCalculationSpecial
OfferPrice(true)}
- 152             {else}
- 153             {currency value=$rproduct->defaultStock->getUnitPriceCalculationPrice(t
rue)}
+ 136
+ 137         {if $rproduct->product->unit_price_calculation && $unit_price_calculation}
+ 138         {assign var=unit value=$rproduct->defaultStock->getUnitPriceCalculation
Unit()}
+ 139         <div class="unit-price-container">
+ 140             {if $price_mode == '2'}

```

```

+ 141 <i class="default-currency">
+ 142 ( 1 {$unit->translation->name} =
+ 143 {if $rproduct->specialOffer}
+ 144 {currency value=$rproduct->defaultStock->getUnitPriceCa
lculatationSpecialOfferPrice(true)}
+ 145 {else}
+ 146 {currency value=$rproduct->defaultStock->getUnitPriceCa
lculatationPrice(true)}
+ 147 {/if}
+ 148 )
+ 149 </i>
+ 150 {/if}
+ 151 </div>
152 {/if}
- 153 )
- 154 </i>
- 155 {/if}
- 156 </div>
- 157 {/if}
+ 138 </div>
139
- 140 {if $additional_tax_info == '1'}
- 141 {assign var=productTax value=$rproduct->getTax()}
- 142 <div class="tax-additional-info">
- 143 {if ($price_mode == '1' || $price_mode == '3') && $rproduct->defaultStock->getPrice
() != $rproduct->defaultStock->getPrice(true)}
- 144 {translate key="incl. %s TAX, excl. shipping costs" s1=$productTax->taxValue->n
ame}
- 145 {elseif $price_mode == '2' && $rproduct->defaultStock->getPrice() != $rproduct->def
aultStock->getPrice(true)}
- 146 {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->taxValue->n
ame}
+ 140 {if $price_mode == '2'}
+ 141 <p class="price__regular">
+ 142 {translate key="Regular price":
+ 143 <del class="price__inactive">{currency value=$rproduct->defaultStock->g
etPrice(true)}</del>
+ 144 </p>
+ 145
+ 146 {feature name="omnibus_frontend"}
+ 147 {if $showLowestPriceHistory}
+ 148 <div class="f-row clear">
+ 149 {translate key='Lowest price':
+ 150 <strong class="js__omnibus-price-gross price__inactive">
+ 151 {currency value=$rproduct->stock->getHistoricalLowestPrice(true
)}}
+ 152 </strong>
+ 153 </div>
+ 154 {/if}
+ 155 {/feature}
+ 156

```

```

+ 157                                     {if $rproduct->currency and $currency->getIdentifier() != $rproduct->current
cy->getIdentifier()}}
+ 158                                     <p class="product_currency">
+ 159                                     {translate key="Price"} ({ $rproduct->currency->currency->name|escape
e}):
+ 160                                     <em class="default-currency">{currency id=$rproduct->product->currency_id rate=1 value=$rproduct->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
+ 161                                     </p>
+ 162                                     {/if}
+ 163                                     {/if}
164                                     {else}
- 165                                     {translate key="excl. shipping costs"}
+ 142                                     <p>
+ 143                                     {if $price_mode == '1'}
+ 144                                     {translate key="Net price"}:
+ 145                                     {/if}
+ 146                                     <em>{currency value=$rproduct->defaultStock->getPrice(true)}</em>
+ 147                                     </p>
+ 148
+ 149                                     {if $price_mode == '2'}
+ 150                                     <div class="price_additional-info">
+ 151                                     {if $additional_tax_info == '1'}
+ 152                                     {assign var=productTax value=$rproduct->getTax()}
+ 153                                     <div class="tax-additional-info">
+ 154                                     {if $price_mode == '2' && $rproduct->defaultStock->getPrice() !=
= $rproduct->defaultStock->getPrice(true)}
+ 155                                     {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->taxValue->name}
+ 156                                     {else}
+ 157                                     {translate key="excl. shipping costs"}
+ 158                                     {/if}
+ 159                                     </div>
+ 160                                     {/if}
+ 161
+ 162                                     {if $rproduct->product->unit_price_calculation && $unit_price_calculation}
+ 163                                     {assign var=unit value=$rproduct->defaultStock->getUnitPriceCalculationUnit()}
+ 164                                     <div class="unit-price-container">
+ 165                                     {if $price_mode == '2'}
+ 166                                     <i class="default-currency">
+ 167                                     ( 1 { $unit->translation->name} =
+ 168                                     {if $rproduct->specialOffer}
+ 169                                     {currency value=$rproduct->defaultStock->getUnitPriceCalculationSpecialOfferPrice(true)}
+ 170                                     {else}
+ 171                                     {currency value=$rproduct->defaultStock->getUnitPriceCalculationPrice(true)}
+ 172                                     {/if}
+ 173                                     )
+ 174                                     </i>

```

```

+ 175                                     {/if}
+ 176                                     </div>
+ 177                                     {/if}
+ 178                                     </div>
+ 179
+ 180                                     {if $rproduct->currency and $currency->getIdentifier() != $rproduct->curren
cy->getIdentifier()}}
+ 181                                     <p class="product__currency">
+ 182                                     {translate key="Price"} ({ $rproduct->currency->currency->name|escap
e}):
+ 183                                     <em class="default-currency">{currency id=$rproduct->product->curre
ncy_id rate=1 value=$rproduct->defaultStock->getCurrencyPrice(true)}</em>
+ 184                                     </p>
+ 185                                     {/if}
+ 186                                     {/if}
+ 187                                     {/if}
- 188                                     </div>
+ 144                                     {if $price_mode == '1'}
+ 145                                     </div>
+ 146                                     {/if}
+ 147                                     {/if}
+ 148                                     </div>
+ 149                                     {/if}

```

scripts/product/tableofproducts.tpl

```

+ 154                                     {/if}
+ 155                                     </div>
+ 156                                     {/if}
+ 157
+ 158                                     {feature name="omnibus_frontend"}
+ 159                                     {if $showLowestPriceHistory && $product->specialOffer}
+ 160                                     <div class="f-row clear">
+ 161                                     {translate key='The lowest price during 30 days prior to the reduction'}:
+ 162                                     <strong class="price__inactive">
+ 163                                     {if $price_mode == '1' || $price_mode == '3'}
+ 164                                     {currency value=$product->stock->getHistoricalLowestPrice()|escape}
+ 165                                     {elseif $price_mode == '2'}
+ 166                                     {currency value=$product->stock->getHistoricalLowestPrice(true)|escape}
+ 167                                     {/if}
+ 168                                     </strong>
+ 169
+ 170                                     <span class="hint">
+ 171                                     <span class="icon icon-help"></span>
+ 172                                     <span class="hint__content">
+ 173                                     {translate key='If the product is sold for less than 30 days, the lowes
t price since the product went on sale is displayed.'}
+ 174                                     </span>
+ 175                                     </span>

```

```

+ 176                                     </div>
+ 177                                     {/if}
+ 178                                 {/feature}
179                                     </div>
180                                 {/if}
181                            {/if}

```

```

288                {/foreach}
289            </div>
290        {elseif 'phot' == $view}
- 291            <div class="products view{$view} s-row" {if $price_mode == '2'}data-netto="true"{/if}>
+ 291            <div class="products products_extended view{$view} s-row" {if $price_mode == '2'}data-netto="true"{/if}>
292                {foreach from=$products item=product name=prodlist}
- 293                    <div data-product-id="{ $product->product->product_id}" data-category="{ $product->defaultCategory->translation->name|esc
ape}" {if $product->product->producer_id}data-producer="{ $product->producer->manufacturer->name|escape}"{/if} class="product s-grid-3 pr
oduct-main-wrap{if $additional_tax_info == '1'} additional-info{/if}{if $unit_price_calculation} unit-price-info{/if}{if $product->readV
isibilityConfigFlag($listItemGrayFlag)} product_inactive{/if}">
+ 293                    <div data-product-id="{ $product->product->product_id}" data-category="{ $product->defaultCategory->translation->name|esc
ape}" {if $product->product->producer_id}data-producer="{ $product->producer->manufacturer->name|escape}"{/if} class="product product_vie
w-extended s-grid-3 product-main-wrap{if $additional_tax_info == '1'} additional-info{/if}{if $unit_price_calculation} unit-price-info{/
if}{if $product->readVisibilityConfigFlag($listItemGrayFlag)} product_inactive{/if}{if $showLowestPriceHistory} product_with-lowest-pric
e{/if}{if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier()} product_with-currency{/if}">
294                        <div class="product-inner-wrap">
295                            <a class="prodimage f-row" href="{route function=$productRoute key=$product->product->product_id productName=$p
roduct->translation->name
296                                productId=$product->product->product_id}" title="{ $product->translation->name|escape}" rel="nofollow">

```

```

341                {if $price_mode == '1' || $price_mode == '3'}
342                    <span>{translate key="Price"}:</span>
343                    {if $product->specialOffer}
- 344                        <em>{currency value=$product->defaultStock->getSpecialOfferPrice()}</em>
- 345                        <del>{currency value=$product->defaultStock->getPrice()}</del>
+ 344                        <p>
+ 345                            <em>{currency value=$product->defaultStock->getSpecialOfferPrice()}</em>
+ 346                        </p>
+ 347
+ 348                    <div class="price_additional-info">
+ 349                        {if $additional_tax_info == '1'}
+ 350                            {assign var=productTax value=$product->getTax()}
+ 351                            <div class="tax-additional-info">
+ 352                                {if ($price_mode == '1' || $price_mode == '3') && $product->defaultStock->getPr
ice() != $product->defaultStock->getPrice(true)}
+ 353                                    {translate key="incl. %s TAX, excl. shipping costs" s1=$productTax->taxValu
e->name}
+ 354                                    {elseif $price_mode == '2' && $product->defaultStock->getPrice() != $product->d
efaultStock->getPrice(true)}
+ 355                                    {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->taxValu
e->name}
+ 356                                    {else}
+ 357                                    {translate key="excl. shipping costs"}

```

```

+ 358                                     {/if}
+ 359                                     </div>
+ 360                                     {/if}
+ 361
+ 362                                     {if $product->product->unit_price_calculation && $unit_price_calculation}
+ 363                                     {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit()}
+ 364                                     <div class="unit-price-container">
+ 365                                     {if $price_mode == '1' || $price_mode == '3'}
+ 366                                     <i class="default-currency">
+ 367                                     ( 1 {$unit->translation->name} =
+ 368                                     {if $product->specialOffer}
+ 369                                     {currency value=$product->defaultStock->getUnitPriceCalculationSpec
ialOfferPrice()}
+ 370                                     {else}
+ 371                                     {currency value=$product->defaultStock->getUnitPriceCalculationPric
e()}
+ 372                                     {/if}
+ 373                                     )
+ 374                                     </i>
+ 375                                     {elseif $price_mode == '2'}
+ 376                                     <i class="default-currency">
+ 377                                     ( 1 {$unit->translation->name} =
+ 378                                     {if $product->specialOffer}
+ 379                                     {currency value=$product->defaultStock->getUnitPriceCalculationSpec
ialOfferPrice(true)}
+ 380                                     {else}
+ 381                                     {currency value=$product->defaultStock->getUnitPriceCalculationPric
e(true)}
+ 382                                     {/if}
+ 383                                     )
+ 384                                     </i>
+ 385                                     {/if}
+ 386                                     </div>
+ 387                                     {/if}
+ 388                                     </div>
+ 389
+ 390                                     <p class="price__regular">
+ 391                                     {translate key="Regular price"}:
+ 392                                     <del class="price__inactive">{currency value=$product->defaultStock->getPrice()}</del>
+ 393                                     </p>
+ 394
+ 395                                     {feature name="omnibus_frontend"}
+ 396                                     {if $showLowestPriceHistory}
+ 397                                     <div class="f-row clear">
+ 398                                     {translate key='Lowest price'}:
+ 399                                     <strong class="js__omnibus-price-gross price__inactive">
+ 400                                     {currency value=$product->stock->getHistoricalLowestPrice()}
+ 401                                     </strong>
+ 402                                     </div>
+ 403                                     {/if}

```

```

+ 404                                     {/feature}
+ 405
406                                     {if $product->currency and $currency->getIdentfier() != $product->currency->getIdentfier(
))}
- 407                                     <em class="default-currency">({currency id=$product->product->currency_id rate=1 value=
$product->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 346                                     <p class="product__currency">
+ 347                                         {translate key="Price"} ({ $product->currency->currency->name|escape}):
+ 348                                     <em class="default-currency">{currency id=$product->product->currency_id rate=1 val
ue=$product->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 349                                     </p>
350                                     {/if}
351                                     {else}
- 352                                     <em>{currency value=$product->defaultStock->getPrice()}</em>
+ 349                                     <p>
+ 350                                     <em>{currency value=$product->defaultStock->getPrice()}</em>
+ 351                                     </p>
+ 352
+ 353                                     <div class="price__additional-info">
+ 354                                         {if $additional_tax_info == '1'}
+ 355                                             {assign var=productTax value=$product->getTax()}
+ 356                                         <div class="tax-additional-info">
+ 357                                             {if ($price_mode == '1' || $price_mode == '3') && $product->defaultStock->getPr
ice() != $product->defaultStock->getPrice(true)}
+ 358                                             {translate key="incl. %s TAX, excl. shipping costs" s1=$productTax->taxValu
e->name}
+ 359                                             {else}
+ 360                                             {translate key="excl. shipping costs"}
+ 361                                             {/if}
+ 362                                         </div>
+ 363                                         {/if}
+ 364
+ 365                                     {if $product->product->unit_price_calculation && $unit_price_calculation}
+ 366                                         {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit()}
+ 367                                         <div class="unit-price-container">
+ 368                                             {if $price_mode == '1' || $price_mode == '3'}
+ 369                                             <i class="default-currency">
+ 370                                                 ( 1 { $unit->translation->name} =
+ 371                                                 {if $product->specialOffer}
+ 372                                                 {currency value=$product->defaultStock->getUnitPriceCalculationSpec
ialOfferPrice()})
+ 373                                             {else}
+ 374                                             {currency value=$product->defaultStock->getUnitPriceCalculationPric
e()}
+ 375                                             {/if}
+ 376                                         )
+ 377                                         </i>
+ 378                                     {/if}
+ 379                                     </div>
+ 380                                     {/if}
+ 381                                     </div>

```

```

+ 382
383         {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier(
))}
- 384         <em class="default-currency">({currency id=$product->product->currency_id rate=1 value=
$product->defaultStock->getCurrencyPrice()})</em>
+ 351         <p class="product_currency">
+ 352             {translate key="Price"} ({$product->currency->currency->name|escape}):
+ 353             <em class="default-currency">{currency id=$product->product->currency_id rate=1 val
ue=$product->defaultStock->getCurrencyPrice()}</em>
+ 354         </p>
355         {/if}
356     {/if}
357 {/if}
358
359     {if $price_mode == '1' || $price_mode == '2'}
360     {if $price_mode == '1'}
- 361         <i class="price-netto">({translate key="net"}:
+ 358         <i class="price-netto">
359     {/if}
360     {if $product->specialOffer}
- 361         <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
- 362         <del>{currency value=$product->defaultStock->getPrice(true)}</del>
- 363         {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentif
ier()}}
- 364         <em class="default-currency">({currency id=$product->product->currency_id rate=1 va
lue=$product->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
+ 361     <p>
+ 362         {if $price_mode == '1'}
+ 363             {translate key="Net price"}:
+ 364             {/if}
+ 365         <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
+ 366     </p>
+ 367
+ 368     <div class="price_additional-info">
+ 369
+ 370         {if $additional_tax_info == '2' && $price_mode == '2'}
+ 371         {assign var=productTax value=$product->getTax()}
+ 372         <div class="tax-additional-info">
+ 373             {if $price_mode == '2' && $product->defaultStock->getPrice() != $product->d
efaultStock->getPrice(true)}
+ 374                 {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->tax
Value->name}
+ 375             {else}
+ 376                 {translate key="excl. shipping costs"}
+ 377             {/if}
+ 378         </div>
+ 379     {/if}
+ 380
+ 381     {if $product->product->unit_price_calculation && $unit_price_calculation}
+ 382     {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit()}
+ 383     <div class="unit-price-container">

```

```

+ 384                                     {if $price_mode == '2'}
+ 385                                     <i class="default-currency">
+ 386                                     ( 1 {$unit->translation->name} =
+ 387                                     {if $product->specialOffer}
+ 388                                     {currency value=$product->defaultStock->getUnitPriceCalculation
SpecialOfferPrice(true)}}
+ 389                                     {else}
+ 390                                     {currency value=$product->defaultStock->getUnitPriceCalculation
Price(true)}}
+ 391                                     {/if}
+ 392                                     )
+ 393                                     </i>
+ 394                                     {/if}
+ 395                                     </div>
+ 396                                     {/if}
+ 397                                     </div>
+ 398
+ 399                                     {if $price_mode == '2'}
+ 400                                     <p class="price__regular">
+ 401                                     {translate key="Regular price":
+ 402                                     <del class="price__inactive">{currency value=$product->defaultStock->getPrice(t
rue)}}</del>
+ 403                                     </p>
+ 404
+ 405                                     {feature name="omnibus_frontend"}
+ 406                                     {if $showLowestPriceHistory}
+ 407                                     <div class="f-row clear">
+ 408                                     {translate key='Lowest price':
+ 409                                     <strong class="js__omnibus-price-gross price__inactive">
+ 410                                     {currency value=$product->stock->getHistoricalLowestPrice(true)}}
+ 411                                     </strong>
+ 412                                     </div>
+ 413                                     {/if}
+ 414                                     {/feature}
+ 415
+ 416                                     {if $product->currency and $currency->getIdentifier() != $product->currency->getIde
ntifier()}}
+ 417                                     <p class="product__currency">
+ 418                                     {translate key="Price"} ({ $product->currency->currency->name|escape}):
+ 419                                     <em class="default-currency">{currency id=$product->product->currency_id ra
te=1 value=$product->defaultStock->getCurrencySpecialOfferPrice(true)}}</em>
+ 420                                     </p>
+ 421                                     {/if}
+ 422                                     {/if}
+ 423                                     {else}
- 424                                     <em>{currency value=$product->defaultStock->getPrice(true)}</em>
- 425                                     {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentif
ier()}}
- 426                                     <em class="default-currency">({currency id=$product->product->currency_id rate=1 va
lue=$product->defaultStock->getCurrencyPrice(true)}}</em>
+ 364                                     <p>

```

```

+ 365         {if $price_mode == '1'}
+ 366             {translate key="Net price"}:
+ 367         {/if}
+ 368         <em>{currency value=$product->defaultStock->getPrice(true)}</em>
+ 369     </p>
+ 370
+ 371     {if $price_mode == '2'}
+ 372         <div class="price_additional-info">
+ 373             {if $additional_tax_info == '1'}
+ 374                 {assign var=productTax value=$product->getTax()}
+ 375                 <div class="tax-additional-info">
+ 376                     {if $price_mode == '2' && $product->defaultStock->getPrice() != $product->defaultStock->getPrice(true)}
+ 377                         {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->taxValue->name}
+ 378                     {else}
+ 379                         {translate key="excl. shipping costs"}
+ 380                     {/if}
+ 381                 </div>
+ 382             {/if}
+ 383
+ 384             {if $product->product->unit_price_calculation && $unit_price_calculation}
+ 385                 {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit(
+ 386                 <div class="unit-price-container">
+ 387                     {if $price_mode == '2'}
+ 388                         <i class="default-currency">
+ 389                             ( 1 {$unit->translation->name} =
+ 390                             {if $product->specialOffer}
+ 391                                 {currency value=$product->defaultStock->getUnitPriceCalculationSpecialOfferPrice(true)}
+ 392                             {else}
+ 393                                 {currency value=$product->defaultStock->getUnitPriceCalculationPrice(true)}
+ 394                             {/if}
+ 395                             )
+ 396                         </i>
+ 397                     {/if}
+ 398                 </div>
+ 399             {/if}
+ 400         </div>
+ 401
+ 402         {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier()}
+ 403             <p class="product__currency">
+ 404                 {translate key="Price"} ({$product->currency->currency->name|escape}):
+ 405                 <em class="default-currency">{currency id=$product->product->currency_id rate=1 value=$product->defaultStock->getCurrencyPrice(true)}</em>
+ 406             </p>
+ 407         {/if}
+ 408     {/if}

```

```

409         {/if}
410         {if $price_mode == '1'}
- 411         )</i>
+ 368         </i>
369     {/if}
370 {/if}
- 371
- 372         {if $product->product->unit_price_calculation && $unit_price_calculation}
- 373         {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit()}
- 374         <div class="unit-price-container">
- 375             {if $price_mode == '1' || $price_mode == '3'}
- 376             <i class="default-currency">
- 377                 ( 1 {$unit->translation->name} =
- 378                 {if $product->specialOffer}
- 379                 {currency value=$product->defaultStock->getUnitPriceCalculationSpecialOfferPric
e()}}
- 380             {else}
- 381             {currency value=$product->defaultStock->getUnitPriceCalculationPrice()}
- 382             {/if}
- 383             )
- 384             </i>
- 385             {elseif $price_mode == '2'}
- 386             <i class="default-currency">
- 387                 ( 1 {$unit->translation->name} =
- 388                 {if $product->specialOffer}
- 389                 {currency value=$product->defaultStock->getUnitPriceCalculationSpecialOfferPric
e(true)}}
- 390             {else}
- 391             {currency value=$product->defaultStock->getUnitPriceCalculationPrice(true)}
- 392             {/if}
- 393             )
- 394             </i>
- 395             {/if}
- 396         </div>
- 397     {/if}
398 {/if}
399
- 400         {if $additional_tax_info == '1'}
- 401         {assign var=productTax value=$product->getTax()}
- 402         <div class="tax-additional-info">
- 403         {if ($price_mode == '1' || $price_mode == '3') && $product->defaultStock->getPrice() != $produc
t->defaultStock->getPrice(true)}
- 404             {translate key="incl. %s TAX, excl. shipping costs" s1=$productTax->taxValue->name}
- 405             {elseif $price_mode == '2' && $product->defaultStock->getPrice() != $product->defaultStock->get
Price(true)}
- 406             {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->taxValue->name}
- 407             {else}
- 408             {translate key="excl. shipping costs"}
- 409             {/if}
- 410         </div>

```

```
- 411      {/if}
+ 373
374      {/if}
375      </div>
376
```

Pliki .css

Pliki .less

styles/_modules.less

```
276      }
277  }
278
+ 279  #box_best sellers, #box_productoftheday, #box_specialoffer,
+ 280  #box_lastadded, #box_recent, [id*="box_recommendations_"] {
+ 281      .product {
+ 282          .price.price_extended {
+ 283              del {
+ 284                  display: inline;
+ 285              }
+ 286          }
+ 287      }
+ 288  }
+ 289
290  #box_search{
291      .search-input{
292          float: left;
```

styles/_product.less

```
409      .price-name {
410          font-size: 1em;
411          min-width: 25%;
- 412      float: left;
413          margin-right: 0.5em;
414      }
415      del {
```

```
436      }
437  }
438
+ 439  .unit-price-container {
+ 440      .price-name {
```

```
+ 441         display: none;
+ 442     }
+ 443 }
+ 444
445     .otherprice {
446         .otherprice-name {
447             min-width: 25%;
```

```
1708         width: auto;
1709         height: auto;
1710     }
- 1711 }
+ 1711 }
+ 1712
+ 1713 .price {
+ 1714     &__regular {
+ 1715         margin-top: 1rem;
+ 1716     }
+ 1717
+ 1718     &__inactive {
+ 1719         text-decoration: line-through;
+ 1720         font-size: 1.4em;
+ 1721         color: @greyFont;
+ 1722         font-weight: 500;
+ 1723     }
+ 1724 }
+ 1725
+ 1726 .price + .price-netto {
+ 1727     margin-top: 1em;
+ 1728 }
+ 1729
+ 1730 .products_extended {
+ 1731     display: flex;
+ 1732     flex-wrap: wrap;
+ 1733
+ 1734     .product-inner-wrap {
+ 1735         display: flex;
+ 1736         height: 100%;
+ 1737         flex-direction: column;
+ 1738     }
+ 1739 }
+ 1740
+ 1741 .products.viewphot.products_extended .product.product_view-extended {
+ 1742     height: auto;
+ 1743
+ 1744     .buttons {
+ 1745         flex: 1 0 auto;
+ 1746         display: flex;
+ 1747         align-items: flex-end;
```

```
+ 1748         justify-content: center;
+ 1749     }
+ 1750 }
+ 1751
+ 1752 .product_view-extended {
+ 1753     .price-netto {
+ 1754         margin-top: 1em;
+ 1755         display: block;
+ 1756     }
+ 1757 }
+ 1758
+ 1759 .price__additional-info {
+ 1760     margin-bottom: 1em;
+ 1761 }
+ 1762
+ 1763 .product-innerdesc-wrap .price.price_quickview {
+ 1764     font-size: 1em;
+ 1765     color: @fontBasicColor;
+ 1766     text-align: left;
+ 1767 }
+ 1768
+ 1769 .price__value {
+ 1770     font-size: 1.4em;
+ 1771     color: @maincolor;
+ 1772 }
+ 1773
+ 1774 .modal .product-innerdesc-wrap .price.price_quickview em.default-currency {
+ 1775     font-size: 1.4em;
+ 1776 }
+ 1777
+ 1778 .modal .product-innerdesc-wrap .basket {
+ 1779     margin-top: 1rem;
+ 1780 }
```

Pliki .js