

Pliki .tpl

boxes/Bestsellers/box.tpl

```
44         </p>
45     }{/if}
46
- 47     {feature name="omnibus_frontend"}
- 48     {if $showLowestPriceHistory && $isLowestPriceVisible}
- 49     <div class="f-row clear price__omnibus">
- 50         {translate key='Lowest price'}:
- 51         <strong class="price__inactive">
- 52             {currency value=$bs_product->stock->getHistoricalLowestPrice()}
- 53         </strong>
- 54     </div>
- 55     }{/if}
- 56     }{/feature}
+ 47     {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 48     <div class="f-row clear price__omnibus">
+ 49         {translate key='Lowest price'}:
+ 50         <strong class="price__inactive">
+ 51             {currency value=$bs_product->stock->getHistoricalLowestPrice()}
+ 52         </strong>
+ 53     </div>
+ 54     }{/if}
55
56     {if $bs_product->currency and $currency->getIdentifier() != $bs_product->current->getIdentifier()}
57     <p class="product__currency price__currency">
```

```
89         </p>
90     }{/if}
91
- 92     {feature name="omnibus_frontend"}
- 93     {if $showLowestPriceHistory && $isLowestPriceVisible}
- 94     <div class="f-row clear price__omnibus">
- 95         {translate key='Lowest price'}:
- 96         <strong class="price__inactive">
- 97             {currency value=$bs_product->stock->getHistoricalLowestPric
```

```

- 98 e(true)}}
- 99 </strong>
- 100 </div>
- 101 {/if}
- 101 {/feature}
+ 92 {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 93 <div class="f-row clear price__omnibus">
+ 94 {translate key='Lowest price'}:
+ 95 <strong class="price__inactive">
+ 96 {currency value=$bs_product->stock->getHistoricalLowestPrice(tr
ue)}
+ 97 </strong>
+ 98 </div>
+ 99 {/if}
100
101 {if $bs_product->currency and $currency->getIdentifier() != $bs_product->cu
urrency->getIdentifier()}
102 <p class="product__currency price__currency">

```

boxes/NewProducts/box.tpl

```

44 </p>
45 {/if}
46
- 47 {feature name="omnibus_frontend"}
- 48 {if $showLowestPriceHistory && $isLowestPriceVisible}
- 49 <div class="f-row clear price__omnibus">
- 50 {translate key='Lowest price'}:
- 51 <strong class="price__inactive">
- 52 {currency value=$newproduct->stock->getHistoricalLowestPrice()}
- 53 </strong>
- 54 </div>
- 55 {/if}
- 56 {/feature}
+ 47 {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 48 <div class="f-row clear price__omnibus">
+ 49 {translate key='Lowest price'}:
+ 50 <strong class="price__inactive">
+ 51 {currency value=$newproduct->stock->getHistoricalLowestPrice()}
+ 52 </strong>
+ 53 </div>
+ 54 {/if}
55
56 {if $newproduct->currency and $currency->getIdentifier() != $newproduct->currency->
getIdentifier()}
57 <p class="product__currency price__currency">

```

```

89 </p>
90 {/if}

```

```

91
- 92 {feature name="omnibus_frontend"}
- 93 {if $showLowestPriceHistory && $isLowestPriceVisible}
- 94 <div class="f-row clear price__omnibus">
- 95 {translate key='Lowest price'}:
- 96 <strong class="price__inactive">
- 97 {currency value=$newproduct->stock->getHistoricalLowestPrice(tr
ue)}}
- 98 </strong>
- 99 </div>
- 100 {/if}
- 101 {/feature}
+ 92 {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 93 <div class="f-row clear price__omnibus">
+ 94 {translate key='Lowest price'}:
+ 95 <strong class="price__inactive">
+ 96 {currency value=$newproduct->stock->getHistoricalLowestPrice(true)}
+ 97 </strong>
+ 98 </div>
+ 99 {/if}
100
101 {if $newproduct->currency and $currency->getIdentifier() != $newproduct->curren
cy->getIdentifier()}
102 <p class="product__currency price__currency">

```

boxes/ProductOfTheDay/box.tpl

```

37 </p>
38 {/if}
39
- 40 {feature name="omnibus_frontend"}
- 41 {if $showLowestPriceHistory && $isLowestPriceVisible}
- 42 <div class="f-row clear price__omnibus">
- 43 {translate key='Lowest price'}:
- 44 <strong class="price__inactive">
- 45 {currency value=$potd->stock->getHistoricalLowestPrice()}
- 46 </strong>
- 47 </div>
- 48 {/if}
- 49 {/feature}
+ 40 {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 41 <div class="f-row clear price__omnibus">
+ 42 {translate key='Lowest price'}:
+ 43 <strong class="price__inactive">
+ 44 {currency value=$potd->stock->getHistoricalLowestPrice()}
+ 45 </strong>
+ 46 </div>
+ 47 {/if}
48

```

```

49         {if $spotd->currency and $currency->getIdentifier() != $spotd->currency->getIdentifier()}
50         <p class="product__currency price__currency">

82         </p>
83     {/if}
84
- 85     {feature name="omnibus_frontend"}
- 86     {if $showLowestPriceHistory && $isLowestPriceVisible}
- 87     <div class="f-row clear price__omnibus">
- 88     {translate key='Lowest price'}:
- 89     <strong class="price__inactive">
- 90     {currency value=$spotd->stock->getHistoricalLowestPrice(true)}
- 91     </strong>
- 92     </div>
- 93     {/if}
- 94     {/feature}
+ 85     {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 86     <div class="f-row clear price__omnibus">
+ 87     {translate key='Lowest price'}:
+ 88     <strong class="price__inactive">
+ 89     {currency value=$spotd->stock->getHistoricalLowestPrice(true)}
+ 90     </strong>
+ 91     </div>
+ 92     {/if}
93
94     {if $spotd->currency and $currency->getIdentifier() != $spotd->currency->getIdentifie
r()}
95     <p class="product__currency price__currency">

```

boxes/Recent/box.tpl

```

38         </p>
39     {/if}
40
- 41     {feature name="omnibus_frontend"}
- 42     {if $showLowestPriceHistory && $isLowestPriceVisible}
- 43     <div class="f-row clear price__omnibus">
- 44     {translate key='Lowest price'}:
- 45     <strong class="price__inactive">
- 46     {currency value=$special_product->stock->getHistoricalLowestPrice()}
- 47     </strong>
- 48     </div>
- 49     {/if}
- 50     {/feature}
+ 41     {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 42     <div class="f-row clear price__omnibus">
+ 43     {translate key='Lowest price'}:
+ 44     <strong class="price__inactive">

```

```

+ 45 {currency value=$special_product->stock->getHistoricalLowestPrice()}
+ 46 </strong>
+ 47 </div>
+ 48 {/if}
49
50 {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->getIde
ntifier()}}
51 <p class="product__currency price__currency">

```

```

82 </p>
83 {/if}
84
- 85 {feature name="omnibus_frontend"}
- 86 {if $showLowestPriceHistory && $isLowestPriceVisible}
- 87 <div class="f-row clear price__omnibus">
- 88 {translate key='Lowest price'}:
- 89 <strong class="price__inactive">
- 90 {currency value=$special_product->stock->getHistoricalLowestPrice(true)}
- 91 </strong>
- 92 </div>
- 93 {/if}
- 94 {/feature}
+ 85 {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 86 <div class="f-row clear price__omnibus">
+ 87 {translate key='Lowest price'}:
+ 88 <strong class="price__inactive">
+ 89 {currency value=$special_product->stock->getHistoricalLowestPrice(true)}
+ 90 </strong>
+ 91 </div>
+ 92 {/if}
93
94 {if $special_product->currency and $currency->getIdentifier() != $special_product->currency->ge
tIdentifier()}}
95 <p class="product__currency price__currency">

```

boxes/Recommendations/box.tpl

```

35 </p>
36 {/if}
37
- 38 {feature name="omnibus_frontend"}
- 39 {if $showLowestPriceHistory && $isLowestPriceVisible}
- 40 <div class="f-row clear price__omnibus">
- 41 {translate key='Lowest price'}:
- 42 <strong class="price__inactive">
- 43 {currency value=$rec->object->stock->getHistoricalLowestPrice()}
- 44 </strong>
- 45 </div>
- 46 {/if}

```

```

- 47         {/feature}
+ 38         {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 39             <div class="f-row clear price__omnibus">
+ 40                 {translate key='Lowest price'}:
+ 41                 <strong class="price__inactive">
+ 42                     {currency value=$rec->object->stock->getHistoricalLowestPrice()}
+ 43                 </strong>
+ 44             </div>
+ 45         {/if}
46
47         {if $rec->object->currency and $currency->getIdentifier() != $rec->object->currency->getIdentifier(
48     )}

```

```

80         </p>
81     {/if}
82
- 83         {feature name="omnibus_frontend"}
- 84             {if $showLowestPriceHistory && $isLowestPriceVisible}
- 85                 <div class="f-row clear price__omnibus">
- 86                     {translate key='Lowest price'}:
- 87                     <strong class="price__inactive">
- 88                         {currency value=$rec->object->stock->getHistoricalLowestPrice(true)}
- 89                     </strong>
- 90                 </div>
- 91             {/if}
- 92         {/feature}
+ 83         {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 84             <div class="f-row clear price__omnibus">
+ 85                 {translate key='Lowest price'}:
+ 86                 <strong class="price__inactive">
+ 87                     {currency value=$rec->object->stock->getHistoricalLowestPrice(true)}
+ 88                 </strong>
+ 89             </div>
+ 90         {/if}
91
92         {if $rec->object->currency and $currency->getIdentifier() != $rec->object->currency->getIdentif
93     ier()}

```

boxes/SpecialOffer/box.tpl

```

38         </p>
39     {/if}
40
- 41         {feature name="omnibus_frontend"}
- 42             {if $showLowestPriceHistory && $isLowestPriceVisible}
- 43                 <div class="f-row clear price__omnibus">
- 44                     {translate key='Lowest price'}:

```

```
- 45 <strong class="price__inactive">
- 46 {currency value=$special_product->stock->getHistoricalLowestPrice()}
- 47 </strong>
- 48 </div>
- 49 {/if}
- 50 {/feature}
+ 41 {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 42 <div class="f-row clear price__omnibus">
+ 43 {translate key='Lowest price'}:
+ 44 <strong class="price__inactive">
+ 45 {currency value=$special_product->stock->getHistoricalLowestPrice()}
+ 46 </strong>
+ 47 </div>
+ 48 {/if}
49
50 {if $special_product->currency and $currency->getIdentifier() != $special_product->curr
ency->getIdentifier()}
51 <p class="product__currency price__currency">
```

```
82 </p>
83 {/if}
84
- 85 {feature name="omnibus_frontend"}
- 86 {if $showLowestPriceHistory && $isLowestPriceVisible}
- 87 <div class="f-row clear price__omnibus">
- 88 {translate key='Lowest price'}:
- 89 <strong class="price__inactive">
- 90 {currency value=$special_product->stock->getHistoricalLowestPrice(true)
}
- 91 </strong>
- 92 </div>
- 93 {/if}
- 94 {/feature}
+ 85 {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 86 <div class="f-row clear price__omnibus">
+ 87 {translate key='Lowest price'}:
+ 88 <strong class="price__inactive">
+ 89 {currency value=$special_product->stock->getHistoricalLowestPrice(true)}
+ 90 </strong>
+ 91 </div>
+ 92 {/if}
93
94 {if $special_product->currency and $currency->getIdentifier() != $special_product->curr
ency->getIdentifier()}
95 <p class="product__currency price__currency">
```

scripts/consents_modal.tpl

```
18 </div>
```

```

19
20         <div class="consents_buttons">
- 21             <button type="button" class="btn btn-red js__accept-all-consents">{translate key="Go to the store"}</button>
+ 21             {feature name="customer_privacy_v2"}
+ 22             <button type="button" class="btn js__accept-necessary">{translate key="Allow only necessary"}</button>
+ 23             {/feature}
24             <button type="button" class="btn js__show-advanced-view">{translate key="Customize consents"}</button>
+ 25             <button type="button" class="btn btn-red js__accept-all-consents">{translate key="Allow all"}</button>
26         </div>
27     </div>
28

```

scripts/product/index.tpl

```

167         {currency value=$product->defaultStock->getSpecialOfferPric
e() float_currency=true}
168     </span>
169
- 170         {feature name="omnibus_frontend"}
- 171         {if $showLowestPriceHistory}
- 172         <div class="f-row clear">
- 173             {if $product->defaultStock->productExists30DaysBefo
rePromotion()}}
- 174                 {translate key='Lowest price since added to the
store':}
- 175                 {else}
- 176                 {translate key='The lowest price during 30 days
prior to the reduction':}
- 177                 {/if}
+ 170             {if $showLowestPriceHistory}
+ 171             <div class="f-row clear">
+ 172                 {if $product->defaultStock->productExists30DaysBeforePr
omotion()}}
+ 173                 {translate key='Lowest price since added to the sto
re':}
+ 174                 {else}
+ 175                 {translate key='The lowest price during 30 days pri
or to the reduction':}
+ 176                 {/if}
177
- 178         <strong class="js__omnibus-price-gross price__inact
ive">
- 179             {currency value=$product->stock->getHistoricalL
owestPrice()|escape}
- 180         </strong>
- 181     </div>
- 182     {/if}
- 183     {/feature}
+ 172 <strong class="js__omnibus-price-gross price__inactive"
>

```



```

+ 173 {currency value=$product->stock->getHistoricalLowes
tPrice()|escape}
+ 174 </strong>
+ 175 </div>
+ 176 {/if}
177
178 {if $product->currency and $currency->getIdentifier() != $produ
ct->currency->getIdentifier()}
179 <p>

288 <del class="price__inactive">{currency value=$product->defa
ultStock->getPrice(true)}</del>
289 </p>
290
- 291 {feature name="omnibus_frontend"}
- 292 {if $showLowestPriceHistory}
- 293 <div class="f-row clear">
- 294 {if $product->defaultStock->productExists30DaysBefo
rePromotion()}
- 295 {translate key='Lowest price since added to the
store':
- 296 {else}
- 297 {translate key='The lowest price during 30 days
prior to the reduction':
- 298 {/if}
+ 291 {if $showLowestPriceHistory}
+ 292 <div class="f-row clear">
+ 293 {if $product->defaultStock->productExists30DaysBeforePr
omotion()}
+ 294 {translate key='Lowest price since added to the sto
re':
+ 295 {else}
+ 296 {translate key='The lowest price during 30 days pri
or to the reduction':
+ 297 {/if}
298
- 299 <strong class="js__omnibus-price-net price__inactiv
e">
- 300 {currency value=$product->stock->getHistoricalL
owestPrice(true)}
- 301 </strong>
- 302 </div>
- 303 {/if}
- 304 {/feature}
+ 293 <strong class="js__omnibus-price-net price__inactive">
+ 294 {currency value=$product->stock->getHistoricalLowes
tPrice(true)}
+ 295 </strong>
+ 296 </div>
+ 297 {/if}

```

```
298                                     {if $product->currency and $currency->getIdentifier() != $produ
299                                     ct->currency->getIdentifier()}}
300                                     <p>
```

scripts/product/related.tpl

```
93                                     <del class="price__inactive">{currency value=$rproduct->defaultStock->getPrice(
94                                     )}</del>
95                                     </p>
- 96                                     {feature name="omnibus_frontend"}
- 97                                     {if $showLowestPriceHistory}
- 98                                     <div class="f-row clear">
- 99                                     {translate key='The lowest price during 30 days prior to the reduction'
100                                     }:
- 100                                     <strong class="js__omnibus-price-gross price__inactive">
- 101                                     {currency value=$rproduct->stock->getHistoricalLowestPrice()|escape
102                                     }
- 102                                     </strong>
- 103                                     <span class="hint">
- 104                                     <span class="icon icon-help"></span>
- 105                                     <span class="hint__content">
- 106                                     {translate key='If the product is sold for less than 30 days, t
he lowest price since the product went on sale is displayed.'}
- 107                                     </span>
+ 96                                     {if $showLowestPriceHistory}
+ 97                                     <div class="f-row clear">
+ 98                                     {translate key='The lowest price during 30 days prior to the reduction'}:
+ 99                                     <strong class="js__omnibus-price-gross price__inactive">
+ 100                                     {currency value=$rproduct->stock->getHistoricalLowestPrice()|escape}
+ 101                                     </strong>
+ 102                                     <span class="hint">
+ 103                                     <span class="icon icon-help"></span>
+ 104                                     <span class="hint__content">
+ 105                                     {translate key='If the product is sold for less than 30 days, the l
owest price since the product went on sale is displayed.'}
106                                     </span>
- 107                                     </div>
- 108                                     {/if}
- 109                                     {/feature}
+ 98                                     </span>
+ 99                                     </div>
+ 100                                     {/if}
101
102                                     {if $rproduct->currency and $currency->getIdentifier() != $rproduct->currency->getI
dentifier()}}
103                                     <p>
```

```
168         etPrice(true)}</del>
169     </p>
170
- 171     {feature name="omnibus_frontend"}
172     {if $showLowestPriceHistory}
173     <div class="f-row clear">
174         {translate key='Lowest price'}:
```

```
176         </strong>
177     </div>
178     {/if}
- 179     {/feature}
180
181     {if $rproduct->currency and $currency->getIdentifier() != $rproduct->curren
cy->getIdentifier()}
182     <p class="product_currency">
```

scripts/product/tableofproducts.tpl

```
132     </p>
133     {/if}
134
- 135     {feature name="omnibus_frontend"}
136     {if $showLowestPriceHistory && $isLowestPriceVisible}
137     <div class="f-row clear price_omnibus">
138         {translate key='Lowest price'}:
```

```
140         </strong>
141     </div>
142     {/if}
- 143     {/feature}
144
145     {if $product->currency and $currency->getIdentifier() != $product->currency->getIde
ntifier()}
146     <p class="product_currency price_currency">
```

```
242     </p>
243     {/if}
244
- 245     {feature name="omnibus_frontend"}
246     {if $showLowestPriceHistory && $isLowestPriceVisible}
247     <div class="f-row clear price_omnibus">
248         {translate key='Lowest price'}:
```

```
250         </strong>
251     </div>
```

```
252         {/if}
- 253     {/feature}
254
255         {if $product->currency and $currency->getIdentifier() != $product->currency
->getIdentifier()}}
256         <p class="product__currency price__currency">
```

```
528         </p>
529     {/if}
530
- 531     {feature name="omnibus_frontend"}
- 532         {if $showLowestPriceHistory && $isLowestPriceVisible}
- 533             <div class="f-row clear price__omnibus">
- 534                 {translate key='Lowest price'}:
- 535                 <strong class="js__omnibus-price-gross price__inactive">
- 536                     {currency value=$product->stock->getHistoricalLowestPrice()}
- 537                 </strong>
- 538             </div>
- 539         {/if}
- 540     {/feature}
+ 531     {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 532         <div class="f-row clear price__omnibus">
+ 533             {translate key='Lowest price'}:
+ 534             <strong class="js__omnibus-price-gross price__inactive">
+ 535                 {currency value=$product->stock->getHistoricalLowestPrice()}
+ 536             </strong>
+ 537         </div>
+ 538     {/if}
539
540     {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentif
ier()}}
541     <p class="product__currency price__currency">
```

```
638         </p>
639     {/if}
640
- 641     {feature name="omnibus_frontend"}
- 642         {if $showLowestPriceHistory && $isLowestPriceVisible}
- 643             <div class="f-row clear price__omnibus">
- 644                 {translate key='Lowest price'}:
- 645                 <strong class="js__omnibus-price-gross price__inactive">
- 646                     {currency value=$product->stock->getHistoricalLowestPrice(true)}
- 647                 </strong>
- 648             </div>
- 649         {/if}
- 650     {/feature}
+ 641     {if $showLowestPriceHistory && $isLowestPriceVisible}
+ 642         <div class="f-row clear price__omnibus">
```

```
+ 643 {translate key='Lowest price'}:
+ 644 <strong class="js__omnibus-price-gross price__inactive">
+ 645 {currency value=$product->stock->getHistoricalLowestPrice(true)}
+ 646 </strong>
+ 647 </div>
+ 648 {/if}
649
650 {if $product->currency and $currency->getIdentifier() != $product->currency->ge
tIdentifier()}
651 <p class="product__currency price__currency">
```

Pliki .css

Pliki .less

styles/_customer_privacy.less

```
118 .btn {
119     width: 100%;
120     min-height: 44px;
+ 121     margin-bottom: 10px;
122 }
123
- 124 :first-child {
- 125     margin-bottom: 10px;
+ 123     :last-child {
+ 124     margin-bottom: 0;
125 }
126 }
127 }
```

Pliki .js