

Pliki .tpl

scripts/product/bundle.tpl

```
13
14 <div class="innerbox">
15     {foreach from=$product->bundle->stocks item=bundleStock key=k}
- 16     {assign var=item value=$product->bundle->getLogicStockById($bundleStock->id)}
+ 16     {assign var=item value=$product->bundle->getLogicStockById($bundleStock->getIdentifier())}
17     {assign var=options value=$item->product->getOptionsConfigurationStruct()}
18
- 19     <div data-bundle-id="{ $bundleStock->id}" data-stock-id="{ $item->getIdentifier()}" data-has-variants="{if $item->product->product->group_id && count($options)}1{else}0{/if}" class="product row">
+ 19     <div data-bundle-id="{ $bundleStock->getIdentifier()}" data-stock-id="{ $item->getIdentifier()}" data-has-variants="{if $item->product->product->group_id && count($options)}1{else}0{/if}" class="product row">
20
21     <div class="f-row">
22     <h3 class="rwd-show-medium rwd-hide-full">
23     <a href="{route function='product' key=$item->product->getIdentifier() productName=$item->product->translation->name productId=$item->product->getIdentifier()}" title="{ $item->product->translation->name|escape}{if $item->isOption() ({$item->getName()|escape}){/if}}">{ $item->product->translation->name|escape}{if $item->isOption() ({$item->getName()|escape}){/if}}</a>
24
25     <div>
- 26     <a data-gallery="true" data-gallery-list="{ $item->product->translation->name|escape}-{ $bundleStock->id}" class="details f-grid-2" href="{imageUrl type='productGfx' image=$item->mainImageName()}" title="{ $item->product->translation->name|escape}{if $item->isOption() ({$item->getName()|escape}){/if}}">
+ 26     <a data-gallery="true" data-gallery-list="{ $item->product->translation->name|escape}-{ $bundleStock->getIdentifier()}" class="details f-grid-2" href="{imageUrl type='productGfx' image=$item->mainImageName()}" title="{ $item->product->translation->name|escape}{if $item->isOption() ({$item->getName()|escape}){/if}}">
27     product->translation->name|escape}{if $item->isOption() ({$item->getName()|escape}){/if}}">
28
29     {if count($item->product->galleryGfxs) > 1}

35     <div class="none">
36     {foreach from=$item->product->galleryGfxs item=img}
37     {if $img->gfx->main == "0"}
- 38     <a data-gallery="true" data-gallery-list="{ $item->product->translation->name|escape}-{ $bundleStock->id}" href="{imageUrl type='productGfx' image=$img->gfx->unic_name}" title="{ $img->translation->name|escape}">
+ 38     <a data-gallery="true" data-gallery-list="{ $item->product->translation->name|escape}-{ $bundleStock->getIdentifier()}" href="{imageUrl type='productGfx' image=$img->gfx->unic_name}" title="{ $img->translation->name|escape}">
```

```

39         translation->name|escape}">
40         </a>
41     {/if}

53     </p>
54
55     <p class="r--spacing-xs">
- 56         {translate key="Quantity in bundle"}: <span data-quantity>{$bundleStock->stock|escape}</span> {$item->product->unit->translatio
n->name|escape}
+ 56         {translate key="Quantity in bundle"}: <span data-quantity>{$bundleStock->stock->stock|escape}</span> {$item->product->unit->tra
nslation->name|escape}
57     </p>
58
59     <p class="price">

89         <div class="stock-label">
90             {if $option.type == 'checkbox'}
91                 <div class="form-control form-control-checkbox variant option-{$option.type|escape}{if 1 == $option.stock} option-truest
ock{else} option-stock{/if}{if 1 == $option.required} option-required{/if}">
- 92                     <input data-variant-name="{ $value.name|escape}" type="checkbox" id="option-{$item->getIdentifier()-{$option.id|escape}
-{$bundleStock->id}" name="option_{$item->getIdentifier()}_{$option.id|escape}_{$bundleStock->id}" value="1" data-variant-id="{ $option.i
d|escape}">
- 93                     <label data-yes="{translate key="YES"}" data-no="{translate key="NO"}" for="option-{$item->getIdentifier()-{$option.id
|escape}-{$bundleStock->id}"></label>
+ 92                     <input data-variant-name="{ $value.name|escape}" type="checkbox" id="option-{$item->getIdentifier()-{$option.id|escape}
-{$bundleStock->getIdentifier()}" name="option_{$item->getIdentifier()}_{$option.id|escape}_{$bundleStock->getIdentifier()}" value="1" d
ata-variant-id="{ $option.id|escape}">
+ 93                     <label data-yes="{translate key="YES"}" data-no="{translate key="NO"}" for="option-{$item->getIdentifier()-{$option.id
|escape}-{$bundleStock->getIdentifier()}"></label>
94                 </div>
95             {/if}
96             {if $option.type != 'checkbox'}<span class="label">{translate key="choose"}</span>{/if}
97             <span class="stock-name{if 1 == $option.required} stock-required{/if}">
- 98                 {if $option.type == 'checkbox'}<label for="option-{$item->getIdentifier()-{$option.id|escape}-{$bundleStock->id}">{/if}
{$option.name|escape}{if $option.type == 'checkbox'}</label>{/if}
+ 97                 {if $option.type == 'checkbox'}<label for="option-{$item->getIdentifier()-{$option.id|escape}-{$bundleStock->getIdentif
ier()}">{/if}{ $option.name|escape}{if $option.type == 'checkbox'}</label>{/if}
98             </span>
99             <span class="selected-value"></span>
100         </div>

104         <div class="stock-options">
105             <div class="form-control variant option-{$option.type|escape}{if 1 == $option.stock} option-truestock{else} option-stock
{/if}{if 1 == $option.required} option-required{/if}">
106                 {if $option.type == 'file'}
- 107                     <input type="file" id="option-{$item->getIdentifier()-{$option.id|escape}-{$bundleStock->id}" name="option_{$item->ge
tIdentifier()}_{$option.id|escape}_{$bundleStock->id}" data-variant-id="{ $option.id|escape}">
+ 107                     <input type="file" id="option-{$item->getIdentifier()-{$option.id|escape}-{$bundleStock->getIdentifier()}" name="opti

```

```

on_{$_item->getIdentifier()}_{$option.id|escape}_{$bundleStock->getIdentifier()}" data-variant-id="{$_option.id|escape}">
108         {elseif $_option.type == 'text'}
- 109         <input type="text" id="option-{$$_item->getIdentifier()}-{$option.id|escape}-{$bundleStock->id}" name="option_{$_item->ge
tIdentifier()}_{$option.id|escape}_{$bundleStock->id}" data-variant-id="{$_option.id|escape}">
+ 109         <input type="text" id="option-{$$_item->getIdentifier()}-{$option.id|escape}-{$bundleStock->getIdentifier()}" name="opti
on_{$_item->getIdentifier()}_{$option.id|escape}_{$bundleStock->getIdentifier()}" data-variant-id="{$_option.id|escape}">
110
111         <button class="btn bundle-stock-ok">{translate key="ok"}</button>
112         {elseif $_option.type == 'checkbox'}
113         <span class="checkbox-wrap-yesno">
- 114         <input data-variant-name="{$_value.name|escape}" type="checkbox" id="option-{$$_item->getIdentifier()}-{$option.id|escap
e}-{$bundleStock->id}" name="option_{$_item->getIdentifier()}_{$option.id|escape}_{$bundleStock->id}" value="1" data-variant-id="{$_option
.id|escape}">
- 115         <label data-yes="{translate key="YES"}" data-no="{translate key="NO"}" for="option-{$$_item->getIdentifier()}-{$option.
id|escape}-{$bundleStock->id}"></label>
+ 114         <input data-variant-name="{$_value.name|escape}" type="checkbox" id="option-{$$_item->getIdentifier()}-{$option.id|escap
e}-{$bundleStock->getIdentifier()}" name="option_{$_item->getIdentifier()}_{$option.id|escape}_{$bundleStock->getIdentifier()}" value="1"
data-variant-id="{$_option.id|escape}">
+ 115         <label data-yes="{translate key="YES"}" data-no="{translate key="NO"}" for="option-{$$_item->getIdentifier()}-{$option.
id|escape}-{$bundleStock->getIdentifier()}"></label>
116         </span>
117         {elseif $_option.type == 'radio' || $_option.type == 'select'}
118         {foreach from=$_option.values item=value}
119         <span class="radio-wrap">
- 120         <input data-variant-name="{$_value.name|escape}" type="radio" id="option-{$$_item->getIdentifier()}-{$option.id|escape}
-{$value.id|escape}-{$bundleStock->id}" name="option_{$_item->getIdentifier()}_{$option.id|escape}_{$bundleStock->id}" value="{$_value.id|
escape}" data-variant-id="{$_option.id|escape}" data-variant-value="{$_value.id|escape}">
- 121         <label for="option-{$$_item->getIdentifier()}-{$option.id|escape}-{$value.id|escape}-{$bundleStock->id}"></label>
+ 119         <input data-variant-name="{$_value.name|escape}" type="radio" id="option-{$$_item->getIdentifier()}-{$option.id|escape}
-{$value.id|escape}-{$bundleStock->getIdentifier()}" name="option_{$_item->getIdentifier()}_{$option.id|escape}_{$bundleStock->getIdentif
ier()}" value="{$_value.id|escape}" data-variant-id="{$_option.id|escape}" data-variant-value="{$_value.id|escape}">
+ 120         <label for="option-{$$_item->getIdentifier()}-{$option.id|escape}-{$value.id|escape}-{$bundleStock->getIdentifier()}">
</label>
121         </span>
- 122         <label for="option-{$$_item->getIdentifier()}-{$option.id|escape}-{$value.id|escape}-{$bundleStock->id}">{$_value.name|e
scape}</label> <br />
+ 121         <label for="option-{$$_item->getIdentifier()}-{$option.id|escape}-{$value.id|escape}-{$bundleStock->getIdentifier()}">{
$_value.name|escape}</label> <br />
122         {/foreach}
123         {elseif $_option.type == 'color'}
124         {foreach from=$_option.values item=value}

```

scripts/product/tableofproducts.tpl

```

173         {capture assign=bundle}{strip}
174         [
175         {foreach from=$product->bundle->stocks item=bundleStock name=bundleList key=k}
- 176         {assign var=bundleChildren value=$product->bundle->getLogicStockById($bundleSto
ck->id)}
+ 176         {assign var=bundleChildren value=$product->bundle->getLogicStockById($bundleSto
ck->getIdentifier())}

```

```

177                                     {assign var=bundleOptions value=$bundleChildren->product->getOptionsConfigurati
178 onStruct()}}
179                                     {if $bundleChildren->product->product->group_id && count($bundleOptions)}}

```

```

183
184                                     {if !$smarty.foreach.bundleList.last}
185                                     {literal}}{{/literal}}
- 186                                     "id":{$bundleStock->id},
+ 186                                     "id":{$bundleStock->getIdentifier()},
187                                     "stock_id":{$bundleChildren->getIdentifier()},
188                                     "stockId":{$bundleChildren->getIdentifier()},
- 189                                     "quantity":{$bundleStock->stock|escape}
+ 189                                     "quantity":{$bundleStock->stock->stock|escape}
190                                     {literal}}{{/literal}},
191                                     {else}
192                                     {literal}}{{/literal}}
- 193                                     "id":{$bundleStock->id},
+ 193                                     "id":{$bundleStock->getIdentifier()},
194                                     "stock_id":{$bundleChildren->getIdentifier()},
195                                     "stockId":{$bundleChildren->getIdentifier()},
- 196                                     "quantity":{$bundleStock->stock|escape}
+ 196                                     "quantity":{$bundleStock->stock->stock|escape}
197                                     {literal}}{{/literal}}
198                                     {/if}
199                                     {/foreach}

```

```

410                                     {capture assign=bundle}{strip}
411                                     [
412                                     {foreach from=$product->bundle->stocks item=bundleStock name=bundleList key=k}
- 413                                     {assign var=bundleChildren value=$product->bundle->getLogicStockById($bundleStock->
id)}
+ 413                                     {assign var=bundleChildren value=$product->bundle->getLogicStockById($bundleStock->
getIdentifier())}
414                                     {assign var=bundleOptions value=$bundleChildren->product->getOptionsConfigurationSt
ruct()}}
415
416                                     {if $bundleChildren->product->product->group_id && count($bundleOptions)}}

```

```

420
421                                     {if !$smarty.foreach.bundleList.last}
422                                     {literal}}{{/literal}}
- 423                                     "id":{$bundleStock->id},
+ 423                                     "id":{$bundleStock->getIdentifier()},
424                                     "stock_id":{$bundleChildren->getIdentifier()},
425                                     "stockId":{$bundleChildren->getIdentifier()},
- 426                                     "quantity":{$bundleStock->stock|escape}
+ 426                                     "quantity":{$bundleStock->stock->stock|escape}

```

427	{literal}}{/literal},
428	{else}
429	{literal}}{/literal}
- 430	"id":{\$bundleStock->id},
+ 430	"id":{\$bundleStock->getIdentifier()},
431	"stock_id":{\$bundleChildren->getIdentifier()},
432	"stockId":{\$bundleChildren->getIdentifier()},
- 433	"quantity":{\$bundleStock->stock escape}
+ 433	"quantity":{\$bundleStock->stock->stock escape}
434	{literal}}{/literal}
435	{/if}
436	{/foreach}

440	{if !\$bundleHasVariants}
441	<input type="hidden" value="{ \$bundle base64_encode}" name="children">
442	{/if}
+ 443	
444	{/if}
445	
446	{if !\$product->isBundle() !\$bundleHasVariants}

Pliki .css

Pliki .less

Pliki .js