

Pliki .tpl

scripts/basket/finished.tpl

```
56         </div>
57     </div>
58 </div>
+ 59 <script>
+ 60     {literal}sessionStorage.removeItem('autoSubmitPayment');{/literal}
+ 61 </script>
62     {include file='footerbox.tpl'}
63     {include file='footer.tpl' force_include_cache='1' force_include_cache_tags='Logic_SkinFooterGroupList,Logic_SkinFooterLinkList,Logic_SkinFooterGroup,Logic_SkinFooterLink'}
64     {plugin module=shop template=footer}
```

scripts/login/passremind2.tpl

```
27         </div>
28
29         <div class="innerbox">
- 30             <form action="{route key='passremindStep3'}" method="post">
+ 30             <form action="{route key='passremindStep3' basket=$basket}" method="post">
31                 <fieldset>
32                     {include file='formantispam.tpl'}
33                     <label for="pass1_input"><em class="color">*</em> {translate key="Password"}:</label>
```

scripts/product/comments.tpl

```
15         <div class="date">{date value=$comment->comment->date}</div>
16     </div>
17     <p class="description row" itemprop="description">{$comment->comment->content|escape}</p>
+ 18
+ 19     <div itemprop="reviewRating" itemscope itemType="http://schema.org/Rating">
+ 20         <meta itemprop="worstRating" content="0">
+ 21         <meta itemprop="bestRating" content="5">
+ 22         <meta itemprop="ratingValue" content="{ $product->vote->rate|escape }">
+ 23     </div>
24 </div>
25 {/foreach}
```

```

62         {/if}
63     </div>
64 </div>
+ 65
+ 66     {if 1 == $skin_settings->productdetails->score}
+ 67         <div itemprop="aggregateRating" itemscope itemtype="{ $schema }://schema.org/AggregateRating">
+ 68             <meta itemprop="ratingValue" content="{ $product->vote->rate|escape}" />
+ 69             <meta itemprop="bestRating" content="5" />
+ 70             <meta itemprop="worstRating" content="0" />
+ 71             <meta itemprop="reviewCount" content="{ $product_comments|@count}" />
+ 72         </div>
+ 73     {/if}
74 {/if}

```

scripts/product/index.tpl

```

341         {if 1 == $skin_settings->productdetails->score || 1 == $skin_settings->productd
etails->producer || 1 == $skin_settings->productdetails->code}
342             <div class="productdetails-more row">
343                 {if 1 == $skin_settings->productdetails->score}
- 344                     <div class="row evaluation" itemprop="aggregateRating" itemscope it
emtype="{ $schema }://schema.org/AggregateRating">
+ 344                         <div class="row evaluation">
345                             <em>{translate key="Rating"}:</em>
346                             <span class="votestars" {if $can_vote} id="votestars_{ $product->
getIdentifier()|escape}" {/if}>
- 347                                 {foreach from=$vote_stars item=star name=list}
- 348                                     
- 349                                 {/foreach}
- 350                                     <meta itemprop="ratingValue" content="{ $product->vote->rate
}" />
- 351                                     <meta itemprop="bestRating" content="5" />
- 352                                     <meta itemprop="worstRating" content="0" />
- 353                                     <meta itemprop="reviewCount" content="{ $product_comments|@c
ount}" />
+ 347                                 {foreach from=$vote_stars item=star name=list}
+ 348                                     
+ 349                                 {/foreach}
350                             </span>
351                             <span class="none">
352                                 { $product->vote->rate}

```

scripts/product/tableofproducts.tpl

```

258         {/if}

```

```

259         <div class="price f-row">
- 261             {if $showprices}
- 262                 {if $price_mode == '1' || $price_mode == '3'}
- 263                     <span>{translate key="Price"}:</span>
- 264                     {if $product->specialOffer}
- 265                         <em>{currency value=$product->defaultStock->getSpecialOfferPrice()}</em>
- 266                         <del>{currency value=$product->defaultStock->getPrice()}</del>
- 267                         {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier()}
- 268                             <em class="default-currency">({currency id=$product->product->currency_id rate=1 value=$pro
duct->defaultStock->getCurrencySpecialOfferPrice()}</em>
- 269                             {/if}
- 270                         {else}
- 271                             <em>{currency value=$product->defaultStock->getPrice()}</em>
- 272                             {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier()}
- 273                             <em class="default-currency">({currency id=$product->product->currency_id rate=1 value=$pro
duct->defaultStock->getCurrencyPrice()}</em>
- 274                             {/if}
- 275                             {/if}
- 276                         {/if}
- 277
- 278                     {if $price_mode == '1' || $price_mode == '2'}
- 279                         {if $price_mode == '1'}
- 280                             <i class="price-netto">({translate key="net"}:
- 281                             {/if}
+ 261                 {if $loyalty_exchange}
+ 262                     <span>{translate key="Price"}:</span>
+ 263                     <em>{float precision=0 value=$product->defaultStock->loyaltyPointsPrice(true)}</em>
+ 264                     {else}
+ 265                         {if $showprices}
+ 266                             {if $price_mode == '1' || $price_mode == '3'}
+ 267                                 <span>{translate key="Price"}:</span>
268                                 {if $product->specialOffer}
- 269                                     <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
- 270                                     <del>{currency value=$product->defaultStock->getPrice(true)}</del>
+ 263                                     <em>{currency value=$product->defaultStock->getSpecialOfferPrice()}</em>
+ 264                                     <del>{currency value=$product->defaultStock->getPrice()}</del>
265                                 {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier(
)}}
- 266                                     <em class="default-currency">({currency id=$product->product->currency_id rate=1 value=
$product->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
+ 265                                     <em class="default-currency">({currency id=$product->product->currency_id rate=1 value=
$product->defaultStock->getCurrencySpecialOfferPrice()}</em>
266                                     {/if}
267                                 {else}
- 268                                     <em>{currency value=$product->defaultStock->getPrice(true)}</em>
+ 268                                     <em>{currency value=$product->defaultStock->getPrice()}</em>
269                                 {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentifier(
)}}
- 270                                     <em class="default-currency">({currency id=$product->product->currency_id rate=1 value=
$product->defaultStock->getCurrencyPrice(true)}</em>

```

```

+ 270 <em class="default-currency">({currency id=$product->product->currency_id rate=1 value=
$product->defaultStock->getCurrencyPrice()})</em>
271     {/if}
272     {/if}
- 273     {if $price_mode == '1'}
- 274     )</i>
275     {/if}
- 276     {/if}
277
- 278     {if $product->product->unit_price_calculation}
- 279     {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit()}
- 280     <div class="unit-price-container">
- 281     {if $price_mode == '1' || $price_mode == '3'}
- 282     <i class="default-currency">
- 283     ( 1 {$unit->translation->name} =
- 284     {if $product->specialOffer}
- 285     {currency rate=1 value=$product->defaultStock->getUnitPriceCalculationSpecialOfferP
rice()}
- 286     {else}
- 287     {currency rate=1 value=$product->defaultStock->getUnitPriceCalculationPrice()}
+ 275     {if $price_mode == '1' || $price_mode == '2'}
+ 276     {if $price_mode == '1'}
+ 277     <i class="price-netto">({translate key="net"}:
+ 278     {/if}
+ 279     {if $product->specialOffer}
+ 280     <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
+ 281     <del>{currency value=$product->defaultStock->getPrice(true)}</del>
+ 282     {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentif
ier()}}
+ 283     <em class="default-currency">({currency id=$product->product->currency_id rate=1 va
lue=$product->defaultStock->getCurrencySpecialOfferPrice(true)}</em>
284     {/if}
- 285     )
- 286     </i>
- 287     {elseif $price_mode == '2'}
- 288     <i class="default-currency">
- 289     ( 1 {$unit->translation->name} =
- 290     {if $product->specialOffer}
- 291     {currency rate=1 value=$product->defaultStock->getUnitPriceCalculationSpecialOfferP
rice(true)}}
- 292     {else}
- 293     {currency rate=1 value=$product->defaultStock->getUnitPriceCalculationPrice(true)}
+ 277     {else}
+ 278     <em>{currency value=$product->defaultStock->getPrice(true)}</em>
+ 279     {if $product->currency and $currency->getIdentifier() != $product->currency->getIdentif
ier()}}
+ 280     <em class="default-currency">({currency id=$product->product->currency_id rate=1 va
lue=$product->defaultStock->getCurrencyPrice(true)}</em>
281     {/if}
- 282     )
- 283     </i>

```

```

+ 279                                     {/if}
+ 280                                     {if $price_mode == '1'}
+ 281                                     )</i>
282                                     {/if}
- 283                                     </div>
- 284                                     {/if}
- 285                                     {/if}
+ 281                                     {/if}
282
- 283                                     {if $additional_tax_info == '1'}
- 284                                     {assign var=productTax value=$product->getTax()}
- 285                                     <div class="tax-additional-info">
- 286                                     {if ($price_mode == '1' || $price_mode == '3') && $product->defaultStock->getPrice() != $product->d
efaultStock->getPrice(true)}
- 287                                     {translate key="incl. %s TAX, excl. shipping costs" s1=$productTax->taxValue->name}
- 288                                     {elseif $price_mode == '2' && $product->defaultStock->getPrice() != $product->defaultStock->getPric
e(true)}
- 289                                     {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->taxValue->name}
- 290                                     {else}
- 291                                     {translate key="excl. shipping costs"}
+ 283                                     {if $product->product->unit_price_calculation}
+ 284                                     {assign var=unit value=$product->defaultStock->getUnitPriceCalculationUnit()}
+ 285                                     <div class="unit-price-container">
+ 286                                     {if $price_mode == '1' || $price_mode == '3'}
+ 287                                     <i class="default-currency">
+ 288                                     ( 1 {$unit->translation->name} =
+ 289                                     {if $product->specialOffer}
+ 290                                     {currency rate=1 value=$product->defaultStock->getUnitPriceCalculationSpecialOf
ferPrice()}
+ 291                                     {else}
+ 292                                     {currency rate=1 value=$product->defaultStock->getUnitPriceCalculationPrice()}
+ 293                                     {/if}
+ 294                                     )
+ 295                                     </i>
+ 296                                     {elseif $price_mode == '2'}
+ 297                                     <i class="default-currency">
+ 298                                     ( 1 {$unit->translation->name} =
+ 299                                     {if $product->specialOffer}
+ 300                                     {currency rate=1 value=$product->defaultStock->getUnitPriceCalculationSpecialOf
ferPrice(true)}
+ 301                                     {else}
+ 302                                     {currency rate=1 value=$product->defaultStock->getUnitPriceCalculationPrice(tru
e)}}
+ 303                                     {/if}
+ 304                                     )
+ 305                                     </i>
+ 306                                     {/if}
+ 307                                     </div>
308                                     {/if}
- 309                                     </div>
+ 285                                     {/if}

```

```

+ 286
+ 287         {if $additional_tax_info == '1'}
+ 288             {assign var=productTax value=$product->getTax()}
+ 289         <div class="tax-additional-info">
+ 290             {if ($price_mode == '1' || $price_mode == '3') && $product->defaultStock->getPrice() != $produc
t->defaultStock->getPrice(true)}
+ 291                 {translate key="incl. %s TAX, excl. shipping costs" s1=$productTax->taxValue->name}
+ 292             {elseif $price_mode == '2' && $product->defaultStock->getPrice() != $product->defaultStock->get
Price(true)}
+ 293                 {translate key="excl. %s TAX, excl. shipping costs" s1=$productTax->taxValue->name}
+ 294             {else}
+ 295                 {translate key="excl. shipping costs"}
+ 296             {/if}
+ 297         </div>
+ 298     {/if}
+ 299     {/if}
+ 300 </div>
+ 301

```

Pliki .css

Pliki .less

styles/.r-layout.less

```

202     text-align: left;
203 }
204
- 205     .r--aling-center {
- 206         text-align: center;
+ 205     .r--align-center {
+ 206         text-align: center;
207 }

```

styles/_userClasses.less

```

131     &.right {
132         margin-right: 0;
133     }
+ 134 }
+ 135
+ 136     .loader {
+ 137         .transition(all 0.4s linear);
+ 138
+ 139         overflow: hidden;
+ 140         position: relative;

```

```

+ 141
+ 142     &::after {
+ 143         .transition(all 0.4s linear);
+ 144
+ 145         display: inline-block;
+ 146         font-family: FontAwesome;
+ 147         font-style: normal;
+ 148         font-weight: normal;
+ 149         line-height: 1;
+ 150         -webkit-font-smoothing: antialiased;
+ 151         -moz-osx-font-smoothing: grayscale;
+ 152         -webkit-animation: spin 2s infinite linear;
+ 153         -moz-animation: spin 2s infinite linear;
+ 154         -o-animation: spin 2s infinite linear;
+ 155         animation: spin 2s infinite linear;
+ 156         content: "\f013";
+ 157         position: absolute;
+ 158         left: 50%;
+ 159         top: 50%;
+ 160         z-index: 99999 !important;
+ 161         font-size: 2em;
+ 162     }
+ 163
+ 164     &::before {
+ 165         .transition(all 0.4s linear);
+ 166
+ 167         content: '' !important;
+ 168         display: block;
+ 169         position: absolute;
+ 170         left: 0;
+ 171         top: 0;
+ 172         right: 0;
+ 173         bottom: 0;
+ 174         background-color: rgba(255, 255, 255, 0.9);
+ 175         z-index: 99999 !important;
+ 176     }
177 }

```

Pliki .js

js/main.js

```

143
144         if ($(this).val().length > 0) {
145             if($(this).prop('tagName') == 'INPUT' && $(this).attr('type').match(/(radio|checkbox)/)) {
- 146                 if(!$(this).is(':checked'))
+ 146                 if(!$(this).is(':checked')) {
147                     window.location.href = $(this).val();

```

```
+ 148 }
149 } else {
150     window.location.href = $(this).val();
151 }
```

```
918     sessionStorage.setItem('showFullPage', '0');
919 }
920
- 921 location.reload();
+ 921 location.href = location.href;
922 });
923 }
924 },
```