

Pliki .tpl

scripts/product/index.tpl

```
500         <div class="innerbox">
501             <div class="leftside"></div>
502             {foreach from=$related_products item=rproduct name=list}
- 503                 <div data-product-id="{ $rproduct->product->product_id}" data-category="{ $rproduct->defaultCategory->tra
nslation->name|escape}" {if $rproduct->product->producer_id}data-producer="{ $rproduct->producer->manufacturer->name|escape}" {/if} class=
"product productrow {if $smarty.foreach.list.index % 2}odd{else}even{/if}">
- 504                     <a class="details spanhover" href="{route function=$productRoute key=$rproduct->product->product_id
productName=$rproduct->translation->name
- 505                                     productId=$rproduct->product->product_id}" title="{ $rproduct->translation->name
|escape}">
- 506                         translation->name|escape}" />
|
- 508                         <span class="productname">{ $rproduct->translation->name|escape}</span>
- 509                     </a>
- 510                 <div class="description resetcss">{ $rproduct->translation->short_description}</div>
+ 503                 {if ( $rproduct->inLoyaltyExchange() && $loyalty_exchange) || !$loyalty_exchange}
+ 504                 <div data-product-id="{ $rproduct->product->product_id}" data-category="{ $rproduct->defaultCateg
ory->translation->name|escape}" {if $rproduct->product->producer_id}data-producer="{ $rproduct->producer->manufacturer->name|escape}" {/if
} class="product productrow {if $smarty.foreach.list.index % 2}odd{else}even{/if}">
+ 505                     <a class="details spanhover" href="{route function=$productRoute key=$rproduct->product->pr
oduct_id productName=$rproduct->translation->name
+ 506                                     productId=$rproduct->product->product_id}" title="{ $rproduct->translati
on->name|escape}">
+ 507                         translation->name|esc
ape}" />
+ 509                         <span class="productname">{ $rproduct->translation->name|escape}</span>
+ 510                     </a>
+ 511                 <div class="description resetcss">{ $rproduct->translation->short_description}</div>
512
- 513                 {if $enable_availability_notifier && $rproduct->isEnabledNotifier()}
- 514                 <div class="notify-related">
- 515                     {if $availabilityNotifyUser}
- 516                     <a class="availability-notifier-unsubscribe-btn btn-notifier" data-stock-id="{ $rproduct
->defaultStock->stock->stock_id}">
```

```

- 517         <span>{translate key="Cancel notify"}</span>
- 518     </a>
- 519     {else}
- 520         <a class="availability-notifier-btn btn-notifier" data-is-logged="{if true == $user_log
ged}true{else}false{/if}" data-stock-id="{rproduct->defaultStock->getIdentifier()}" data-product-id="{rproduct->product->product_id}"
data-product-name="{rproduct->translation->name|escape}">
- 521         <span>{translate key="Notify of product availability"}</span>
- 522     </a>
+ 505     {if $enable_availability_notifier && $rproduct->isEnabledNotifier()}
+ 506     <div class="notify-related">
+ 507     {if $availabilityNotifyUser}
+ 508     <a class="availability-notifier-unsubscribe-btn btn-notifier" data-stock-id="{r
rproduct->defaultStock->stock->stock_id}">
+ 509     <span>{translate key="Cancel notify"}</span>
+ 510     </a>
+ 511     {else}
+ 512     <a class="availability-notifier-btn btn-notifier" data-is-logged="{if true == $
user_logged}true{else}false{/if}" data-stock-id="{rproduct->defaultStock->getIdentifier()}" data-product-id="{rproduct->product->produ
ct_id}" data-product-name="{rproduct->translation->name|escape}">
+ 513     <span>{translate key="Notify of product availability"}</span>
+ 514     </a>
+ 515     {/if}
+ 516 </div>
517     {/if}
- 518 </div>
- 519 {/if}
520
- 521     {if $loyalty_exchange}
- 522     <div class="price">
- 523     <span class="label">{translate key="Price"}:</span>
- 524     <em>{float precision=0 value=$product->defaultStock->loyaltyPointsPrice(true)}</em>
- 525     </div>
- 526     {elseif $showprices}
- 527     <div class="price">
- 528     <span class="label">{translate key="Price"}:</span>
- 529     {if $rproduct->specialOffer}
- 530     <em class="color">{currency value=$rproduct->defaultStock->getSpecialOfferPrice()}</em>
- 531     <del>{currency value=$rproduct->defaultStock->getPrice()}</del>
- 532     {if $rproduct->currency and $currency->getIdentifier() != $rproduct->currency->getIdentifie
r()}}
- 533     <em class="currency-price">({currency id=$rproduct->product->currency_id rate=1 value=$
rproduct->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 508     {if $loyalty_exchange}
+ 509     <div class="price">
+ 510     <span class="label">{translate key="Price"}:</span>
+ 511     <em>{float precision=0 value=$rproduct->defaultStock->loyaltyPointsPrice(true)}</em
>
+ 512     </div>
+ 513     {elseif $showprices}
+ 514     <div class="price">
+ 515     <span class="label">{translate key="Price"}:</span>

```

```

+ 516         {if $rproduct->specialOffer}
+ 517         <em class="color">{currency value=$rproduct->defaultStock->getSpecialOfferPrice()}<
/em>
+ 518         <del>{currency value=$rproduct->defaultStock->getPrice()}</del>
+ 519         {if $rproduct->currency and $currency->getIdentifier() != $rproduct->currency->getI
dentifier()}}
+ 520         <em class="currency-price">({currency id=$rproduct->product->currency_id rate=1
value=$rproduct->defaultStock->getCurrencySpecialOfferPrice()})</em>
+ 521         {/if}
+ 522         {else}
+ 523         <em>{currency value=$rproduct->defaultStock->getPrice()}</em>
+ 524         {if $rproduct->currency and $currency->getIdentifier() != $rproduct->currency->getI
dentifier()}}
+ 525         <em class="currency-price">({currency id=$rproduct->product->currency_id rate=1
value=$rproduct->defaultStock->getCurrencyPrice()})</em>
+ 526         {/if}
+ 527         {/if}
+ 528     </div>
529     {/if}
- 530     {else}
- 531     <em>{currency value=$rproduct->defaultStock->getPrice()}</em>
- 532     {if $rproduct->currency and $currency->getIdentifier() != $rproduct->currency->getIdentifie
r()}}
- 533     <em class="currency-price">({currency id=$rproduct->product->currency_id rate=1 value=$
rproduct->defaultStock->getCurrencyPrice()})</em>
+ 510
+ 511         {if $enablebasket && $rproduct->canBuyStock()}}
+ 512         <div class="basket">
+ 513         <form class="{if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$basket
AddRoute stockId=$rproduct->defaultStock->getIdentifier()}" method="get">
+ 514         <fieldset>
+ 515         <button class="addtobasket" type="submit">
+ 516         
+ 517         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate
key="Add to cart"}{/if}</span>
+ 518         <input type="hidden" value="{ $rproduct->defaultStock->getIdentifier()|e
scape}" name="stock_id">
+ 519         </button>
+ 520         </fieldset>
+ 521         </form>
+ 522         </div>
523         {/if}
- 524     {/if}
- 525     </div>
- 526     {/if}
527
- 528     {if $enablebasket && $rproduct->canBuyStock()}}
- 529     <div class="basket">
- 530     <form class="{if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$basketAddRoute
stockId=$rproduct->defaultStock->getIdentifier()}" method="get">
- 531     <fieldset>

```

```
- 532 <button class="addtobasket" type="submit">
- 533 
- 534 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add
to cart"}{/if}</span>
- 535 <input type="hidden" value="{\$rproduct->defaultStock->getIdentifier()|escape}"
name="stock_id">
- 536 </button>
- 537 </fieldset>
- 538 </form>
+ 513 <div class="floatfix"></div>
514 </div>
515 {/if}
- 516
- 517 <div class="floatfix"></div>
- 518 </div>
519 {if ! $smarty.foreach.list.last}<hr class="productseparator" />{/if}
520 {/foreach}
521 <div class="rightside"></div>
```

Pliki .css

Pliki .less

Pliki .js