

## Pliki .tpl

### boxes/Currencies/box.tpl

```
8         <div class="innerbox">
9             <div class="leftside"></div>
10             {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
- 11             {switch expr=$boxNs->$box_id->format }
- 12             {case expr=1}
+ 11             {if $boxNs->$box_id->format == 1}
12             <label class="singleselect" for="box_currencies_select">{translate key="Select a currency"}</label>
13             <select class="singleselect gotourl" id="box_currencies_select">
14                 {foreach from=$boxNs->$box_id->list item=desc key=cur}
```

```
16                 } value="{url}?currency={ $cur|escape }">{$desc|escape}</option>
17                 {/foreach}
18             </select>
- 19             {/case}
- 20             {case expr=2}
+ 19             {elseif $boxNs->$box_id->format == 2}
20             <ul class="listwithicons">
21                 {foreach from=$boxNs->$box_id->list item=desc key=cur}
22                 <li{if $cur == $boxNs->$box_id->currency} class="selected"{/if}
```

```
27                 </li>
28                 {/foreach}
29             </ul>
- 30             {/case}
- 31             {/switch}
+ 30             {/if}
31             <div class="rightside"></div>
32         </div>
33     <div class="bottombar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>
```

### boxes/LanguageList/box.tpl

```
8         <div class="innerbox">
9             <div class="leftside"></div>
```

```

10      {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
- 11      {switch expr=$boxNs->$box_id->format}
- 12      {case expr=1}
+ 11      {if $boxNs->$box_id->format == 1}
12          <label class="singleselect" for="box_languages_select">{translate key="Select a language"}</label>
13          <select class="singleselect gotourl" id="box_languages_select">
14              {foreach from=$boxNs->$box_id->list item=language}
15                  <option{if $language->name == $boxNs->$box_id->language} selected="selected"{/if} value="{ $language->ur
16                      l}">{$language->title|escape}</option>
17                      {/foreach}
18          </select>
- 18      {/case}
- 19      {case expr=2}
+ 18      {elseif $boxNs->$box_id->format == 2}
19          <ul class="listwithicons">
20              {foreach from=$boxNs->$box_id->list item=language}
21                  <li{if $language->name == $boxNs->$box_id->language} class="selected"{/if}

```

```

26          </li>
27          {/foreach}
28      </ul>
- 29      {/case}
- 30      {case expr=3}
+ 29      {elseif $boxNs->$box_id->format == 3}
30          <div class="floatcenterwrap">
31              <ul class="icons floatcenter">
32                  {foreach from=$boxNs->$box_id->list item=language}

```

```

39          </ul>
40          </div>
41          <div class="floatfix"></div>
- 42      {/case}
- 43      {/switch}
+ 42      {/if}
43          <div class="rightside"></div>
44      </div>
45      <div class="bottombar"> <div class="leftcorner"></div> <div class="rightcorner"></div> </div>

```

## boxes/Pricelist/box.tpl

```

9          <div class="innerbox">
10              <div class="leftside"></div>
11              {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
- 12      {switch expr=$boxNs->$box_id->format}
- 13      {case expr=1}
+ 12      {if $boxNs->$box_id->format == 1}
13          <div class="floatcenterwrap">
14              <ul class="icons floatcenter">

```

```
15 {if 1 == $boxNs->$box_id->html}
```

```
30 {/if}
31 </ul>
32 </div>
- 33 {/case}
- 34 {case expr=2}
+ 33 {elseif $boxNs->$box_id->format == 2}
34 <ul class="listwithicons">
35 {if 1 == $boxNs->$box_id->html}
36 <li class="html">
```

```
49 </li>
50 {/if}
51 </ul>
- 52 {/case}
- 53 {/switch}
+ 52 {/if}
53 <div class="floatfix"></div>
54 <div class="rightside"></div>
55 </div>
```

## scripts/product/index.tpl

```
188 { $option.name|escape}:
189 </label>
190 </td>
- 191 {switch expr=$option.type}
- 192 {case expr='file'}
+ 191 {if $option.type == 'file'}
192 <td class="option_{ $option.type|escape}{if 1 == $option.stock} option_t
ruestock{/if}{if 1 == $option.required} option_required{/if}">
193 <input type="file" id="option_{ $option.id|escape}" name="option_{ $o
ption.id|escape}"/>
194 </td>
- 195 {/case}
- 196 {case expr='text'}
+ 195 {elseif $option.type == 'text'}
196 <td class="option_{ $option.type|escape}{if 1 == $option.stock} option_t
ruestock{/if}{if 1 == $option.required} option_required{/if}">
197 <div class="shaded_inputwrap inputwrap">
198 <input type="text" id="option_{ $option.id|escape}" name="option
_{ $option.id|escape}" value="" />
199 </div>
200 </td>
- 201 {/case}
- 202 {case expr='checkbox'}
+ 201 {elseif $option.type == 'checkbox'}
```

```

202 ruestock{/if}{if 1 == $option.required} option_required{/if}"> <td class="option_{$option.type|escape}{if 1 == $option.stock} option_t
203 _{$option.id|escape}" value="1" /> <input type="checkbox" id="option_{$option.id|escape}" name="option
204 </td>
- 205 {/case}
- 206 {case expr='radio'}
+ 205 {elseif $option.type == 'radio'}
206 <td class="option_{$option.type|escape}{if 1 == $option.stock} option_t
207 {foreach from=$option.values item=value}
208 <input type="radio" id="option_{$option.id|escape}_{$value.id|e
scape}" name="option_{$option.id|escape}" value="{ $value.id|escape}" />
209 <label for="option_{$option.id|escape}_{$value.id|escape}">{$va
lue.name|escape}</label> <br />
210 {/foreach}
211 </td>
- 212 {/case}
- 213 {case expr='color'}
+ 212 {elseif $option.type == 'color'}
213 <td class="option_{$option.type|escape}{if 1 == $option.stock} option_t
214 ruestock{/if}{if 1 == $option.required} option_required{/if}"> <select id="option_{$option.id|escape}" name="option_{$option.id|es
cape}">
215 <option value="" title="">{translate key='(select)'}</option>

218 {/foreach}
219 </select>
220 </td>
- 221 {/case}
- 222 {case expr='select'}
+ 221 {elseif $option.type == 'select'}
222 <td class="option_{$option.type|escape}{if 1 == $option.stock} option_t
223 ruestock{/if}{if 1 == $option.required} option_required{/if}"> <select id="option_{$option.id|escape}" name="option_{$option.id|es
cape}">
224 {if 0 == $option.stock}

229 {/foreach}
230 </select>
231 </td>
- 232 {/case}
- 233 {/switch}
+ 232 {/if}
233 </tr>
234 {/foreach}
235 </tbody>

```

```

262         {/if}
263     </fieldset>
264
- 265         {if $enable_availability_notifier}
+ 265         {if $enable_availability_notifier && ($product->isEnabledNotifier() || ($product->produ
ct->group_id && count($options)))}
266             {dynamic}
267             {assign var="availabilityNotifyUser" value=$product->defaultStock->getAvailabil
ityNotifyByUser()}
268             <fieldset class="availability-notifier-container{if $availabilityNotifyUser !=
null || 1 == (int) $product->defaultStock->availability->availability->can_buy} none{/if}">

```

## scripts/product/list.tpl

```

51         {if true == $sort_links}
52         <span class="sortlinks">
53         {translate key="Sort by"}:
- 54         {switch expr=$sort}
- 55         {case expr=1}
+ 54         {if $sort == 1}
55             <a href="{array __key=urlOptions sort=2}{url urlOptions=$urlOptions}{if $google}?{$google|escap
e}{/if}" title="{translate key="Sort by name descending"}"><b>&#x25b2; {translate key="Product name"}</b></a> |
56             <a href="{array __key=urlOptions sort=3}{url urlOptions=$urlOptions}{if $google}?{$google|escap
e}{/if}" title="{translate key="Sort by price ascending"}">{translate key="Price"}</a>
- 57         {/case}
- 58         {case expr=2}
+ 57         {elseif $sort == 2}
58             <a href="{array __key=urlOptions sort=1}{url urlOptions=$urlOptions}{if $google}?{$google|escap
e}{/if}" title="{translate key="Sort by name ascending"}"><b>&#x25bc; {translate key="Product name"}</b></a> |
59             <a href="{array __key=urlOptions sort=3}{url urlOptions=$urlOptions}{if $google}?{$google|escap
e}{/if}" title="{translate key="Sort by price ascending"}">{translate key="Price"}</a>
- 60         {/case}
- 61         {case expr=3}
+ 60         {elseif $sort == 3}
61             <a href="{array __key=urlOptions sort=1}{url urlOptions=$urlOptions}{if $google}?{$google|escap
e}{/if}" title="{translate key="Sort by name ascending"}">{translate key="Product name"}</a> |
62             <a href="{array __key=urlOptions sort=4}{url urlOptions=$urlOptions}{if $google}?{$google|escap
e}{/if}" title="{translate key="Sort by price descending"}"><b>&#x25b2; {translate key="Price"}</b></a>
- 63         {/case}
- 64         {case expr=4}
+ 63         {elseif $sort == 4}
64             <a href="{array __key=urlOptions sort=1}{url urlOptions=$urlOptions}{if $google}?{$google|escap
e}{/if}" title="{translate key="Sort by name ascending"}">{translate key="Product name"}</a> |
65             <a href="{array __key=urlOptions sort=3}{url urlOptions=$urlOptions}{if $google}?{$google|escap
e}{/if}" title="{translate key="Sort by price ascending"}"><b>&#x25bc; {translate key="Price"}</b></a>
- 66         {/case}
- 67         {case expr=5}
+ 66         {elseif $sort == 5}
67             <a href="{array __key=urlOptions sort=1}{url urlOptions=$urlOptions}{if $google}?{$google|escap
e}{/if}" title="{translate key="Sort by name ascending"}">{translate key="Product name"}</a> |
68             <a href="{array __key=urlOptions sort=3}{url urlOptions=$urlOptions}{if $google}?{$google|escap

```

```

e}{/if}" title="{translate key="Sort by price ascending"}">{translate key="Price"}</a>
- 69                                     {/case}
- 70                                     {/switch}
+ 69                                     {/if}
70                                     </span>
71                                     {/if}
72

```

## scripts/product/tableofproducts.tpl

```

43                                     {/if}
44                                     <fieldset>
45                                     {if true == $product->defaultStockOnly()}
- 46                                     <div class="shaded_inputwrap"><input name="quantity" value="{float
precision=$QUANTITY_PRECISION value=1 trim=true}" type="text" class="short center" /></div>
- 47                                     <span class="unit">{$product->unit->translation->name|escape}</span
>
- 48                                     <input type="hidden" value="{ $product->defaultStock->getIdentifier(
)|escape}" name="stock_id" />
+ 46                                     <div class="shaded_inputwrap"><input name="quantity" value="{fl
oat precision=$QUANTITY_PRECISION value=1 trim=true}" type="text" class="short center" /></div>
+ 47                                     <span class="unit">{$product->unit->translation->name|escape}</
span>
+ 48                                     <input type="hidden" value="{ $product->defaultStock->getIdentif
ier()|escape}" name="stock_id" />
49                                     {/if}
50                                     <button class="addtobasket" type="submit">
51                                     

```

```

56                                     </div>
57                                     {elseif $enable_availability_notifier && $product->isEnabledNotifier()}
58                                     <div class="notify">
- 59                                     {if $availabilityNotifyUser}
- 60                                     <a class="availability_notifier_unsubscribe_btn btn_notifier" data-stoc
k-id="{ $product->defaultStock->stock->stock_id}">
- 61                                     <span>{translate key="Cancel notify"}</span>
- 62                                     </a>
- 63                                     {else}
- 64                                     <a class="availability_notifier_btn btn_notifier" data-is-logged="{if t
rue == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}" data-product-id="{ $product->product-
>product_id}" data-product-name="{ $product->translation->name}">
- 65                                     <span>{translate key="Notify of product availability"}</span>
- 66                                     </a>
- 67                                     {/if}
+ 59                                     {assign var="availabilityNotifyUser" value=$product->defaultStock->getAvail
abilityNotifyByUser()}
+ 60                                     <a class="availability_notifier_unsubscribe_btn btn_notifier{if !$availabil
ityNotifyUser} none{/if}" data-stock-id="{ $product->defaultStock->stock->stock_id}">
+ 61                                     <span>{translate key="Cancel notify"}</span>

```

```

+ 62 </a>
+ 63
+ 64 <a class="availability-notifier-btn btn-notifier{if $availabilityNotifyUser
} none{/if}" data-is-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}" da
ta-product-id="{ $product->product->product_id}" data-product-name="{ $product->translation->name}">
+ 65 <span>{translate key="Notify of product availability"}</span>
+ 66 </a>
+ 67 </div>
+ 68 {/if}
+ 69

```

```

169 {/if}
170 {/if}
171
- 172 {if $availabilityNotifyUser}
- 173 <a class="availability-notifier-unsubscribe-btn btn-notifier" data-stock-id
=" { $product->defaultStock->stock->stock_id}">
- 174 <span>{translate key="Cancel notify"}</span>
- 175 </a>
- 176 {else}
- 177 <a class="availability-notifier-btn btn-notifier" data-is-logged="{if true
== $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}" data-product-id="{ $product->product->pro
duct_id}" data-product-name="{ $product->translation->name}">
- 178 <span>{translate key="Notify of product availability"}</span>
- 179 </a>
+ 172 {if $enable_availability_notifier && $product->isEnabledNotifier()}
+ 173 {assign var="availabilityNotifyUser" value=$product->defaultStock->getAvail
abilityNotifyByUser()}
+ 174 <div class="notify">
+ 175 <a class="availability-notifier-unsubscribe-btn btn-notifier{if !$avail
abilityNotifyUser} none{/if}" data-stock-id="{ $product->defaultStock->stock->stock_id}">
+ 176 <span>{translate key="Cancel notify"}</span>
+ 177 </a>
+ 178
+ 179 <a class="availability-notifier-btn btn-notifier{if $availabilityNotify
User} none{/if}" data-is-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}"
" data-product-id="{ $product->product->product_id}" data-product-name="{ $product->translation->name}">
+ 180 <span>{translate key="Notify of product availability"}</span>
+ 181 </a>
+ 182 </div>
183 {/if}
184
185 {if $loyalty_exchange || ($enable_availability_notifier && $product->isEnabledN
otifier()) || $showprices}

```

## Pliki .css

### styles/main.css

```
4175 .availability-notifier-btn:hover {  
4176     text-decoration: underline;  
4177 }  
- 4178 ; }
```

## Pliki .less

## Pliki .js