

## Pliki .tpl

### boxes/NewProducts/box.tpl

```
12             {if $boxNs->$box_id->format == 2}
13             <ol class="productlist">
14                 {foreach from=$boxNs->$box_id->list item=newproduct name=list}
- 15                 <li><a href="{route function='product' key=$newproduct->getIdentifier() productName=$newproduct->tr
anslation->name productId=$newproduct->getIdentifier()
+ 15                 <li data-product-id="{ $newproduct->product->product_id}"><a href="{route function='product' key=$ne
wproduct->getIdentifier() productName=$newproduct->translation->name productId=$newproduct->getIdentifier()
16                 }" title="{ $newproduct->translation->name|escape}">{ $newproduct->translation->name|escape}</a><
/li>
17                 {/foreach}
18             </ol>
```

### boxes/ProductOfTheDay/box.tpl

```
40             {else}
41             <ol class="productlist">
42                 {foreach from=$boxNs->$box_id->list item=potd name=list}
- 43                 <li><a href="{route function='product' key=$potd->getIdentifier() productName=$potd->translation->name
productId=$potd->getIdentifier()
+ 43                 <li data-product-id="{ $potd->product->product_id}"><a href="{route function='product' key=$potd->getIde
ntifier() productName=$potd->translation->name productId=$potd->getIdentifier()
44                 }" title="{ $potd->translation->name|escape}">{ $potd->translation->name|escape}</a></li>
45                 {/foreach}
46             </ol>
```

### boxes/Recent/box.tpl

```
40             {else}
41             <ol class="productlist">
42                 {foreach from=$boxNs->$box_id->list item=special_product name=list}
- 43                 <li><a href="{route function='product' key=$special_product->getIdentifier() productName=$special_produ
ct->translation->name productId=$special_product->getIdentifier()
+ 43                 <li data-product-id="{ $special_product->product->product_id}"><a href="{route function='product' key=$s
pecial_product->getIdentifier() productName=$special_product->translation->name productId=$special_product->getIdentifier()
44                 }" title="{ $special_product->translation->name|escape}">{ $special_product->translation->name|escape
}</a></li>
```

```
45         {/foreach}
46     </ol>
```

### boxes/SpecialOffer/box.tpl

```
40         {else}
41         <ol class="productlist">
42             {foreach from=$boxNs->$box_id->list item=special_product name=list}
- 43             <li><a href="{route function='product' key=$special_product->getIdentifier() productName=$special_produ
ct->translation->name productId=$special_product->getIdentifier()
+ 43             <li data-product-id="{ $special_product->product->product_id}"><a href="{route function='product' key=$s
pecial_product->getIdentifier() productName=$special_product->translation->name productId=$special_product->getIdentifier()
44                 }" title="{ $special_product->translation->name|escape}">{ $special_product->translation->name|escape
}</a></li>
45         {/foreach}
46     </ol>
```

### scripts/basket/address.tpl

```
56         {/foreach}
57     </select>
58     {else}
- 59     <div class="shaded_inputwrap{if $str.error} shaded_error{/if}">
+ 59     <div{if $str.type != 'checkbox'} class="shaded_inputwrap{if $str.error} shaded_error{/if}
" {/if}>
60         <input type="{ $str.type|escape}" name="{ $str.name|escape}" value="{ $str.value|escape}"
size="25" id="input_{ $str.name|escape}" />
61     </div>
62 {/if}
```

### scripts/login/register.tpl

```
49         <label for="input_{ $str.name|escape}">{if true == $str.obligatory}<em class="color">*</em
> {/if}{ $str.label|escape}</label>
50     </td>
51     <td class="input">
- 52     <div class="shaded_inputwrap{if $str.error} shaded_error{/if}">
+ 52     <div{if $str.type != 'checkbox'} class="shaded_inputwrap{if $str.error} shaded_error{/if}
" {/if}>
53     <input type="{ $str.type|escape}" name="{ $str.name|escape}" value="{ $str.value|escape}"
size="25" id="input_{ $str.name|escape}" />
54     </div>
55 </td>
```

### scripts/panel/address.tpl

```
62     
63     <span>{translate key='edit'}</span>
```

```

64         </a>
- 65         <a href="{route key='panelAddressRemove' addressId=$address->address_book_id}" class="remove spanho
ver titlequestion" title="{translate key='Are you sure you want to remove the address: %s, %s %s?' p1=$address->street_1 p2=$address->zi
p_code p3=$address->city}">
+ 65         <a href="{route key='panelAddressRemove' addressId=$address->address_book_id}" class="remove spanho
ver titlequestion" title="{translate key='Are you sure you want to remove the address: %s, %s %s?' p1=$address->street_1|escape p2=$addr
ess->zip_code|escape p3=$address->city|escape}">
66         
67         <span>{translate key='remove'}</span>
68     </a>

```

### scripts/panel/edit.tpl

```

77         </ul>
78     </if>
79
+ 80     <label for="newsletter_input">{translate key="Newsletter"}</label>
+ 81     <div>
+ 82         <input type="checkbox" name="newsletter" id="newsletter_input" value="1" {if 1 == $data.newsletter}
checked{/if}>
+ 83         <label for="newsletter_input">{translate key='I voluntarily agree to receive information about new
products and promotions'}</label>
+ 84     </div>
+ 85
86     {if count($additional_fields) > 0}
87     <h4 class="separator">{translate key='Additional information'}</h4>
88     {foreach from=$additional_fields item=field}

```

### scripts/panel/index.tpl

```

80         {if count($order->parcels) > 0}
81         {foreach from=$order->parcels item=parcel}
82         {if strlen($parcel->getTraceLink())}
- 83         <a href="{ $parcel->getTraceLink()}" class="trace popup">
+ 83         <a href="{ $parcel->getTraceLink()|escape}" class="trace popup">
84             { $parcel->parcel->shipping_code|escape}
85         </a>
86         <span class="smallldate">({translate key='sent'}: {date value=$parcel->parcel->s
end_date})</span>

```

### scripts/panel/order.tpl

```

72     <dd class="parcel">
73     {foreach from=$order->parcels item=parcel}
74     {if strlen($parcel->getTraceLink())}
- 75     <a href="{ $parcel->getTraceLink()}" class="trace popup">{ $parcel->parcel->shipping_code|escape}</a>
+ 75     <a href="{ $parcel->getTraceLink()|escape}" class="trace popup">{ $parcel->parcel->shipping_code|escape}<
/a>
76     <span class="date">({translate key='sent'}: {date value=$parcel->parcel->send_date})</span><br />

```

```
77  
78
```

```
{/if}  
{/foreach}
```

## Pliki .css

---

### styles/main.css

```
3410     display: block;  
3411     margin: 5px 0 2px;  
3412 }  
+ 3413 #box_useredit input[type="checkbox"] {  
+ 3414     vertical-align: middle;  
+ 3415     margin: 0;  
+ 3416 }  
+ 3417 #box_useredit input[type="checkbox"] + label {  
+ 3418     display: inline-block;  
+ 3419 }  
3420 #box_useredit .shaded_text {  
3421     width: 200px;  
3422 }
```

## Pliki .less

## Pliki .js