

Pliki .tpl

boxes/Banner/box.tpl

```
20         </object>
21         <![endif]-->
22         {else}
- 23         <a href="{route key='banner' bannerId=$banner->getIdentifier()}" title="{ $banner->banner->name|escape}" class="bann
er{if 1 == (int) $banner->banner->blank} popup{/if}">
+ 23         <a {if 1 == (int) $banner->banner->blank}target="_blank"{/if} href="{route key='banner' bannerId=$banner->getIdentifi
fier()}" title="{ $banner->banner->name|escape}" class="banner">
24         banner->name|escape}" width="{ $banner->banner->width|es
cape}" height="{ $banner->banner->height|escape}" />
25         </a>
26     {/if}
```

boxes/Basket/box.tpl

```
3         <span>{ $boxNs->$box_id->title|escape}</span>
4         </div>
5         <div class="innerbox">
- 6         <div class="arrow"><a href="{route key='basket'}" title="{translate key='Basket'}" rel="nofollow"><img src=
"{baseDir}/public/images/lpx.gif" alt="" class="px1"></a></div>
+ 6         <div class="arrow"><a href="{route key='basket'}" title="{translate key='Cart'}" rel="nofollow"></a></div>
7         {if $boxNs->$box_id->text}<h5 class="boxintro">{ $boxNs->$box_id->text}</h5>{/if}
- 8         <p class="products"><span>{translate key="products:"}</span> <em>{ $user->basket->countProducts()}</em></p>
- 9         <p class="sum"><span>{translate key="value:"}</span> <em>{currency value=$user->basket->sumProducts()}</em>
</p>
- 10        <p class="basket"><a href="{route key='basket'}" title="{translate key='Basket'}" rel="nofollow">{translate
key="go to the basket"}</a></p>
+ 8         <p class="products"><span>{translate key="products:"}</span> <em>{ $user->basket->countProducts()}</em></p>
+ 9         <p class="sum"><span>{translate key="value:"}</span> <em>{currency value=$user->basket->sumProducts()}</em>
</p>
+ 10        <p class="basket"><a href="{route key='basket'}" title="{translate key='Cart'}" rel="nofollow">{translate k
ey="go to cart"}</a></p>
11        </div>
12    </div>
```

boxes/Bestsellers/box.tpl

```

68         {/if}
69         <button class="addtobasket btn btn-red" type="submit">
70             
- 71         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add
to the basket"}{/if}</span>
+ 71         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add
to cart"}{/if}</span>
72     </button>
73 </fieldset>
74 </form>

```

boxes/Currencies/box.tpl

```

- 1 {php} $helper = $this->_tpl_vars['helper']; {/php}
2     <div class="box" id="box_currencies">
3         <div class="boxhead">
4             <span>{$boxNs->$box_id->title|escape}</span>

```

```

6         {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
7         {switch expr=$boxNs->$box_id->format}
8         {case expr=1}
- 9             <label class="singleselect" for="box_currencies_select">{translate key="Select currency"}</label>
+ 9             <label class="singleselect" for="box_currencies_select">{translate key="Select a currency"}</label>
10             <select class="singleselect gotourl" id="box_currencies_select">
11                 {foreach from=$boxNs->$box_id->list item=desc key=cur}
12                     <option{if $cur == $boxNs->$box_id->currency} selected="selected" {/if
- 13                     } value="{php} echo $helper->url(); {/php}?currency={$cur|escape}">{$desc|escape}</option>
+ 13                     } value="{url}?currency={$cur|escape}">{$desc|escape}</option>
14                 {/foreach}
15             </select>
16         {/case}

```

```

18         <ul class="listwithicons">
19             {foreach from=$boxNs->$box_id->list item=desc key=cur}
20                 <li{if $cur == $boxNs->$box_id->currency} class="selected" {/if
- 21                 }><a href="{php} echo $helper->url(); {/php}?currency={$cur|escape}" title="{$desc|escape}" class="
{$cur|escape}">
+ 21                 }><a href="{url}?currency={$cur|escape}" title="{$desc|escape}" class="{cur|escape}">
22                     <!-- 
23                     <span>{$desc|escape}</span>
24                 </a>

```

boxes/Custom/box.tpl

```

- 1     <div class="box box_custom" id="{if $boxNs->$box_id->css}{$boxNs->$box_id->css|escape}{else}box_custom{$box_id|esca
pe}{/if}">
+ 1     <div class="box resetcss box_custom" id="{if $boxNs->$box_id->css}{$boxNs->$box_id->css|escape}{else}box_custom{$bo

```

```
x_id|escape}{/if}">
```

```
2 {if 1 == $boxNs->$box_id->border}  
3 {if $boxNs->$box_id->title}  
4 <div class="boxhead">
```

boxes/Filter/box.tpl

```
1 {if count($filter_groups)}  
- 2 <div class="box {if 1 == $filter_counter}foldable{/if}" id="box_filter">  
- 3 <div class="boxhead">  
- 4 <span>{$boxNs->$box_id->title|escape}</span>  
- 5 </div>  
- 6 <div class="innerbox f-row">  
- 7 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}  
- 8 {foreach from=$filter_groups item=group name=list}  
- 9 {if count($group.items) || ($boxNs->$box_id->price_input && 'Search_Filter_Products_Provider_Price' ==  
$group.provider)}  
- 10 {math equation="x / y" x=12 y=$filter_groups|@count assign="filterCounter"}  
- 11 <div class="group f-grid-6" id="filter_{$group.id}">  
- 12 <h5 class="{if 0 == $smarty.foreach.list.index}first{/if} {if $group.headselected}selected{/if}">  
- 13 {if $group.headlink}<a href="{ $group.headlink|escape}" title="">{/if}  
- 14 { $group.name|escape}  
- 15 {if $group.headlink}</a>{/if}  
- 16 </h5>  
- 17 <ul class="{if !$group.full}foldable{/if}">  
- 18 {foreach from=$group.items item=item}  
- 19 {if $item.active or (isset($item.counter) and $item.counter) or !isset($item.counter)}  
- 20 <li class="{if $item.active}selected fa fa-times{/if}{if $item.indent}indent{/if}" id=  
"filter_{$item.id}">  
- 21 <a class="spanhover" title="{ $item.name}" href="{if $item.active}{$item.link_remove  
{/else}{if $filter_type == 1 || !$item.link_add}{$item.link_solo}{else}{$item.link_add}{/if}{/if}">  
- 22   
- 23 {if $item.html}  
- 24 { $item.html}  
- 25 {else}  
- 26 {if $item.color}  
- 27 <span>{$item.color|escape}</span>  
- 28 {else}  
- 29 <span>{$item.name|escape}</span>  
- 30 {/if}  
- 31 {/if}  
- 32 {if isset($item.counter)}  
- 33 <em>({ $item.counter})</em>  
- 34 {/if}  
- 35 </a>  
- 36 </li>  
+ 2 <div class="box {if 1 == $filter_counter}foldable{/if}" id="box_filter">  
+ 3 <div class="boxhead">  
+ 4 <span>  
+ 5 {$boxNs->$box_id->title|escape}
```

```

+ 6         </span>
+ 7     </div>
+ 8
+ 9     <div class="innerbox f-row">
+ 10         {if $boxNs->$box_id->text}
+ 11         <h5 class="boxintro">{$boxNs->$box_id->text}</h5>
+ 12         {/if}
+ 13
+ 14         {foreach from=$filter_groups item=group name=list}
+ 15             {if count($group.items) || ($boxNs->$box_id->price_input && 'Search_Filter_Products_Provider_Price' == $group.provider)
+ 16                 <div class="group f-grid-6" id="filter_{$group.id}">
+ 17                     <h5 class="{if $group.headselected}selected{/if}">
+ 18                         {if $group.headlink}<a href="{ $group.headlink|escape}" title="">{/if}
+ 19                             {$group.name|escape}
+ 20                             {if $group.headlink}</a>{/if}
+ 21                     </h5>
+ 22                     <ul class="{if !$group.full}foldable{/if}">
+ 23                         {foreach from=$group.items item=item}
+ 24                             {if $item.active or (isset($item.counter) and $item.counter) or !isset($item.counter)}
+ 25                                 <li class="{if $item.active}selected fa fa-times{/if}{if $item.indent} indent{/if}">
+ 26                                     <a title="{ $item.name}" href="{if $item.active}{ $item.link_remove}{else}{if $filter_type == 1 |
| ! $item.link_add}{ $item.link_solo}{else}{ $item.link_add}{/if}{/if}">
+ 27                                         
+ 28                                         {if $item.html}
+ 29                                             { $item.html}
+ 30                                         {else}
+ 31                                             {if $item.color}
+ 32                                                 <span>{ $item.color|escape}</span>
+ 33                                             {else}
+ 34                                                 <span>{ $item.name|escape}</span>
+ 35                                             {/if}
+ 36                                         {/if}
+ 37                                     {/foreach}
- 38             {if $boxNs->$box_id->price_input && 'Search_Filter_Products_Provider_Price' == $group.provider}
- 39                 <li class="priceinput">
- 40                     <span class="fromto">{translate key='from'}</span> <input type="text" id="filterprice1"
value="" class="short"><br>
- 41                     <span class="fromto">{translate key='to'}</span> <input type="text" id="filterprice2" v
alue="" class="short">
- 42                     <div class="bottombuttons">
- 43                         <button class="btn" type="button" id="filterprice">
- 44                             
- 45                             <span>{translate key='Filter'}</span>
- 46                         </button>
- 47                     </div>
- 48                 </li>
- 49             {/if}
- 50         </ul>
- 51     </div>

```

```

+ 4         {if isset($item.counter)}
+ 5         <em>({$item.counter})</em>
+ 6         {/if}
+ 7         </a>
+ 8         </li>
+ 9         {/if}
+ 10        {/foreach}
- 11        </div>
+ 7         {if $boxNs->$box_id->price_input && 'Search_Filter_Products_Provider_Price' == $group.provider}
+ 8         <li class="priceinput">
+ 9             <span class="fromto">
+ 10                {translate key='from'}
+ 11            </span>
+ 12            <input type="text" id="filterprice1" value="" class="short"><br>
+ 13
+ 14            <span class="fromto">
+ 15                {translate key='to'}
+ 16            </span>
+ 17            <input type="text" id="filterprice2" value="" class="short">
+ 18
+ 19            <div class="bottombuttons">
+ 20                <button class="btn" type="button" id="filterprice">
+ 21                    
+ 22                    <span>{translate key='Filter'}</span>
+ 23                </button>
+ 24            </div>
+ 25        </li>
+ 26        {/if}
+ 27    </ul>
+ 28    </div>
- 29    <script type="text/javascript">
- 30        try {literal}{{/literal} Shop.values.PriceFilterFrom = '{$boxNs->$box_id->pricefilter_from}'; Shop.values.Price
FilterFromTo = '{$boxNs->$box_id->pricefilter_fromto}'; Shop.values.PriceFilterTo = '{$boxNs->$box_id->pricefilter_to}'; {literal}}{/lit
eral} catch(e) {literal}{{/literal}
- 31    </script>
+ 9        {/if}
+ 10    {/foreach}
+ 11    </div>
+ 12    </div>
+ 13    <script type="text/javascript">
+ 14        try {literal}{{/literal} Shop.values.PriceFilterFrom = '{$boxNs->$box_id->pricefilter_from}'; Shop.values.PriceFilterFromTo = '
{$boxNs->$box_id->pricefilter_fromto}'; Shop.values.PriceFilterTo = '{$boxNs->$box_id->pricefilter_to}'; {literal}}{/literal} catch(e) {
literal}{{/literal}
+ 15    </script>
+ 16    {/if}

```

boxes/FreeShipping/box.tpl

```

8         <div class="arrow"></div>
9         {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}

```

```

10         {if 0 == $user->basket->count()}
- 11         {translate key='You may qualify for free shipping (%s) if your order is %s or over.' pl=$fs->shipping->
name currency1=$fs->shipping->free_shipping format=true}
+ 11         {translate key='Free shipping (%s) on orders of %s and more.' pl=$fs->shipping->name currency1=$fs->shi
pping->free_shipping format=true}
12         {else}
13         {assign var=freeshipping_sum value=$user->basket->sumProducts()}
14         {if $freeshipping_sum > $fs->shipping->free_shipping}
- 15         {translate key='Your order is over %s, you qualify for free shipping (%s).' currency1=$fs->shipping
->free_shipping pl=$fs->shipping->name format=true}
+ 15         {translate key='Order higher than %s - you get a free shipping (%s).' currency1=$fs->shipping->free
_shipping pl=$fs->shipping->name format=true}
16         {elseif $freeshipping_sum == $fs->shipping->free_shipping}
- 17         {translate key='Your order is %s, you qualify for free shipping (%s).' currency1=$fs->shipping->fre
e_shipping pl=$fs->shipping->name format=true}
+ 17         {translate key='Order for %s - you get a free shipping (%s).' currency1=$fs->shipping->free_shipping
 pl=$fs->shipping->name format=true}
18         {else}
19         {assign var=freeshipping_sum_left value=$fs->shipping->free_shipping-$freeshipping_sum}
- 20         {translate key='Add %s more to your order to qualify for free shipping (%s).' currency1=$freeshippi
ng_sum_left pl=$fs->shipping->name format=true}
+ 20         {translate key='You need another %s for free shipping (%s).' currency1=$freeshipping_sum_left pl=$f
s->shipping->name format=true}
21         {/if}
22         {/if}
23     </div>

```

boxes/LanguageList/box.tpl

```

6         {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
7         {switch expr=$boxNs->$box_id->format}
8         {case expr=1}
- 9         <label class="singleselect" for="box_languages_select">{translate key="Select language"}</label>
+ 9         <label class="singleselect" for="box_languages_select">{translate key="Select a language"}</label>
10        <select class="singleselect gotourl" id="box_languages_select">
11            {foreach from=$boxNs->$box_id->list item=language}
12                <option{if $language->name == $boxNs->$box_id->language} selected="selected"{/if} value="{ $language->ur
l}">{$language->title|escape}</option>

```

boxes/Login/box.tpl

```

17        <div class="row">
18            <button type="submit" class="btn login">
19                
- 20                <span>{translate key="Log in"}</span>
+ 20                <span>{translate key="Sign in"}</span>
21            </button>
22        </div>
23        <a href="{ $boxNs->$box_id->passlink}" class="remind row">
24            

```

```

- 25         <span>{translate key="Don't remember your password?"}</span>
- 26         </a>
- 27         <a href="{ $boxNs->$box_id->reglink}" class="register row">
- 28             
- 29             <span>{translate key="Register."}</span>
+ 25         <span>{translate key="Forgot your password?"}</span>
26         </a>
+ 27         {if $enable_register}
+ 28         <a href="{ $boxNs->$box_id->reglink}" class="register row">
+ 29             
+ 30             <span>{translate key="Create an account"}</span>
+ 31         </a>
+ 32         {/if}
33     </fieldset>
34 </form>
35 {else}

```

```

38         
39         <span>{translate key="My account"}</span>
40     </a>
- 41     <a href="{route key='logout'}" title="Log out" class="logout btn row">
+ 41     <a href="{route key='logout'}" title="Sign out" class="logout btn row">
42         
- 43         <span>{translate key="Log out"}</span>
+ 43         <span>{translate key="Sign out"}</span>
44     </a>
45     {/if}
46 </div>

```

boxes/Menu/box.tpl

```

10         <ul class="folded">
11         {/if}
12         { $boxNs->$box_id->list}
- 13         {if 1 == $boxNs->$box_id->link_news}<li id="category_novelties"><a href="{ $boxNs->$box_id->url_new}" ti
title="{translate key='News link'}" class="novelties">{translate key="News l
ink"}</a></li>{/if}
- 14         {if 1 == $boxNs->$box_id->link_promotions}<li id="category_promo"><a href="{ $boxNs->$box_id->url_promot
ions}" title="{translate key='Promotions link'}" class="promo">{translate
key="Promotions link"}</a></li>{/if}
+ 13         {if 1 == $boxNs->$box_id->link_news}<li id="category_novelties"><a href="{ $boxNs->$box_id->url_new}" ti
title="{translate key='New products'}" class="novelties">{translate key="New
products"}</a></li>{/if}
+ 14         {if 1 == $boxNs->$box_id->link_promotions}<li id="category_promo"><a href="{ $boxNs->$box_id->url_promot
ions}" title="{translate key='Products on sale'}" class="promo">{translate
key="Products on sale"}</a></li>{/if}
15     </ul>
16     </div>
17 </div>

```

boxes/NewProducts/box.tpl

```
68                                     {/if}
69                                     <button class="addtobasket btn btn-red" type="submit">
70                                         
- 71                                     <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add
to the basket"}{/if}</span>
+ 71                                     <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add
to cart"}{/if}</span>
72                                     </button>
73                                     </fieldset>
74                                     </form>
```

boxes/News/box.tpl

```
- 1                                     <div class="box" id="box_articlelistsmall">
- 2                                     <div class="boxhead">
- 3                                     <span>{$boxNs->$box_id->title|escape}</span>
- 4                                     </div>
- 5                                     <div class="innerbox">
- 6                                         {if $boxNs->$box_id->text}
- 7                                             <h5 class="boxintro">{$boxNs->$box_id->text}</h5>
- 8                                         {/if}
- 9                                     <article class="article-small row">
- 10                                        {foreach from=$boxNs->$box_id->list item=box_article name=list}
- 11                                            <h5 class="article_name row">
- 12                                                {if $box_article->article->content|strlen > 0}
- 13                                                    <a href="{route function='news' key=$box_article->getIdentifier() newsId=$box_article->getIdentifier()}">
- 14                                                        <span class="article_name_spa
n">{$box_article->article->name|escape}</span>
- 15                                                            </a>
- 16                                                        {else}
- 17                                                            <span class="article_name_spa
n">{$box_article->article->name|escape}</span>
- 18                                                            {/if}
- 19                                                        </h5>
- 20                                                        <span class="article_date">{date value=$box_article->article->date format='Zend_Date::DATE_MEDIUM'}{if
$box_article->article->author}, {$box_article->article->author|escape}{/if}</hspan>
- 21                                                        {if 2 == $boxNs->$box_id->format}
- 22                                                            <div class="resetcss">{$box_article->article->short_content}</div>
- 23                                                        {/if}
- 24                                                        {if $box_article->article->content|strlen > 0 && $box_article->article->short_content != $box_article->
article->content}
- 25                                                            <div class="row">
- 26                                                                <a class="readmore" href="{route function='news' key=$box_article->getIdentifier() newsId=$box_arti
cle->getIdentifier()}">{translate key="more"}</a>
- 27                                                            </div>
```



```

- 28         {/if}
- 29     </article>
- 30     {/foreach}
- 31 </div>
+ 1     {if $boxNs->$box_id->list|@count}
+ 2     <div class="box" id="box_articlelistsmall">
+ 3         <div class="boxhead">
+ 4             <span>{$boxNs->$box_id->title|escape}</span>
+ 5         </div>
+ 6         <div class="innerbox">
+ 7             {if $boxNs->$box_id->text}
+ 8                 <h5 class="boxintro">{$boxNs->$box_id->text}</h5>
+ 9             {/if}
+ 10            {foreach from=$boxNs->$box_id->list item=box_article name=list}
+ 11                <article class="article-small row">
+ 12                    <h5 class="article_name row">
+ 13                        {if $box_article->article->content|strlen > 0}
+ 14                            <a href="{route function='news' key=$box_article->getIdentifier() newsId=$box_article->getIdentifier() news
Name=$box_article->article->name newsYear="Y"|date:$box_article->articleTimestamp newsMonth="m"|date:$box_article->articleTimestamp news
Day="d"|date:$box_article->articleTimestamp}">
+ 15                                <span class="article_name_span">{$box_art
icle->article->name|escape}</span>
+ 16                            </a>
+ 17                        {else}
+ 18                            <span class="article_name_span">{$box_article
->article->name|escape}</span>
+ 19                        {/if}
+ 20                    </h5>
+ 21                    <div class="article-info">
+ 22                        {date value=$box_article->article->date format='Zend_Date::DATE_MEDIUM'}
+ 23                        {if $box_article->article->author}, {$box_article->article->author|escape}{/if}
+ 24                    </div>
+ 25                    {if 2 == $boxNs->$box_id->format}
+ 26                        <div class="resetcss">{$box_article->article->short_content}</div>
+ 27                    {/if}
+ 28                    {if $box_article->article->content|strlen > 0 && $box_article->article->short_content != $box_article->article->con
tent}
+ 29                        <div class="row">
+ 30                            <a class="readmore" href="{route function='news' key=$box_article->getIdentifier() newsId=$box_article->get
Identifier()}">{translate key="read more"} &raquo;</a>
+ 31                        </div>
+ 32                    {/if}
+ 33                </article>
+ 34            {/foreach}
+ 35        </div>
+ 36    </div>
+ 37 {/if}

```

```

+ 1 <div class="box" id="box_article_calendar">
+ 2 <div class="boxhead">
+ 3 <span>{$boxNs->$box_id->title|escape}</span>
+ 4 </div>
+ 5 <div class="innerbox">
+ 6 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
+ 7 <table class="calendar">
+ 8 <thead>
+ 9 <tr>
+ 10 <td>{dayOfWeek value=0}</td>
+ 11 <td>{dayOfWeek value=1}</td>
+ 12 <td>{dayOfWeek value=2}</td>
+ 13 <td>{dayOfWeek value=3}</td>
+ 14 <td>{dayOfWeek value=4}</td>
+ 15 <td>{dayOfWeek value=5}</td>
+ 16 <td>{dayOfWeek value=6}</td>
+ 17 </tr>
+ 18 </thead>
+ 19 <tbody>
+ 20 <tr>
+ 21 <td>{dynamic}
+ 22 {assign var="dayOfWeek" value=$boxNs->$box_id->dayOfWeek}
+ 23 {assign var="days" value=$boxNs->$box_id->days->toArray()}
+ 24
+ 25 {if $boxNs->$box_id->dayOfWeek > 0}
+ 26 <td colspan="{ $dayOfWeek }"></td>
+ 27 {/if}
+ 28
+ 29 {section name=list start=1 loop=$boxNs->$box_id->numberDays}
+ 30 {if $dayOfWeek == 7}
+ 31 {assign var="dayOfWeek" value="0"}
+ 32 </tr><tr>
+ 33 {/if}
+ 34 <td {if $smarty.section.list.index|in_array:$days} class="focused"{/if}>
+ 35 {if $smarty.section.list.index|in_array:$days}
+ 36 <a href="{route function='newsListDate' key=' ' newsYear=$boxNs->$box_id->year newsMonth=$boxNs->$bo
x_id->month newsDay=$smarty.section.list.index}">{$smarty.section.list.index}</a>
+ 37 {else}
+ 38 {$smarty.section.list.index}
+ 39 {/if}
+ 40 </td>
+ 41 {assign var="dayOfWeek" value=$dayOfWeek+1}
+ 42 {/section}
+ 43
+ 44 {if $dayOfWeek != 7}
+ 45 <td colspan="{7 - $dayOfWeek}"></td>
+ 46 {/if}
+ 47 {/dynamic}
+ 48 </tr>
+ 49 </tbody>

```

```

+ 50     </table>
+ 51
+ 52     {dynamic}
+ 53     <nav class="calendar-nav">
+ 54         <a class="calendar-nav-prev" href="{route function='newsListDate' key='' newsYear=$boxNs->$box_id->prevYear newsMonth=$
boxNs->$box_id->prevMonth}">&laquo; {date value=$boxNs->$box_id->prevTime format='MMM yyyy'}</a>
+ 55         {if $boxNs->$box_id->nextYear}
+ 56         <a class="calendar-nav-next" href="{route function='newsListDate' key='' newsYear=$boxNs->$box_id->nextYear newsMon
th=$boxNs->$box_id->nextMonth}">{date value=$boxNs->$box_id->nextTime format='MMM yyyy'} &raquo;</a>
+ 57     {/if}
+ 58     </nav>
+ 59     {/dynamic}
+ 60 </div>
+ 61 </div>

```

boxes/NewsCategories/box.tpl

```

+ 1     {if $boxNs->$box_id->list|@count}
+ 2         <div class="box" id="box_article_categories">
+ 3             <div class="boxhead">
+ 4                 <span>{$boxNs->$box_id->title|escape}</span>
+ 5             </div>
+ 6             <div class="innerbox">
+ 7                 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
+ 8                 <ul class="standard">
+ 9                     {foreach from=$boxNs->$box_id->list item=category}
+ 10                        {assign var='id' value=$category->category->category_id}
+ 11                        <li id="news_category_{ $category->category->category_id}">
+ 12                            <a href="{ $boxNs->$box_id->cat_links->$id}">{$category->category->name|escape}</a>
+ 13                            {if $boxNs->$box_id->counter}
+ 14                                <em>({ $category->news|count})</em>
+ 15                            {/if}
+ 16                        </li>
+ 17                    {/foreach}
+ 18                </ul>
+ 19            </div>
+ 20        </div>
+ 21    {/if}

```

boxes/NewsTagCloud/box.tpl

```

+ 1     {if $boxNs->$box_id->tagCloud->getItemList()|count}
+ 2         <div class="box" id="box_article_tagcloud">
+ 3             <div class="boxhead">
+ 4                 <span>{$boxNs->$box_id->title|escape}</span>
+ 5             </div>
+ 6             <div class="innerbox">
+ 7                 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
+ 8                 {$boxNs->$box_id->tagCloud}

```

```
+ 9     </div>
+ 10    </div>
+ 11    {/if}
```

boxes/Newsletter/box.tpl

```
7         <form action="{route key='newsletterSign' full=true ssl=true}" method="post">
8             <fieldset>
9                 {include file='formantisipam.tpl'}
- 10         <input type="text" name="email" value="" placeholder="Wpisz adres e-mail" class="newsletter-input"
- 11         >
+ 10         <input type="text" name="email" value="" placeholder="{translate key='Enter your e-mail address'}"
+ 11         class="newsletter-input">
12         <button type="submit" class="btn btn-red">
13             
14             <span>{translate key='Subscribe'}</span>
```

boxes/Polls/box.tpl

```
36         </dd>
37     {/foreach}
38 </dl>
- 39 </div>
+ 39 <div class="votecount row">{translate key="Total votes"}: {$boxNs->$box_id->poll->totalVotes()|escape}</div
+ 40 >
41     {/if}
42 </div>
```

boxes/Pricelist/box.tpl

```
11         <ul class="icons">
12             {if 1 == $boxNs->$box_id->html}
13             <li class="html">
- 14         <a href="{ $boxNs->$box_id->html_link|escape}" title="{translate key='Price list in HTML format'
- 15         }" class=" html">
+ 14         <a href="{ $boxNs->$box_id->html_link|escape}" title="{translate key='Pricelist in HTML format' }
+ 15         " class=" html">
16             
17             <span>{translate key="HTML"}</span>
18         </a>
```

```
19         {/if}
20     {if 1 == $boxNs->$box_id->xls}
21     <li class="excel">
- 22     <a href="{ $boxNs->$box_id->xls_link|escape}" title="{translate key='Price list in Excel for
- 23     mat'}" class=" excel">
```

```

+ 22      <a href="{ $boxNs->$box_id->xls_link|escape}" title="{translate key='Pricelist in Excel form
at'}" class=" excel">
23          
24          <span>{translate key="XLS"}</span>
25      </a>

```

```

32      <ul class="listwithicons">
33          {if 1 == $boxNs->$box_id->html}
34              <li class="html">
- 35                  <a href="{ $boxNs->$box_id->html_link|escape}" title="{translate key='Price list in HTML format'
}" class=" html">
+ 35                  <a href="{ $boxNs->$box_id->html_link|escape}" title="{translate key='Pricelist in HTML format'
}" class=" html">
36              
37              <span>{translate key="HTML"}</span>
38          </li>

```

```

40          {/if}
41          {if 1 == $boxNs->$box_id->xls}
42              <li class="excel">
- 43                  <a href="{ $boxNs->$box_id->xls_link|escape}" title="{translate key='Price list in Excel format'
}" class=" excel">
+ 43                  <a href="{ $boxNs->$box_id->xls_link|escape}" title="{translate key='Pricelist in Excel format'
}" class=" excel">
44              
45              <span>{translate key="Excel"}</span>
46          </li>

```

boxes/Producers/box.tpl

```

4      </div>
5      <div class="innerbox">
6          {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
- 7      <label class="singleselect" for="box_producers_select">{translate key="Select manufacturer"}</label>
+ 7      <label class="singleselect" for="box_producers_select">{translate key="Select vendor"}</label>
8      <div class="producers_wrap">
9          {dynamic}
10         <select class="singleselect gotourl" id="box_producers_select">
11             {/dynamic}
- 12         <option label="wybierz" value=""></option>
+ 12         <option label="{translate key="choose"}" value=""></option>
13         {foreach from=$boxNs->$box_id->list item=producer}
- 14         {assign var='id' value=$producer->manufacturer->producer_id}
- 15         <option value="{ $boxNs->$box_id->prod_links->$id}">{$producer->manufacturer->name|escape}</option>
+ 14         {assign var='id' value=$producer->manufacturer->producer_id}
+ 15         <option value="{ $boxNs->$box_id->prod_links->$id}">{$producer->manufacturer->name|escape}</opti
on>
16     </foreach>

```

```
17         </select>
18     </div>
```

boxes/ProductFilter/box.tpl

```
1     {if true == $boxNs->$box_id->show_me}
- 2     {php}$helper = $this->_tpl_vars['helper'];{/php}
3         <div class="box" id="box_productfilter">
4             <div class="boxhead">
5                 <span>{$boxNs->$box_id->title|escape} {$boxNs
->$box_id->layout_type}</span>
6             </div>
7             <div class="innerbox">
8                 {if $boxNs->$box_id->text}<h5 class="boxintro">{$boxNs->$box_id->text}</h5>{/if}
- 9                 <form class="formprotect" method="post" action="{php} echo $helper->url();{/php}">
+ 8                 <form class="formprotect" method="post" action="{url}">
9                     <fieldset>
10                         {include file='formantispam.tpl'}
11                         <input type="hidden" name="ProductFilter" value="1" >
12                         <div class="pricegroup">
13                             {strip}
- 14                             <span class="pricelabel">{translate key='Price:'}</span>
+ 14                             <span class="pricelabel">{translate key='Price':}</span>
15                             <div class="shaded_inputwrap pricefrom">
16                                 <input type="text" name="pricefrom" value="{productfilter_from|escape}" class="shaded_text
short" >
17                             </div>
```

```
24
25         {if count($boxNs->$box_id->producers) > 0}
26         <div class="producergroup">
- 27         <label for="selectproducer" class="producer">{translate key='Manufacturer:'}</label>
+ 27         <label for="selectproducer" class="producer">{translate key='Vendor':}</label>
28         <select name="producer" id="selectproducer">
29             <option></option>
30             {foreach from=$boxNs->$box_id->producers item=producer}
```

```
37
38         <div class="promogroup">
39             <input type="checkbox" value="1" name="promotion" id="filter_promotion" {if 1 == $productfilter
_promotion} checked="checked" {/if}>
- 40         <label for="filter_promotion">{translate key="Only products in promotion"}</label>
+ 40         <label for="filter_promotion">{translate key="Only On Sale products"}</label>
41         </div>
42
43         <div class="buttons row">
```

boxes/ProductOfTheDay/box.tpl

```
62             {/if}
63             <button class="addtobasket btn btn-red" type="submit">
64                 
- 65                 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to the
basket"}{/if}</span>
+ 65                 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart
"}{/if}</span>
66             </button>
67         </fieldset>
68     </form>
```

boxes/Recent/box.tpl

```
62             {/if}
63             <button class="addtobasket btn btn-red" type="submit">
64                 
- 65                 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to the basket"}{/if
}</span>
+ 65                 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart"}{/if}</spa
n>
66             </button>
67         </fieldset>
68     </form>
```

boxes/Search/box.tpl

```
7             <form action="{route key='search'}" method="post">
8                 <fieldset>
9                     {include file='formantispam.tpl'}
- 10                 <input type="text" name="search" placeholder="{translate key='search in the shop...'}" value="" cla
ss="search-input">
+ 10                 <input type="text" name="search" placeholder="{translate key='search in the store...'}" value="" cl
ass="search-input">
11                 <button class="btn btn-red" type="submit">
12                     
13                     <span>{translate key='Search'}</span>
14                 </button>
15                 {if 1 == $boxNs->$box_id->extended}
- 16                 <a href="{route key='search'}" title="{translate key='Go to advanced product search'}">{translate k
ey="advanced search"}</a>
+ 16                 <a class="advanced-search" href="{route key='search'}" title="{translate key='Go to advanced search
'}">{translate key="advanced search"}</a>
17                 {/if}
18             </fieldset>
19     </form>
```

boxes/Slider/box.tpl

```

- 1      {if count($boxNs->$box_id->images)}
+ 1      {if $boxNs->$box_id->force_show || count($boxNs->$box_id->images)}
  2      <div class="box box-slider" id="box_slider{if $boxNs->$box_id->is_custom}_{$box_id|escape}{/if}">
  3      <div data-max-img-width="{ $boxNs->$box_id->width}" data-slider-duration="{ $boxNs->$box_id->duration|escape}" data-slider-delay=
"$ { $boxNs->$box_id->delay|escape}" data-slider-animation-type="{ $boxNs->$box_id->animation|escape}" data-slider-auto="{if $boxNs->$box_id
->auto}true{else}false{/if}" data-slider-nav-type="{ $boxNs->$box_id->bullets}" class="pageslider row">
  4          <ul class="slides"{if $boxNs->$box_id->height > 0} style="height: { $boxNs->$box_id->height}px;"{/if}>
  5              {assign var="images" value=$boxNs->$box_id->images}
- 6              {if $boxNs->$box_id->random}
- 7                  {php}
- 8                      $this->_tpl_vars['images'] = iterator_to_array($this->_tpl_vars['images']);
- 9                      shuffle($this->_tpl_vars['images']);
- 10                 {/php}
- 11             {/if}
- 12
  13         {foreach from=$images item=slide}
  14             {if $slide->active == '1'}
  15                 <li id="sh-slide-{$slide->id}" data-bg-size-s="{ $slide->bg->size1|escape}" data-bg-size-e="{ $slide->bg->size2|e
scape}" data-image="{ $slide->bg->src|escape}" data-color-start="{ $slide->bg->color1}" data-color-end="{ $slide->bg->color2}" data-href="{
$slide->href|escape}" data-orientation="{ $slide->bg->orientation|escape}">
  16                     {if $slide->img->src}
  17                         <a class="slider-img" href="{ $slide->href|escape}" title="{ $slide->name}">
- 18                             <img data-align="{ $slide->img->pos}" data-animation="{ $slide->img->anim}" data-duration="{ $slide->i
mg->time}" src="{imageUrl type='boxesGfx' image=$slide->img->src}" alt="{ $slide->name}" alt="{ $slide->name}" />
+ 11                             <img data-align="{ $slide->img->pos}" data-animation="{ $slide->img->anim}" data-duration="{ $slide->i
mg->time}" src="{imageUrl type='boxesGfx' image=$slide->img->src}" alt="{ $slide->name}" />
  12                         </a>
  13                     {/if}
  14

```

boxes/SpecialOffer/box.tpl

```

  62                                     {/if}
  63                                     <button class="addtobasket btn btn-red" type="submit">
  64                                         
- 65                                         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to the
basket"}{/if}</span>
+ 65                                         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart
"}{/if}</span>
  66                                     </button>
  67                                 </fieldset>
  68                             </form>

```

scripts/basket/address.tpl

```

  83                                     </div>
  84
  85                                     <div class="client-address">
- 86                                         <h4 class="separator">{translate key='Address'}</h4>

```



```
+ 86 <h4 class="separator">{translate key='Address details'}</h4>
87 <table class="address">
88 <tbody>
89 <tr>
<td class="label">
<label for="comment">{translate key='Comments'}</label>
<label for="comment">{translate key='Notes'}</label>
</td>
<td class="input" colspan="2">
<div class="shaded_textareawrap">
```

```
268 </tbody>
269 <tr>
270 <td class="label">
- 271 <label for="comment">{translate key='Comments'}</label>
+ 271 <label for="comment">{translate key='Notes'}</label>
272 </td>
273 <td class="input" colspan="2">
274 <div class="shaded_textareawrap">
```

scripts/basket/index.tpl

```
26 <div class="boxhead">
27 <h3>
28 
- 29 {translate key='Contents of your basket'}
+ 29 {translate key='Contents of your cart'}
30 </h3>
31 </div>
32
```

```
39 <td class="large img"></td>
40 <td class="name">{translate key="Product"}</td>
41 {if $showDelivery}
- 42 <td class="rwd-hide-medium time">{translate key="Order delivery date"}</td>
+ 42 <td class="rwd-hide-medium time">{translate key="Dispatched within"}</td>
43 {/if}
44 <td class="quantity">{translate key="Quantity"}</td>
45 <td class="rwd-hide-small price">{translate key="Price"}</td>
```

```
69 <td class="rwd-hide-small price">{currency value=$basket_product->getPrice()}</td>
70 <td class="sum"><em class="color">{currency value=$basket_product->getPriceForAll()}
</em></td>
71 <td class="actions">
- 72 <a href="{route key='basketRemove' basketId=$basket_product->getIdentifier()}"
title="{translate key='Remove product from your basket'}" class="prodremove">
+ 72 <a href="{route key='basketRemove' basketId=$basket_product->getIdentifier()}"
title="{translate key='Remove product from cart'}" class="prodremove">
73 
74
75 <i class="fa fa-times"></i>
```

```

84         <div class="delivery-container">
85             <div class="deliverycountry{if count($shipping_countries) < 2} none{/if}">
86                 <span colspan="3" class="desc">
- 87                     <em>{translate key="Shipping country:"}</em>
+ 87                     <em>{translate key="Shipping country"}:</em>
88                 </span>
89                 <span colspan="3" class="select">
90                     <select name="shipping_country">

96                 <span class="actions"></span>
97             </div>
98
- 99             <h5>{translate key="Shipping method:"}</h5>
+ 99             <h5>{translate key="Shipping method"}:</h5>
100
101             {foreach from=$shippings item=shipping name=list}
102                 <div class="delivery{if $shipping_id == (int) $shipping->getIdentifier()} selected{/if}"
{if 0 == $smarty.foreach.list.index} first{/if}">

117
118         <div class="payment-container">
119             <h5>
- 120                 {translate key="Payment method:"}
+ 120                 {translate key="Payment method"}:
121             </h5>
122
123             {foreach from=$payments item=payment name=list}

127         <input type="radio" name="payment_id" id="payment_{ $payment->getIdentifier(
))" value="{ $payment->getIdentifier()}" {if $payment_id == (int) $payment->getIdentifier()}checked="checked" {/if}/>
128         <label for="payment_{ $payment->getIdentifier()}"></label>
129         </span>
- 130         <label for="payment_{ $payment->getIdentifier()}">{ $payment->translation->title|
escape}{
- 131             if 'zagiell' == $payment->payment->name && $sum >= 100}
- 132             {plugin module=shop template=basket-zagiell}
- 133             {/if}{
- 134             if 'lukas' == $payment->payment->name && $sum >= 500}
- 135             {plugin module=shop template=basket-lukas}
- 136             {/if}</label>
- 137         <span class="description">{ $payment->translation->description|escape}</span>
+ 130         <label for="payment_{ $payment->getIdentifier()}">
+ 131             { $payment->translation->title|escape}
+ 132         </label>
+ 133         <span class="description">
+ 134             { $payment->translation->description|escape}
+ 135         {plugin module=shop template=basket-payment-list payment=$payment sum=$sum}

```

```

+ 136      </span>
137      <span class="additional_cost_percent"></span>
138      </span>
139      <span class="value"></span>

```

```

150      <label for="promocodeshow"></label>
151      </span>
152      <span class="desc">
- 153      <label for="promocodeshow">{translate key="I have discount coupon"}</label>
+ 153      <label for="promocodeshow">{translate key="I have a discount coupon code"}<
/label>
154      </span>
155      <span class="input">
156      {if true == $promocode_error || ! $promocode}

```

```

196      <span>{translate key='Calculate'}</span>
197      </button>
198      </span>
- 199      <span class="desc"><em>{translate key="Total:"}</em></span>
+ 199      <span class="desc"><em>{translate key="Total"}:</em></span>
200      <span class="sum">
201      <em class="color">{currency value=$user->basket->sumProducts(false)}</em>
202      </span>

```

```

205      <div class="deliveryhead">
206      <span class="cost">
- 208      <em>{translate key="Cost of delivery:"}</em>
+ 208      <em>{translate key="Shipping cost"}:</em>
209      </span>
210      <span class="value"><em class="color"></em></span>
211      <span class="actions"></span>

```

```

213      <div class="sum">
214      <span class="desc">
- 216      {translate key="Amount to be paid:"}
+ 216      {translate key="To pay"}:
217      </span>
218      <span class="value">
219      {currency value=$sum}

```

```

223      {if $loyalty_points}
224      <div class="loyalty_points">
225      <span class="value">

```

```

- 226         {translate key="You earn %s%s%s points" p1='<span class="points">' p2=$loyalty_
points p3='</span>'}
+ 226         {translate key="You gain %s%s%s points" p1='<span class="points">' p2=$loyalty_
points p3='</span>'}
227         </span>
228     </div>
229     {/if}

```

```

239         <span class="forward">
240             <button type="submit" class="important order btn btn-red" name="button2" value="button2
">
241                 
- 242                 <span>{translate key='Make order'}</span>
+ 242                 <span>{translate key='Order now'}</span>
243             </button>
244         </span>
245     </div>

```

```

249     </div>
250     {else}
251     <div class="alert-info alert">
- 252         <p>{translate key="Your basket is empty."}</p>
+ 252         <p>{translate key="Your cart is empty."}</p>
253     </div>
254     {/if}
255

```

scripts/basket/step2.tpl

```

24     <div class="box" id="box_basketstep2">
25         <div class="basket-step-border">
26             <div class="innerbox f-row">
- 27                 <div class="register {if $allow_single}f-grid-4{else}f-grid-6{/if}">
- 28                     <h3>
- 29                         
- 30                         {translate key="I don't have an account"}
- 31                     </h3>
- 32
- 33                     <p>{translate key='Set up an account to take advantage of benefits for regular customers:'}</p>
- 34                     <ul>
- 35                         <li>{translate key='view the progress of order fulfillment and your shopping history'}</li>
- 36                         <li>{translate key='no need to enter your details while shopping next time'}</li>
- 37                         <li>{translate key='opportunity to get discounts and promotional coupons'}</li>
- 38                         {if $loyalty_order_gives_points}
- 39                         <li>{translate key='placing an order will give you loyalty points'}</li>
- 40                         {/if}
- 41                     </ul>
- 42

```

```

- 43 <form action="{route key='basketRegister'}" method="get" class="register">
- 44 <fieldset>
- 45 <button class="btn btn-red important register" type="submit">
- 46 
- 47 <span>{translate key='Register'}</span>
- 48 </button>
- 49 </fieldset>
- 50 </form>
- 51 </div>
+ 27 {if $enable_register}
+ 28 <div class="register {if $allow_single}f-grid-4{else}f-grid-6{/if}">
+ 29 <h3>
+ 30 
+ 31 {translate key="I do not have an account yet"}
+ 32 </h3>
+ 33
+ 34 <p>{translate key='Sign up to take advantage of the privileges for returning customers'}:</p>
+ 35 <ul>
+ 36 <li>{translate key='view the order status and purchase history'}</li>
+ 37 <li>{translate key='no need to enter your data for next purchases'}</li>
+ 38 <li>{translate key='possibility to receive discounts and discount codes'}</li>
+ 39 {if $loyalty_order_gives_points}
+ 40 <li>{translate key='you can collect loyalty points for your shopping'}</li>
+ 41 {/if}
+ 42 </ul>
+ 43
+ 44 <form action="{route key='basketRegister'}" method="get" class="register">
+ 45 <fieldset>
+ 46 <button class="btn btn-red important register" type="submit">
+ 47 
+ 48 <span>{translate key='Create an account'}</span>
+ 49 </button>
+ 50 </fieldset>
+ 51 </form>
+ 52 </div>
+ 53 {/if}
+ 54
+ 55 {if $allow_single}
- 56 <div class="basket-no-register f-grid-4">
- 57 <p>{translate key="You don't have to set up an account at our shop to place an order."}</p>
- 58 <p>{translate key='Select the button "Place an order"'}</p>
+ 30 <div class="basket-no-register {if $enable_register} f-grid-4 register-enabled{else} f-grid-6{/if}"
>
+ 31 {if $enable_register === false}
+ 32 <h3>
+ 33 
+ 34 {translate key="I do not have an account"}
+ 35 </h3>
+ 36 {/if}
+ 37

```

```

+ 38 <p>{translate key="You don't have to create an account in our store to place an order."}</p>
+ 39 <p>{translate key='Click "Place an order" button'}</p>
40
41 <form action="{route key='basketNoRegister'}" method="get" class="order">
42 <button class="btn btn-red important order" type="submit">

73 </div>
74 {/if}
75
- 76 <div class="login {if $allow_single}f-grid-4{else}f-grid-6{/if}">
+ 76 <div class="login {if $allow_single && $enable_register}f-grid-4{elseif $allow_single || $enable_regist
er}f-grid-6{else}f-grid-12{/if}">
77 <h3>
78 
- 79 {translate key='I already have an account at the shop'}
+ 79 {translate key='I already have an account'}
80 </h3>
81
82 <form action="{route key='basketStep2'}" method="post" class="login" novalidate>
83 <fieldset>
84 <div class="form-line">
85 <input type="hidden" name="loginform" value="1">
- 86 <label for="input_mail">{translate key='E-mail:'}</label>
+ 86 <label for="input_mail">{translate key='E-mail'}:</label>
87 <div class="shaded_inputwrap inline">
88 <input type="email" class="" name="mail" value="{ $data.mail}" id="input_mail">
89 </div>
90 </div>
91
92 <div class="form-line">
- 93 <label for="input_pass">{translate key='Password:'}</label>
+ 93 <label for="input_pass">{translate key='Password'}:</label>
94 <div class="shaded_inputwrap inline">
95 <input type="password" class="" name="pass" value="{ $data.pass}" id="input_pass">
96 </div>

98
99 <button type="submit" class="btn btn-red important">
100 
- 101 <span>{translate key='Log in'}</span>
+ 101 <span>{translate key='Sign in'}</span>
102 </button>
103 </fieldset>
104 </form>

```

scripts/basket/step3.tpl

```

29 <td class="rwd-hide-medium rwd-hide-small img"></td>

```

```

30         <td class="name">{translate key="Product"}</td>
31         {if $showDelivery}
- 32         <td class="time">{translate key="Order delivery date"}</td>
+ 32         <td class="time">{translate key="Dispatched within"}</td>
33         {/if}
34         <td class="quantity">{translate key="Quantity"}</td>
35         <td class="price">{translate key="Price"}</td>

```

```

66         <div class="clear overflow">
67             <div class="address delivery">
68                 <h4 class="separator delivery">{translate key="Delivery address"}</h4>
+ 69
+ 70                 {if $shipping->handler->isOverwriteDeliveryAddress()}
+ 71                 {plugin module=shop template=basket-address-delivery-overwrite-rwd}
+ 72                 {else}
+ 73                 {if $data.name2 || $data.surname2}
+ 74                 <p>
+ 75                     {if $data.name2}
+ 76                     {$data.name2|escape}
+ 77                     {/if}
+ 78                     {if $data.surname2}
+ 79                     {$data.surname2|escape}
+ 80                     {/if}
+ 81                 </p>
+ 82                 {/if}
83
- 84                 {if $data.name2 || $data.surname2}
- 85                 <p>
- 86                     {if $data.name2}
- 87                     {$data.name2|escape}
- 88                     {/if}
- 89                     {if $data.surname2}
- 90                     {$data.surname2|escape}
- 91                     {/if}
- 92                 </p>
- 93                 {/if}
- 94
- 95                 {if $data.coname2}
- 96                 <p>{$data.coname2|escape}</p>
- 97                 {/if}
+ 70                 {if $data.coname2}
+ 71                 <p>{$data.coname2|escape}</p>
+ 72                 {/if}
73
- 74                 {if $data.nip2}
- 75                 <p>{translate key='NIP No.:'} {$data.nip2|escape}</p>
- 76                 {/if}
+ 72                 {if $data.nip2}
+ 73                 <p>{translate key='Tax ID'}: {$data.nip2|escape}</p>

```

```

+ 74         {/if}
75
- 76         {if $data.street2}
- 77         <p>{$data.street2|escape}</p>
- 78         {/if}
+ 74         {if $data.street2}
+ 75         <p>{$data.street2|escape}</p>
+ 76         {/if}
77
- 78         {if $data.zip2 || $data.city2}
- 79         <p>
- 80             {if $data.zip2}
- 81             {$data.zip2|escape},
- 82             {/if}
- 83             {if $data.city2}
- 84             {$data.city2|escape}
- 85             {/if}
- 86         </p>
- 87         {/if}
+ 76         {if $data.zip2 || $data.city2}
+ 77         <p>
+ 78             {if $data.zip2}
+ 79             {$data.zip2|escape},
+ 80             {/if}
+ 81             {if $data.city2}
+ 82             {$data.city2|escape}
+ 83             {/if}
+ 84         </p>
+ 85         {/if}
86
- 87         {if $data.country2}
- 88         <p>{country code=$data.country2}</p>
- 89         {/if}
+ 78         {if $data.country2}
+ 79         <p>{country code=$data.country2}</p>
+ 80         {/if}
81
- 82         {if $data.phone2}
- 83         <p>{$data.phone2|escape}</p>
+ 80         {if $data.phone2}
+ 81         <p>{$data.phone2|escape}</p>
+ 82         {/if}
83     {/if}
84 </div>
85
86     <div class="address invoice">
- 87         <h4 class="separator invoice2">{translate key="Invoicing address"}</h4>
+ 85         <h4 class="separator invoice2">{translate key="Billing address"}</h4>
86
87         {if 1 == $data.address_type && ($data.name || $data.surname)}

```

```

133         {/if}
134
135         {if $data.nip}
- 136             <p>{translate key='NIP No.:'} {$data.nip|escape}</p>
+ 136             <p>{translate key='Tax ID'}: {$data.nip|escape}</p>
137         {/if}
138
139         {if $data.street}

```

```

152         {/if}
153
154         {if $data.pesel}
- 155             <p>{translate key='PESEL:'} {$data.pesel|escape}</p>
+ 155             <p>{translate key='Personal Identification Number'}: {$data.pesel|escape}</p>
156         {/if}
157
158         {if $data.country}

```

```

170         {if $delivery}
171             <li class="date">
172                 <span>
- 173                     {translate key='Expected shipment date:'}
+ 173                     {translate key='Expected shipping date'}:
174                     <strong class="date">{$delivery->translation->name|escape}</strong>
175                 </span>
176             </li>

```

```

178
179         <li class="delivery">
180             <span>
- 181                 {translate key='Selected form of delivery:'}
+ 181                 {translate key='Selected form of delivery'}:
182                 <strong class="delivery">{$shipping->shipping->name|escape} ({$currency value=$shipp
ing->getCost()})</strong>
183             </span>
184         </li>
185
186         <li class="payment">
187             <span>
- 188                 {translate key='Selected form of payment:'}
+ 188                 {translate key='Selected form of payment'}:
189                 <strong class="payment">{$payment->translation->title|escape}</strong>
190             </span>
191         </li>

```

```
193         {if $discount_summary > 0}
194         <li class="payment">
195             <span>
- 196                 {translate key='Granted discount:'}
+ 196                 {translate key='Discounts granted'}:
197                 <strong class="payment">{currency value=$discount_summary}</strong>
198             </span>
199         </li>
```

```
202         {if $data.comment}
203         <li class="comment">
204             <span>
- 205                 {translate key='Comments:'}
+ 205                 {translate key='Notes'}:
206                 <strong class="comment">{$data.comment|escape}</strong>
207             </span>
208         </li>
```

```
212     </div>
213
214     <p class="sum">
- 215         <span class="label">{translate key="Amount to be paid:"}</span>
+ 215         <span class="label">{translate key="To pay"}:</span>
216         <span class="sum">{currency value=$sum}</span>
217     </p>
218
```

scripts/body_head.tpl

```
3     <div id="cookie">
4         <div class="pagewidth">
5             {if $cookiepage}
- 6                 <span>{translate key="In order to deliver services, this website uses cookies in accordance with the %sCookies Poli
cy%s. You can specify the cookies storage conditions and access them in your browser settings." s1="<a href=\"\$cookiepage\">" s2="</a>"}
</span>
+ 6                 <span>{translate key="This site uses cookies to deliver services in accordance with the %sCookie Files Policy%s. Yo
u can set the conditions for storage and access to cookies in your browser settings." s1="<a href=\"\$cookiepage\">" s2="</a>"}</span>
7                 {else}
- 8                 <span>{translate key="In order to deliver services, this website uses cookies in accordance with the %sCookies Poli
cy%s. You can specify the cookies storage conditions and access them in your browser settings." s1="" s2=""}</span>
+ 8                 <span>{translate key="This site uses cookies to deliver services in accordance with the %sCookie Files Policy%s. Yo
u can set the conditions for storage and access to cookies in your browser settings." s1="" s2=""}</span>
9                 {/if}
10                 <span class="close fa fa-times"></span>
11             </div>
```

```
30     </a>
```

```

31         </li>
32         <li class="logout">
- 33             <a href="{route key='logout'}" title="{translate key='Log out'}" class="logout">
+ 33             <a href="{route key='logout'}" title="{translate key='Sign out'}" class="logout">
34                 
- 35                 <span>{translate key='Log out'}</span>
+ 35                 <span>{translate key='Sign out'}</span>
36             </a>
37         </li>
38     {else}
- 39         <li class="register">
- 40             <a href="{route key='register'}" title="{translate key='Register'}" class="register">
- 41                 
- 42                 <span>{translate key='Register'}</span>
- 43             </a>
- 44         </li>
+ 39         {if $enable_register}
+ 40         <li class="register">
+ 41             <a href="{route key='register'}" title="{translate key='Create an account'}" class="register">
+ 42                 
+ 43                 <span>{translate key='Create an account'}</span>
+ 44             </a>
+ 45         </li>
+ 46     {/if}
47     <li class="login">
- 48         <a href="{route key='login'}" title="{translate key='Log in'}" class="login">
+ 41         <a href="{route key='login'}" title="{translate key='Sign in'}" class="login">
42             
- 43             <span>{translate key='Log in'}</span>
+ 43             <span>{translate key='Sign in'}</span>
44         </a>
45     </li>
46     {/if}

```

```

57     {/if}
58
59     <div class="logo-bar row container">
- 60         <a href="{baseDir nonempty=1}" title="{translate key='Main page'}" class="link-logo {if $seo_has_blank_logo}link-logo-text{
else}link-logo-img{/if} left">
+ 60         <a href="{baseDir nonempty=1}" title="{translate key='Home page'}" class="link-logo {if $seo_has_blank_logo}link-logo-text{
else}link-logo-img{/if}">
61             {if $seo_has_blank_logo}
62                 {$seo_logo_title|escape}
63             {else}

```

```

68     {if 1 == $skin_settings->header->basket}
69         {dynamic}
70         <div class="basket right{if 0 == $user->basket->countProducts()} empty-basket{/if}">
- 71         <a href="{route key='basket'}" title="{translate key='Basket'}" class="count">

```

```

+ 71 <a href="{route key='basket'}" title="{translate key='Cart'}" class="count">
72 
73 <span class="countlabel">
- 74 <span>{translate key="Basket"}:</span>
+ 74 <span>{translate key="Cart"}:</span>
75 <b>
76 {if 0 == $user->basket->countProducts()}
77 ({translate key="empty"})
78 {else}
- 79 <b class="sum">{currency value=$user->basket->sumProducts(false)}</b>
+ 79 <b class="sum">{currency value=$user->basket->sumProducts()}</b>
80 <b class="count">(<span>{$user->basket->countProducts()}</span>)</b>
81 {/if}
82 </b>

90 {foreach from=$user->basket item=basket_product}
91 <li>
92 product->translation->name|escape}" />
- 93 <a class="product-name" href="{route function='product' key=$basket_product->product->product->product_id productName=$basket_product->product->translation->name
- 94 productId=$basket_product->product->product->product_id}" title="{ $basket_product->product->translation->name|escape}">{ $basket_product->product->translation->name|escape}</a>
+ 93
+ 94 <a class="product-name" href="{route function='product' key=$basket_product->product->product->product_id productName=$basket_product->product->translation->name productId=$basket_product->product->product->product_id}" title="{ $basket_product->product->translation->name|escape}">
+ 95 { $basket_product->product->translation->name|escape}
+ 96
+ 97 {if $basket_product->getName()}
+ 98 <span class="product-variant">{ $basket_product->getName() |escape}</span>
+ 99 {/if}
+ 100 </a>
+ 101
102 <span class="product-info">
103 <span class="product-amount">{float precision=$QUANTITY_PRECISION value=$basket_product->basket->quantity trim=true}</span> x <span class="product-price">{currency value=$basket_product->getPrice()}</span>
104 </span>
+ 105
106 <span class="remove-product"><a href="{route key='basketRemove' basketId=$basket_product->getId entifier()}">{translate key="remove"}</a></span>
107 </li>
108 {/foreach}

110 </div>
111
112 <div class="basket-summery">
- 113 <a href="{route key='basket'}">{translate key="checkout"}</a>
- 114 <span class="basket-price"><span>{translate key="total"}:</span> <strong>{currency value=$user->basket->sum

```

```

Products(false)}</strong></span>
+ 113 <a href="{route key='basket'}">{translate key="to checkout"}</a>
+ 114 <span class="basket-price{if $user->basket->sumProducts(false) != $user->basket->sumProducts()} basket-pri
ce-discount{/if}">
+ 115 <span class="price-total">
+ 116 <span>{translate key="total"}:</span>
+ 117 <strong class="price-products">{currency value=$user->basket->sumProducts(false)}</strong>
+ 118 </span>
+ 119 {if $user->basket->sumProducts(false) != $user->basket->sumProducts()}
+ 120 <span class="price-total-discount">
+ 121 <span>{translate key="total (after discount)}:</span>
+ 122 <strong class="price-total">{currency value=$user->basket->sumProducts()}</strong>
+ 123 </span>
+ 124 {/if}
+ 125 </span>
126 </div>
127 </div>
128 {/dynamic}

```

```

131 {if 1 == $skin_settings->header->searchbox}
132 <form class="search-form right" action="{route key='search'}" method="post">
133 <fieldset>
- 134 <input type="text" name="search" placeholder="{translate key='search in the shop...'}" value="" class="search-i
nput s-grid-3" />
+ 134 <input type="text" name="search" placeholder="{translate key='search in the store...'}" value="" class="search-
input s-grid-3" />
135 <button type="submit" class="search-btn btn btn-red">
136 
137 <span>{translate key="Search"}</span>

```

```

148 {if count($breadcrumbs->getBreadCrumbs()) > 0}
149 <div class="breadcrumbs large tablet row">
150 <div class="innerbreadcrumbs row container">
- 151 <a href="{baseDir nonempty=1}" title="{translate key='Main page'}" rel="nofollow" class="breadcrumb-home left">
+ 151 <a href="{baseDir nonempty=1}" title="{translate key='Home page'}" rel="nofollow" class="breadcrumb-home left">
152 
153 <span>{translate key="You are here"}:</span>
154 </a>

```

```

194 </object>
195 <![endif]-->
196 {else}
- 197 <a href="{route key='banner' bannerId=$banner->getIdentifier()}" title="{ $banner->banner->name|escape}" cla
ss="banner{if 1 == (int) $banner->banner->blank} popup{/if}">
+ 197 <a {if 1 == (int) $banner->banner->blank}target="_blank"{/if} href="{route key='banner' bannerId=$banner->g
etIdentifier()}" title="{ $banner->banner->name|escape}" class="banner">
198 banner->name|escape}" width="{ $banner->banner->
width|escape}" height="{ $banner->banner->height|escape}" />

```

```
199 </a>
200 {/if}
```

scripts/body_head_checkout.tpl

```
1 <div class="wrap {if $smarty.cookies.show_full_page == 0}rwd{/if}">
2 <header class="row checkout">
3 <div class="logo-bar row container">
- 4 <a href="{baseDir nonempty=1}" title="{translate key='Main page'}" class="link-logo {if $seo_has_blank_logo}link-logo-text{
else}link-logo-img{/if} left">
+ 4 <a href="{baseDir nonempty=1}" title="{translate key='Home page'}" class="link-logo {if $seo_has_blank_logo}link-logo-text{
else}link-logo-img{/if}">
5 <div class="logo-bar row container">
6 <div class="logo-bar row container">
7 <div class="logo-bar row container">
```

```
11 <div class="basket-steps">
12 <div class="basket-steps">
13 <ol>
- 14 <li class="mark-green">
+ 14 <li class="mark-green">
15 <li class="mark-green">
- 16 <span>{translate key="Basket"}</span>
+ 16 <span>{translate key="Cart"}</span>
17 </li>
18 </li>
19 </li>
```

```
33 </div>
34 </div>
35 <div class="breadcrumbs">
- 36 <li {if $body_class == shop_basket_finished}class="mark-green" {/if}>
+ 36 <li {if $body_class == 'shop_basket_finished'}class="mark-green" {/if}>
37 <span>{translate key="Summary"}</span>
38 </li>
39 </li>
40 </li>
41 <div class="breadcrumbs">
- 42 <li {if $body_class == shop_basket_finished}class="mark-green" {/if}>
+ 42 <li {if $body_class == 'shop_basket_finished'}class="mark-green" {/if}>
43 <span>{translate key="Confirmation"}</span>
44 </li>
45 </li>
```

scripts/categories/list.tpl

```
42 </div>
```

```
43     {else}
44         <div class="alert-info alert">
- 45             <p>{translate key="No category has been found."}</p>
+ 45             <p>{translate key="No categories found."}</p>
46         </div>
47     {/if}
48
```

scripts/contact/index.tpl

```
36     {include file='formantisspam.tpl'}
37     <div class="f-row">
38         <div class="labe-name f-grid-3">
- 39             <label for="contact1">{translate key="Name and surname:"}</label>
+ 39             <label for="contact1">{translate key="First and last name"}:</label>
40         </div>
41
42         <div class="f-grid-9">
```

```
53
54         <div class="f-row">
55             <div class="labe-address f-grid-3">
- 56                 <label for="contact2">{translate key="E-mail address:"} <em class="color">*</em> </labe
l>
+ 56                 <label for="contact2">{translate key="E-mail address"}: <em class="color">*</em> </labe
l>
57             </div>
58
59             <div class="f-grid-9">
```

```
70
71         <div class="f-row">
72             <div class="labe-address f-grid-3">
- 73                 <label for="contact3">{translate key="Subject:"}</label>
+ 73                 <label for="contact3">{translate key="Subject"}:</label>
74             </div>
75
76             <div class="f-grid-9">
```

```
87
88         <div class="f-row">
89             <div class="labe-message f-grid-3">
- 90                 <label for="contact4">{translate key="Message:"} <em class="color">*</em></label>
+ 90                 <label for="contact4">{translate key="Message"}: <em class="color">*</em></label>
91             </div>
92
93             <div class="f-grid-9">
```

scripts/error/not-found.tpl

```
26         <div class="boxhead">
27             <h3>
28                 
- 29                 {translate key="Requested page doesn't exist"}
+ 29                 {translate key="Requested page does not exist"}
30             </h3>
31         </div>
32
33         <div class="innerbox">
- 34             <p>{translate key="We are sorry, page you are looking for doesn't exist."}</p>
- 35             <p>{translate key="If you're looking for a product, use search form below"}</p>
+ 34             <p>{translate key="Sorry, the page you are looking for was not found."}</p>
+ 35             <p>{translate key="If you are looking for a specific product, use the search engine."}</p>
36
37             <form action="{route key='search'}" method="post">
38                 <fieldset>
39                     {include file='formantispam.tpl'}
- 40                     <input type="text" name="search" value="" placeholder="{translate key='search in the shop...'}" cla
+ 39                     <input type="text" name="search" value="" placeholder="{translate key='search in the store...'}" cl
+ 39                     ass="fadingtext">
- 40                     <input type="text" name="search" value="" placeholder="{translate key='search in the shop...'}" cla
- 40                     ss="fadingtext">
+ 39                     <input type="text" name="search" value="" placeholder="{translate key='search in the store...'}" cl
+ 39                     ass="fadingtext">
40                 <button class="btn" type="submit">
41                     
42                     <span>{translate key='Search'}</span>
43
44
45
46         </form>
47
48         <p>
- 49             <a href="{baseDir nonempty=1}" title="">{translate key="or go to main page"}</a>
+ 49             <a href="{baseDir nonempty=1}" title="">{translate key="or go to home page"}</a>
50         </p>
51     </div>
52 </div>
```

scripts/flash_messages.tpl

```
1     {dynamic}
- 2     <div class="container">
- 3         {foreach from=$flash_messages.error item=item key=k}
- 4             <div class="alert-error alert">
- 5                 <button type="button" class="close icon-remove" >
- 6                     <span>{translate key="close"}</span>
- 7                     
- 8                 </button>
- 9             <div class="row">
```



```

- 10         <p>{$item.message}</p>
+ 2         {if $flash_messages.error|@count > 0 || $flash_messages.warning|@count > 0 || $flash_messages.info|@count > 0 || $flash_messages.su
ccess|@count > 0}
+ 3         <div class="container">
+ 4             {foreach from=$flash_messages.error item=item key=k}
+ 5                 <div class="alert-error alert">
+ 6                     <button type="button" class="close icon-remove" >
+ 7                         <span>{translate key="close"}</span>
+ 8                         
+ 9                     </button>
+ 10                    <div class="row">
+ 11                        <p>{$item.message}</p>
+ 12                    </div>
13                </div>
- 14            </div>
- 15        {/foreach}
+ 4        {/foreach}
5
- 6        {foreach from=$flash_messages.warning item=item key=k}
- 7            <div class="alert-warning alert">
- 8                <button type="button" class="close icon-remove" >
- 9                    <span>{translate key="close"}</span>
- 10                   
- 11                </button>
- 12                <div class="row">
- 13                    <p>{$item.message}</p>
+ 6                {foreach from=$flash_messages.warning item=item key=k}
+ 7                    <div class="alert-warning alert">
+ 8                        <button type="button" class="close icon-remove" >
+ 9                            <span>{translate key="close"}</span>
+ 10                           
+ 11                        </button>
+ 12                        <div class="row">
+ 13                            <p>{$item.message}</p>
+ 14                        </div>
15                    </div>
- 16                </div>
- 17            {/foreach}
+ 8        {/foreach}
9
- 10        {foreach from=$flash_messages.info item=item key=k}
- 11            <div class="alert-info alert">
- 12                <button type="button" class="close icon-remove" >
- 13                    <span>{translate key="close"}</span>
- 14                    
- 15                </button>
- 16                <div class="row">
- 17                    <p>{$item.message}</p>
+ 10                {foreach from=$flash_messages.info item=item key=k}
+ 11                <div class="alert-info alert">

```

```

+ 12         <button type="button" class="close icon-remove" >
+ 13             <span>{translate key="close"}</span>
+ 14             
+ 15         </button>
+ 16         <div class="row">
+ 17             <p>{$item.message}</p>
+ 18         </div>
19     </div>
- 20 </div>
- 21 {/foreach}
- 22
- 23 {foreach from=$flash_messages.success item=item key=k}
- 24     <div class="alert-success alert">
- 25         <button type="button" class="close icon-remove" >
- 26             <span>{translate key="close"}</span>
- 27             
- 28         </button>
- 29         <div class="row">
- 30             <p>{$item.message}</p>
+ 12         {/foreach}
+ 13
+ 14     {foreach from=$flash_messages.success item=item key=k}
+ 15         <div class="alert-success alert">
+ 16             <button type="button" class="close icon-remove" >
+ 17                 <span>{translate key="close"}</span>
+ 18                 
+ 19             </button>
+ 20             <div class="row">
+ 21                 <p>{$item.message}</p>
+ 22             </div>
23         </div>
- 24     </div>
- 25 {/foreach}
- 26 </div>
+ 14 {/foreach}
+ 15 </div>
+ 16 {/if}
17 {/dynamic}

```

scripts/footer.tpl

```

8         {foreach from=$group->links item=link name=links}
9             {if $link->getHref()}
10                 <li>
- 11                     <a href="{ $link->getHref() |escape}" class="{if $link->isPopup()}popup{/if}" title="{ $link->getT
title() |escape}" id="footlink{ $link->getIdentifier()}">
+ 11                     <a href="{ $link->getHref() |escape}" {if $link->isPopup()}target="_blank" /if} title="{ $link->ge
tTitle() |escape}" id="footlink{ $link->getIdentifier()}">
12                         
13                         { $link->getTitle() |escape}

```

```

31     </footer>
32
33     <div class="up">
- 34         <a href="#" title="#" class="btn fa fa-2x fa-angle-up">
+ 34         <a href="#" title="{translate key="up"}" class="btn fa fa-2x fa-angle-up">
35             
36             <span>{translate key="up"}</span>
37     </a>

```

scripts/header.tpl

```

3  <!--[if IE 9]>           <html lang="{lang key='short'}" class="lt-ie8 lt-ie9"> <![endif]-->
4  <!--[if gt IE 9]><!--> <html lang="{lang key='short'}"> <!--<![endif]-->
5  <head>
+ 6  <meta http-equiv="X-UA-Compatible" content="IE=edge">
7  <meta charset="utf-8">
- 8  <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1">
9  <title>{$seo_title|escape}</title>
10 <meta name="keywords" content="{ $seo_keywords|escape}" />
11 <meta name="description" content="{ $seo_description|escape}" />
- 12 <meta name="viewport" content="{if $smarty.cookies.show_full_page == 0}width=device-width, user-scalable=no{else}{/if}">
+ 10 <meta name="viewport" content="{if $smarty.cookies.show_full_page == 0}width=device-width, user-scalable=no, initial-scale=1.0, max
imum-scale=1.0{else}{/if}">
11 <link rel="home" href="{baseDir nonempty=1}" />
12 <link rel="shortcut icon" href="{ $path}images/favicon.png" />
- 13 <link rel="stylesheet" type="text/css" href="{sfc type='css' id=$skin_id user=$user_css gallery=0 lang=$lang_full}" />
+ 13
+ 14 {plugin module=shop template=pre-head}
+ 15
+ 16 <link id="csslink" rel="stylesheet" type="text/css" href="{sfc type='css' id=$skin_id user=$user_css gallery=0 lang=$lang_full}" />
17 <script type="text/javascript" src="{sfc type='js' id=$skin_id user=$user_js gallery=0 lang=$lang_full moo=0 jq=1 mainname='main-jq
'}"></script>
18
19 {if count($seo_links)}

```

```

31     {/foreach}
32     {/if}
33
- 34     {$snippet_head}
+ 34     {$snippet_head}
+ 35
+ 36     {plugin module=shop template=post-head}
37 </head>

```

scripts/headerlinks.tpl

```
5         <ul class="menu-list large standard">
6             <li class="home-link-menu-li">
7                 <h3>
- 8                     <a href="{baseDir nonempty=1}" title="{translate key='Main page'}" class="">
- 9                         
+ 8                     <a href="{baseDir nonempty=1}" title="{translate key='Home page'}">
+ 9                         
10                 </a>
11             </h3>
12         </li>
13
14         {foreach from=$headerlinks item=link}
- 15             {if $link->getHref() || $link->isActiveCategory()}
- 16                 <li class="{if $link->hasSubCategories()}parent{/if}" {if $link->getCategoryId()}id="hcategory_{$link->getC
+ 14                 {if $link->getHref() || $link->isActiveCategory() || $link->isActiveNewsCategory()}
+ 15                 <li {if $link->hasSubCategories() || $link->hasNewsSubCategories()} class="parent" {/if} {if $link->isCategory
16                 <h3>
- 17                     <a href="{ $link->getHref($view)|escape}" title="{ $link->getTitle()|escape}" id="headlink{ $link->get
+ 16                     <a {if $link->isPopup()}target="_blank" {/if} href="{ $link->getHref($view)|escape}" title="{ $link->g
17                     <span>{ $link->getTitle()|escape}</span>
18                     
19                 </a>
20             </h3>
21             {if $link->hasSubCategories()}
22                 {include file='headermenu.tpl' level=1 headermenu_categories=$link->getActiveLangChildrenList()}
+ 23             {elseif $link->hasNewsSubCategories()}
+ 24             {include file='headernews.tpl' headernews_categories=$link->getNewsActiveLangChildrenList()}
25             {/if}
26         </li>
27     {/if}

```

```
48         </a>
49     </li>
50     <li class="menu-mobile-li small-cart flex flex-4">
- 51         <a href="{route key='basket'}" title="{translate key='Basket'}" class="icon icon-custom-cart">
+ 51         <a href="{route key='basket'}" title="{translate key='Cart'}" class="icon icon-custom-cart">
52         
53     </a>
54 </li>

```

scripts/headernews.tpl

```

+ 1         <div class="submenu level0">
+ 2             <ul class="level0">
+ 3                 {foreach from=$headernews_categories item=cat}
+ 4                     <li id="ncategory_{$cat->getIdentifier()|escape}">
+ 5                         <h3>
+ 6                             <a href="{route function='newsCategory' key={$cat->getIdentifier() categoryId={$cat->getIdentifier() cate
goryName={$cat->category->name view=$view resetparams=true}}"
+ 7                                 title="{ $cat->category->name|escape}" id="headernews{$cat->getIdentifier()}" class="spanhover">
+ 8                                 <span>{$cat->category->name|escape}</span>
+ 9                                 
+ 10                                </a>
+ 11                            </h3>
+ 12                        </li>
+ 13                    {/foreach}
+ 14                </ul>
+ 15            </div>

```

scripts/index/index.tpl

```

- 1     {php}$helper = $this->_tpl_vars['helper'];{/php}
  2     {include file='header.tpl'}
  3     <body{if $body_id} id="{ $body_id|escape}"{/if}{if $body_class} class="{ $body_class|escape}"{/if}>
  4         {include file='body_head.tpl'}

```

```

  34         {if 1 == $skin_settings->productlist->allowviewchange}
  35             <ul class="prodview inline text-right">
  36                 <li class="photo{if 'phot' == $view} selected{/if}">
- 37                     <a class="fa fa-th" href="{route function='indexpage' key=0 page=1 sort=1 view='phot'}{
if $google}?{$google|escape}{/if}" title="{translate key='View with photo'}"></a>
+ 37                     <a class="fa fa-th" href="{route function='indexpage' key=0 page=1 sort=1 view='phot'}{
if $google}?{$google|escape}{/if}" title="{translate key='Picture view'}"></a>
  38                 </li>
  39                 <li class="full{if 'full' == $view} selected{/if}">
  40                     <a class="fa fa-th-list" href="{route function='indexpage' key=0 page=1 sort=1 view='fu
ll'}{if $google}?{$google|escape}{/if}" title="{translate key='Full view'}"></a>

```

```

  45
  46         <div class="row search-info">
  47             {if 'search' == $list_type}
- 48                 <b class="count">{translate key='Number of products found:'} {$products->getTotalItemCount()}</
b>
+ 48                 <b class="count">{translate key='Products found'}: {$products->getTotalItemCount()}</b>
  49             {/if}
  50         </div>
  51     </div>

```

scripts/login/login.tpl

```

25
26     <div class="box" id="box_login">
27         <div class="boxhead">
- 28             <span>{translate key="Log in"} \ {translate key="Register"}</span>
+ 28             <span>{translate key="Sign in"}{if $enable_register} \ {translate key="Create an account"}{if}</span>
29         </div>
30
31         <div class="innerbox">
32             <div class="f-row">
33                 <form action="{route key='login'}" method="post" class="f-grid-6 login-inner">
34                     <fieldset class="">
- 35                         <h3 class="login-head"><span>{tra
nslate key="Log in"}</span></h3>
+ 35                         <h3 class="login-head"><span>{tra
nslate key="Sign in"}</span></h3>
36                             {include file='formantispan.tpl'}
- 37                             <input type="hidden" name="last_url" value="{last_url}" />
+ 37                             <input type="hidden" name="last_url" value="{last_url|escape}" />
38                             <label for="mail_input_long">{translate key="E-mail"}</label>
39                             <input type="text" name="mail" id="mail_input_long" size="30">
40                             <label for="pass_input_long">{translate key="Password"}</label>
41                             <input type="password" name="pass" id="pass_input_long" size="30">
42                             <button type="submit" class="btn btn-red login">
43                                 
- 44                                 <span>{translate key="Log in"}</span>
+ 44                                 <span>{translate key="Sign in"}</span>
45                             </button>
- 46                             <p>{translate key='Don\'t remember your password? %sClick here%s.' p1="<a href=\"\$passlink\">"
p2='</a>'}</p>
+ 46                             <p>{translate key='Forgot your password? %sClick here%s.' p1="<a href=\"\$passlink\">" p2='</a>'
}</p>
47                         </fieldset>
48                     </form>
49
- 50                 <div class="f-grid-6 register-inner">
- 51                     <h3 class="register-head">
- 52                         
- 53                         <span>{translate key="Register"}</span>
- 54                     </h3>
- 55
- 56                     <p>{translate key='You will receive additional benefits:'}</p>
- 57
- 58                     <ul class="register-addons">
- 59                         <li>{translate key='view the progress of order fulfillment'} </li>
- 60                         <li>{translate key='view your shopping history'}</li>
- 61                         <li>{translate key='no need to enter your details while shopping next time'}</li>
- 62                         <li>{translate key='opportunity to get discounts and promotional coupons'}</li>
- 63                     </ul>
- 64
- 65                     <form action="{route key='register'}" method="get" class="register-form">
- 66                         <fieldset>

```

```

- 67         {include file='formantisipam.tpl'}
- 68         <button type="submit" class="btn register">
- 69             
- 70             <span>{translate key="Register"}</span>
- 71         </button>
- 72     </fieldset>
- 73 </form>
- 74 </div>
+ 50     {if $enable_register}
+ 51         <div class="f-grid-6 register-inner">
+ 52             <h3 class="register-head">
+ 53                 
+ 54                 <span>{translate key="Create an account"}</span>
+ 55             </h3>
+ 56
+ 57             <p>{translate key='You will receive additional benefits'}:</p>
+ 58
+ 59             <ul class="register-addons">
+ 60                 <li>{translate key='view the status of orders'} </li>
+ 61                 <li>{translate key='purchase history preview'}</li>
+ 62                 <li>{translate key='no need to enter your data for next purchases'}</li>
+ 63                 <li>{translate key='possibility to receive discounts and discount codes'}</li>
+ 64             </ul>
+ 65
+ 66             <form action="{route key='register'}" method="get" class="register-form">
+ 67                 <fieldset>
+ 68                     {include file='formantisipam.tpl'}
+ 69                     <button type="submit" class="btn register">
+ 70                         
+ 71                         <span>{translate key="Create an account"}</span>
+ 72                     </button>
+ 73                 </fieldset>
+ 74             </form>
+ 75         </div>
+ 76     {/if}
77 </div>
78 </div>
79 </div>

```

scripts/login/passremind.tpl

```

23
24     <div class="box" id="box_passchange">
25         <div class="boxhead">
- 26             <span>{translate key="Change of password"}</span>
+ 26             <span>{translate key="Password change"}</span>
27         </div>
28
29         <div class="innerbox">

```

```

41         <div class="bottombuttons">
42             <button type="submit" class="btn passchange">
43                 
- 44                 <span>{translate key="Change your password"}</span>
+ 44                 <span>{translate key="Change password"}</span>
45             </button>
46         </div>
47     </fieldset>

```

scripts/login/passremind2.tpl

```

23
24     <div class="box" id="box_passchange">
25         <div class="boxhead">
- 26             <span>{translate key="Enter a new password"}</span>
+ 26             <span>{translate key="Enter new password"}</span>
27         </div>
28
29         <div class="innerbox">

```

```

43         </ul>
44     </if>
45
- 46     <label for="pass2_input"><em class="color">*</em> {translate key="Retype your password"}:</label>
+ 46     <label for="pass2_input"><em class="color">*</em> {translate key="Repeat password"}:</label>
47     <div class="shaded_inputwrap{if $data_error.pass2} error{/if}">
48         <input type="password" name="pass2" id="pass2_input" value="" size="30" />
49     </div>

```

scripts/login/register.tpl

```

67         </foreach>
68
69         <if 'full' == $mode>
- 70             <h4 class="separator address">{translate key='Address'}</h4>
+ 70             <h4 class="separator address">{translate key='Address details'}</h4>
71             <div>
72                 <span class="adress-label"></span>
73                 <span class="input">

```

```

193     <div class="bottombuttons">
194         <button type="submit" class="btn btn-red right register">
195             
- 196             <span>{translate key="Register"}</span>
+ 196             <span>{translate key="Create an account"}</span>

```



```
197         </button>
198     </div>
199 </div>
```

scripts/news/category.tpl

```
+1 {include file='news/list.tpl'}
```

scripts/news/comments.tpl

```
+1 {if false != $article_comments}
+2     <div class="box row tab" id="box_articlecomments">
+3         <div class="boxhead tab-head">
+4             <h3>
+5                 
+6                 {translate key="Post comments"} ({ $article_comments|count})
+7             </h3>
+8         </div>
+9
+10        <div class="innerbox tab-content tab-comments">
+11            {foreach from=$article_comments item=comment name=list}
+12                <div class="articlecomment" id="comment{ $comment->getIdentifier()}" itemprop="review" itemscope itemtype=" { $schema }://
schema.org/Review">
+13                    <div class="floatfix row">
+14                        <h5 class="reviewer" itemprop="author">{ $comment->comment->user_name|escape}</h5>
+15                        <div class="date">{date value=$comment->comment->date}</div>
+16                    </div>
+17                    <p class="description row" itemprop="description">{ $comment->comment->content|escape}</p>
+18                </div>
+19            {/foreach}
+20
+21            <div id="commentform">
+22                {if $can_comment}
+23                    <form action="{route key='newsComment' newsId=$article->getIdentifier()}" method="post" class="comment multirow">
+24                        <fieldset>
+25                            {include file='formantispam.tpl'}
+26
+27                            <label for="commentuser">{translate key="First and last name"}:</label>
+28                            <div class="f-row">
+29                                <input name="user" type="text" id="commentuser" value="{if $user_logged}{ $user->user->getName()|escape}
{else}{ $data.user|escape} {/if}" size="30" class="f-grid-12" >
+30                            </div>
+31                            {if $data_error.user}
+32                                <ul class="input_error">
+33                                    {foreach from=$data_error.user item=err_text}
+34                                        <li>{ $err_text|escape}</li>
+35                                    {/foreach}
+36                                </ul>
+37                            {/if}
```

```

+ 38
+ 39 <label for="comment">{translate key="Your comment"}:</label>
+ 40 <div class="f-row">
+ 41 <textarea name="comment" id="comment" rows="5" cols="30" class="f-grid-12">{$data.comment|escape}</text
area>
+ 42 </div>
+ 43 {if $data_error.comment}
+ 44 <ul class="input_error">
+ 45 {foreach from=$data_error.comment item=err_text}
+ 46 <li>{$err_text|escape}</li>
+ 47 {/foreach}
+ 48 </ul>
+ 49 {/if}
+ 50
+ 51 <button type="submit" class="btn">
+ 52 
+ 53 <span>{translate key="Send"}</span>
+ 54 </button>
+ 55 </fieldset>
+ 56 </form>
+ 57 {/if}
+ 58 </div>
+ 59 </div>
+ 60 </div>
+ 61 {/if}

```

scripts/news/files.tpl

```

+ 1 {if $can_download != false && $article_files != false && $article_files|count > 0}
+ 2 <div class="box row tab" id="box_articlefiles">
+ 3 <div class="boxhead tab-head">
+ 4 <h3>
+ 5 
+ 6 {translate key="Files"} ({$article->files|count})
+ 7 </h3>
+ 8 </div>
+ 9
+ 10 <ul class="innerbox tab-content tab-files">
+ 11 {foreach from=$article->files item=file name=list}
+ 12 <li class="articlefile" id="file{$file->file_id}">
+ 13 <a href="{route key='newsDownload' fileId=$file->file_id fileName=$file->name}" target="_blank">{$file->name}</a>
+ 14 <p>{$file->description}</p>
+ 15 </li>
+ 16 {/foreach}
+ 17 </ul>
+ 18 </div>
+ 19 {/if}

```

scripts/news/index.tpl

```

22         {/dynamic}
23
24         <article class="box" id="box_article">
- 25             <div class="boxhead">
- 26                 <h1>
- 27                     
- 28                     {$article->article->name|escape}
- 29                 </h1>
- 30
- 31                 <h5 class="article_date">
- 32                     {date value=$article->article->date format='Zend_Date::DATE_MEDIUM'}{if $article->article->author}, {$a
rticle->article->author|escape}{/if}
- 33                 </h5>
+ 25             <div class="row article-header">
+ 26                 
+ 27                 <span class="article-name">{$article->article->name|escape}</span>
+ 28                 {if $enable_comments}
+ 29                     <a class="article-comments" href="{route function='news' key=$article->getIdentifier() newsId=$article-
>getIdentifier() newsName=$article->article->name newsYear="Y"|date:$article->articleTimestamp newsMonth="m"|date:$article->articleTimes
tamp newsDay="d"|date:$article->articleTimestamp)#commentform">
+ 30                         {$article->getValidatedComments()|count}
+ 31                     </a>
+ 32                 {/if}
33             </div>
34
- 35             <div class="innerbox">
- 36                 <div class="resetcss">{$article->article->content}</div>
+ 28             <div class="row article-info">{strip}
+ 29                 {capture assign="articleDate"}
+ 30                     {date value=$article->article->date format='Zend_Date::DATE_MEDIUM'}
+ 31                 {/capture}
+ 32
+ 33                 {assign var="articleCategories" value="-"}
+ 34                 {foreach from=$article->getActiveCategories() item=category name=listCat}
+ 35                     {if $smarty.foreach.listCat.index == 0}
+ 36                         {capture assign="articleCategories"}
+ 37                             <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->ge
tIdentifier() categoryName=$category->category->name}">{$category->category->name}</a>
+ 38                             {/capture}
+ 39                             {else}
+ 40                                 {capture append="articleCategories"}
+ 41                                     <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->ge
tIdentifier() categoryName=$category->category->name}">{$category->category->name}</a>
+ 42                                     {/capture}
+ 43                                 {/if}
+ 44                             {/foreach}
+ 45                         {if $articleCategories|is_array}
+ 46                             {assign var="articleCategories" value=', '|implode:$articleCategories}
+ 47                         {/if}
+ 48                     {if $article->article->author}

```

```

+ 49         {translate key="Added: %s in category: %s author: %s" s1='<span class="article-date">' |cat:$articleDate
|cat:'</span>' s2='<span class="article-categories">' |cat:$articleCategories|cat:'</span>' s3='<span class="article-author">' |cat:$artic
le->article->author|cat:'</span>'}
+ 50         {else}
+ 51         {translate key="Added: %s in category: %s" s1='<span class="article-date">' |cat:$articleDate|cat:'</spa
n>' s2='<span class="article-categories">' |cat:$articleCategories|cat:'</span>'}
+ 52         {/if}
+ 53         {/strip}</div>
+ 54
+ 55         <div class="resetcss row article-content">
+ 56         {if $article->image}
+ 57         
+ 58         {/if}
+ 59         { $article->article->content}
60         </div>
61     </article>
- 62
+ 31
+ 32         {if $article->tags|count > 0}
+ 33         <ul class="article-tags">
+ 34         {foreach from=$article->tags item=tag name=listTag}
+ 35         <li><a href="{route key='newsTag' tagName=$tag->tag->name}">#{ $tag->tag->name}</a></li>
+ 36         {/foreach}
+ 37         </ul>
+ 38         {/if}
+ 39
+ 40         {include file="news/files.tpl"}
+ 41         {include file="news/comments.tpl"}
+ 42
43         {dynamic}
44         {foreach from=$boxes_bottom_side item=v key=k}
45         {box file="../boxes/$v/box.tpl" box="$k"}

```

scripts/news/list.tpl

```

26         {include file='news/listofarticles.tpl'}
27         {else}
28         <div class="alert-info alert">
- 29         <p>{translate key="No items have been found."}</p>
+ 29         <p>{translate key="No articles found."}</p>
30         </div>
31         {/if}
32

```

scripts/news/listofarticles.tpl

```

- 1         <div class="box" id="box_articlelist">
- 2         <div class="boxhead">
- 3         <span>

```

```

- 4         
- 5         {translate key="Items"}
- 6     </span>
- 7 </div>
+ 1 <div class="box" id="box_articlelist">
+ 2     <div class="innerbox">
+ 3         {foreach from=$articles item=article name=list}
+ 4         <article>
+ 5             <div class="row article-header">
+ 6                 
+ 7                 {if $enable_comments || ($enable_download && $article->files|count > 0) || ($article->article->content|strlen > 0 &
& $article->article->short_content != $article->article->content)}
+ 8                 <a class="article-name" href="{route function='news' key=$article->getIdentifier() newsId=$article->getIdentifi
er() newsName=$article->article->name newsYear="Y"|date:$article->articleTimestamp newsMonth="m"|date:$article->articleTimestamp newsDay
="d"|date:$article->articleTimestamp}">{$article->article->name|escape}</a>
+ 9                 {else}
+ 10                 <a class="article-name article-name-inactive">{$article->article->name|escape}</a>
+ 11                 {/if}
+ 12
- 13             <div class="innerbox">
- 14                 {foreach from=$articles item=article name=list}
- 15                 <article>
- 16                     <h2 class="article_name row">{$article->article->name|escape}</h2>
- 17                     <h5 class="article_date row">
- 18                         {date value=$article->article->date format='Zend_Date::DATE_MEDIUM'}{if $article->article->auth
or}, {$article->article->author|escape}{/if}
- 19                     </h5>
- 20                     <div class="resetcss row">{$article->article->short_content}</div>
- 21                     {if $article->article->content|strlen > 0 && $article->article->short_content != $article->article-
>content}
- 22                         <a class="readmore" href="{route function='news' key=$article->getIdentifier() newsId=$article-
>getIdentifier()}">{translate key="more"} &raquo;</a>
- 23                     {/if}
- 24                 </article>
- 25             {/foreach}
- 26         </div>
- 27     </div>
+ 3         {if $enable_comments}
+ 4             <a class="article-comments" href="{route function='news' key=$article->getIdentifier() newsId=$article->getIden
tifier() newsName=$article->article->name newsYear="Y"|date:$article->articleTimestamp newsMonth="m"|date:$article->articleTimestamp new
sDay="d"|date:$article->articleTimestamp}#commentform">
+ 5                 {$article->getValidatedComments()|count}
+ 6             </a>
+ 7         {/if}
+ 8     </div>
+ 9     <div class="row article-info">{strip}
+ 10         {capture assign="articleDate"}
+ 11             {date value=$article->article->date format='Zend_Date::DATE_MEDIUM'}
+ 12         {/capture}
+ 13
+ 14         {assign var="articleCategories" value="-"}

```

```

+ 15         {foreach from=$article->getActiveCategories() item=category name=listCat}
+ 16             {if $smarty.foreach.listCat.index == 0}
+ 17                 {capture assign="articleCategories"}
+ 18                     <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->getIdentif
ier() categoryName=$category->category->name}">{$category->category->name}</a>
+ 19                 {/capture}
+ 20             {else}
+ 21                 {capture append="articleCategories"}
+ 22                     <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->getIdentif
ier() categoryName=$category->category->name}">{$category->category->name}</a>
+ 23                 {/capture}
+ 24             {/if}
+ 25         {/foreach}
+ 26         {if $articleCategories|is_array}
+ 27             {assign var="articleCategories" value=', ' |implode:$articleCategories}
+ 28         {/if}
+ 29         {if $article->article->author}
+ 30             {translate key="Added: %s in category: %s author: %s" s1='<span class="article-date">' |cat:$articleDate|cat:'</
span>' s2='<span class="article-categories">' |cat:$articleCategories|cat:'</span>' s3='<span class="article-author">' |cat:$article->arti
cle->author|cat:'</span>'}
+ 31         {else}
+ 32             {translate key="Added: %s in category: %s" s1='<span class="article-date">' |cat:$articleDate|cat:'</span>' s2='
<span class="article-categories">' |cat:$articleCategories|cat:'</span>'}
+ 33         {/if}
+ 34         {/strip}</div>
+ 35         <div class="resetcss row article-content">
+ 36             {if $article->image}
+ 37                 
+ 38             {/if}
+ 39             {$article->article->short_content}
+ 40         </div>
+ 41         {if $article->article->content|strlen > 0 && $article->article->short_content != $article->article->content}
+ 42             <a class="readmore" href="{route function='news' key=$article->getIdentifier() newsId=$article->getIdentifier() new
sName=$article->article->name newsYear="Y"|date:$article->articleTimestamp newsMonth="m"|date:$article->articleTimestamp newsDay="d"|dat
e:$article->articleTimestamp}">{translate key="read more"} &raquo;</a>
+ 43         {/if}
+ 44     </article>
+ 45 {/foreach}
+ 46     {if $articles instanceof Zend_Paginator && $articles->getTotalItemCount() > $articles->getItemCountPerPage()}
+ 47         <div class="floatcenterwrap row">
+ 48             {include file='paginator.tpl'}
+ 49         </div>
+ 50     {/if}
+ 51 </div>
+ 52 </div>

```

scripts/news/tag.tpl

```

+ 1     {include file='news/list.tpl'}

```

scripts/newsletter/unsign.tpl

```
25         <div class="boxhead">
26             <h3>
27                 
- 28                 {translate key="Sign out of subscription"}
+ 28                 {translate key="Unsubscribe from our newsletter"}
29             </h3>
30         </div>
31
32         <div class="innerbox">
33             <form action="{route key='newsletterUnsign'}" method="post">
34                 <fieldset>
- 35                 <label for="email_input1">{translate key="Enter your e-mail address to sign out of subscription."}<
/label>
+ 35                 <label for="email_input1">{translate key="Enter your e-mail address to unsubscribe."}</label>
36                 <div class="shaded_inputwrap{if $data_error.email} error{/if}">
37                     <input type="text" name="email" id="email_input1" value="{ $email|escape}" size="30">
38                 </div>
39
40                 <button type="submit" class="btn unsign">
41                     
- 42                     <span>{translate key="Sign out"}</span>
+ 42                     <span>{translate key="Unsubscribe"}</span>
43                 </button>
44             </fieldset>
45         </form>
```

scripts/off/index.tpl

```
6         {if $msg}
7             <p>{$msg|escape|nl2br}</p>
8         {else}
- 9             <p>{translate key='Shop closed by the administrator.'}</p>
+ 9             <p>{translate key='Store has been temporarily disabled by the administrator.'}</p>
10         {/if}
11     </div>
12 </div>
```

scripts/paginator.tpl

```
- 1     {php}
- 2     $pages = $this->_tpl_vars['pages'];
- 3     $route = $this->_tpl_vars['router_name'];
- 4     if($route == ""){
- 5         $route = null;
- 6     }
- 7     $router = Zend_Registry::get(System_Bootstrap::REGISTRY_INDEX_ROUTER);
```

```

- 8     $helper = $this->_tpl_vars['helper'];
- 9     $a = array_values($pages->pagesInRange);
- 10    $stick = false;
- 11    $google = isset( $this->_tpl_vars['google'][0] ) ? '?' . $this->_tpl_vars['google'] : '';
- 12
- 13    if($pages->pageCount > 0) {
- 14        echo '<ul class="paginator">';
- 15
- 16        if(isset($pages->previous) && $pages->previous > 0)
- 17            echo '<li class="first"><a href="' . ($route ? $router->assemble(array('page' => $pages->previous), $route) : $helper->url(
array('page' => $pages->previous))) . $google . '" title="">&laquo;</a></li>';
- 18        else
- 19            echo '<li class="first"><span>&laquo;</span></li>';
- 20
- 21        if($a[0] > 1) {
- 22            echo '<li><a href="' . ($route ? $router->assemble(array('page' => 1), $route) : $helper->url(array('page' => 1))) . $googl
e . '" title="">1</a></li>';
- 23            $stick = true;
- 24            if($a[0] > 2)
- 25                echo '<li class="stick"><span>|</span></li><li><span>...</span></li>';
- 26        }
- 27
- 28        foreach($a as $b) {
- 29            if($stick)
- 30                echo '<li class="stick"><span>|</span></li>';
- 31            $stick = true;
- 32            if($b == $pages->current)
- 33                echo '<li class="selected"><span>' . $b . '</span></li>';
- 34            else
- 35                echo '<li><a href="' . ($route ? $router->assemble(array('page' => $b), $route) : $helper->url(array('page' => $b))) .
$google . '" title="">' . $b . '</a></li>';
- 36        }
- 37
- 38        if($b != $pages->pageCount) {
- 39            if($pages->pageCount - $b > 1)
- 40                echo '<li class="stick"><span>|</span></li><li><span>...</span></li>';
- 41            echo '<li class="stick"><span>|</span></li><li><a href="' . ($route ? $router->assemble(array('page' => $pages->pageCount),
$route) : $helper->url(array('page' => $pages->pageCount))) . $google . '" title="">' . $pages->pageCount . '</a></li>';
- 42        }
- 43
- 44        if(isset($pages->next) && $pages->next > 0)
- 45            echo '<li class="last"><a href="' . ($route ? $router->assemble(array('page' => $pages->next), $route) : $helper->url(array
('page' => $pages->next))) . $google . '" title="">&raquo;</a></li>';
- 46        else
- 47            echo '<li class="last"><span>&raquo;</span></li>';
- 48
- 49        echo '</ul>';
- 50    }
- 51    {/php}
+ 1    {assign var="stick" value=false}
+ 2

```



```

+ 3     {if !$router_name_first}
+ 4         {assign var="router_name_first" value=$router_name}
+ 5     {/if}
+ 6     {if !$router_params}
+ 7         {assign var="router_params" value=null}
+ 8     {/if}
+ 9
+ 10
+ 11     {if $pages->pageCount > 0}
+ 12         <ul class="paginator">
+ 13
+ 14             {if isset($pages->previous) && $pages->previous > 0}
+ 15                 <li class="first"><a href="{array __key=urlOptions page=$pages->previous}{arrayMerge __key=urlOptions a1=$router_params a2=$url
Options}{assemble params=$urlOptions route=$router_name type=$router_type}{if $google?{$google|escape}}{/if}" title="">&laquo;</a></li>
+ 16             {else}
+ 17                 <li class="first"><span>&laquo;</span></li>
+ 18             {/if}
+ 19
+ 20             {if $pages->pagesInRange[0] > 1}
+ 21                 <li><a href="{array __key=urlOptions page=1}{arrayMerge __key=urlOptions a1=$router_params a2=$urlOptions}{assemble params=$url
Options route=$router_name type=$router_type}{if $google?{$google|escape}}{/if}" title="">1</a></li>
+ 22                 {assign var="stick" value=true}
+ 23                 {if $pages->pagesInRange[0] > 2}
+ 24                     <li class="stick"><span>|</span></li><li><span>...</span></li>
+ 25                 {/if}
+ 26             {/if}
+ 27
+ 28             {foreach from=$pages->pagesInRange item=b}
+ 29                 {if $stick}
+ 30                     <li class="stick"><span>|</span></li>
+ 31                 {/if}
+ 32                 {assign var="stick" value=true}
+ 33                 {if $b == $pages->current}
+ 34                     <li class="selected"><span>{$b}</span></li>
+ 35                 {else}
+ 36                     {if $b == 1}
+ 37                         <li><a href="{array __key=urlOptions page=$b}{arrayMerge __key=urlOptions a1=$router_params a2=$urlOptions}{assemble pa
rams=$urlOptions route=$router_name_first type=$router_type}{if $google?{$google|escape}}{/if}" title="">{$b}</a></li>
+ 38                     {else}
+ 39                         <li><a href="{array __key=urlOptions page=$b}{arrayMerge __key=urlOptions a1=$router_params a2=$urlOptions}{assemble pa
rams=$urlOptions route=$router_name type=$router_type}{if $google?{$google|escape}}{/if}" title="">{$b}</a></li>
+ 40                     {/if}
+ 41                 {/if}
+ 42             {/foreach}
+ 43
+ 44             {if $b != $pages->pageCount}
+ 45                 {if $pages->pageCount - $b > 1}
+ 46                     <li class="stick"><span>|</span></li><li><span>...</span></li>
+ 47                 {/if}
+ 48                 <li class="stick"><span>|</span></li><li><a href="{array __key=urlOptions page=$pages->pageCount}{arrayMerge __key=urlOptions a

```

```

l=$router_params a2=$urlOptions}{assemble params=$urlOptions route=$router_name type=$router_type}{if $google?}{$google|escape}{/if}" title=">{$pages->pageCount}</a></li>
+ 49     {/if}
+ 50
+ 51     {if isset($pages->next) && $pages->next > 0}
+ 52         <li class="last"><a href="{array __key=urlOptions page=$pages->next}{arrayMerge __key=urlOptions a1=$router_params a2=$urlOptions}{assemble params=$urlOptions route=$router_name type=$router_type}{if $google?}{$google|escape}{/if}" title=">&raquo;</a></li>
+ 53     {else}
+ 54         <li class="last"><span>&raquo;</span></li>
+ 55     {/if}
+ 56 </ul>
+ 57 {/if}

```

scripts/panel/address-edit.tpl

```

30         <span>
31             
32             {if $address_id > 0}
- 33                 {translate key="Edycja adresu"}
+ 33                 {translate key="Edit address"}
34             {else}
35                 {translate key="New address"}
36             {/if}

```

scripts/panel/address.tpl

```

53             {/if}
54
55             {if $address->tax_id}
- 56                 <p class="nip">{translate key='NIP No.:'} {$address->tax_id|escape}</p>
+ 56                 <p class="nip">{translate key='Tax ID'}: {$address->tax_id|escape}</p>
57             {/if}
58
59             {if $address->pesel}
- 60                 <p class="pesel">{translate key='PESEL:'} {$address->pesel|escape}</p>
+ 60                 <p class="pesel">{translate key='Personal Identification Number'}: {$address->pesel|escape}</p>
61             {/if}
62
63             {if $address->street_1}

```

```

89                 <span>{translate key='edit'}</span>
90             </a>
91
- 92             <a href="{route key='panelAddressRemove' addressId=$address->address_book_id}" class="remove btn spanhover titlequestion" title="{translate key='Are you sure, you want to remove address: %s, %s %s?' p1=$address->street_1 p2=$address->zip_code p3=$address->city}">
+ 92             <a href="{route key='panelAddressRemove' addressId=$address->address_book_id}" class="remove btn spanhover titlequestion" title="{translate key='Are you sure you want to remove the address: %s, %s %s?' p1=$address->street_1

```

```

93     p2={$address->zip_code p3={$address->city}">
94     
95     <span>{translate key='remove'}</span>
</a>

97     {if 0 == $address->default}
98     <a href="{route key='panelAddressDefault' addressId=$address->address_book_id}" cla
ss="default spanhover btn">
99         
- 100     <span>{translate key='set as default payment address'}</span>
+ 100     <span>{translate key='set as billing address'}</span>
101     </a>
102     {else}
103     <em class="default">
104     
- 105     <span>{translate key='default payment address'}</span>
+ 105     <span>{translate key='default billing address'}</span>
106     </em>
107     {/if}
108
109     {if 0 == $address->shipping_default}
110     <a href="{route key='panelAddressShipping' addressId=$address->address_book_id}" cl
ass="shipping spanhover btn">
111     
- 112     <span>{translate key='set as default delivery address'}</span>
+ 112     <span>{translate key='set as delivery address'}</span>
113     </a>
114     {else}
115     <em class="shipping">

```

scripts/panel/comments.tpl

```

29     <div class="boxhead">
30     <span>
31     
- 32     {translate key="Opinions about products"}
+ 32     {translate key="Products reviews"}
33     </span>
34     </div>
35

```

scripts/panel/edit.tpl

```

60     </ul>
61     {/if}
62
- 63     <label for="surname_input">{translate key="Surname"}:</label>
+ 63     <label for="surname_input">{translate key="Last name"}:</label>

```

```

64         <div class="shaded_inputwrap">
65             <input type="text" name="surname" id="surname_input" value="{ $data.surname|escape}" size="30" c
lass="{if $data_error.surname} error{/if}">
66         </div>

```

scripts/panel/favourites.tpl

```

29         <div class="boxhead">
30             <span>
31                 
- 32                 {translate key="Stored products"}
+ 32                 {translate key="Products on wishlist"}
33             </span>
34         </div>
35     </div>

```

```

74         {/if}
75     </td>
76     <td class="actions">
- 77         <a href="{route key=$basketAddRoute stockId=$id}" title="{translate key='add to the bas
ket'}" class="btn btn-red2 addtobasket spanhover">
- 78             
- 79             <span>{translate key='add to the basket'}</span>
- 80         </a>
+ 77         {if true == $enablebasket && 1 == (int) $product->availability->availability->can_buy}
+ 78         <a href="{route key=$basketAddRoute stockId=$id}" title="{translate key='add to car
t'}" class="btn btn-red2 addtobasket spanhover">
+ 79             
+ 80             <span>{translate key='add to cart'}</span>
+ 81         </a>
+ 82         {elseif $enable_availability_notifier && $product->product->isEnabledNotifier()}
+ 83         {dynamic}
+ 84         {assign var="availabilityNotifyUser" value=$product->getAvailabilityNotifyByUse
r()}
+ 85         <div class="availability-notifier-unsubscribe-container{if $availabilityNotifyU
ser == null} none{/if}">
+ 86         <a href="#" data-stock-id="{ $product->stock->stock_id}" title="{translate k
ey="cancel notify"}" class="btn btn-red2 availability-notifier-unsubscribe-btn spanhover">
+ 87             
+ 88             <span>{translate key='cancel notify'}</span>
+ 89         </a>
+ 90         </div>
+ 91     </td>
+ 92     <div class="availability-notifier-container{if $availabilityNotifyUser} none{/i
f}">
+ 93     <a href="#" data-is-logged="{if true == $user_logged}true{else}false{/if}"
data-product-id="{ $product->product->product->product_id}" data-stock-id="{ $product->stock->stock_id}" data-product-name="{ $product->pro
duct->translation->name}" title="{translate key="notify of product availability"}" class="btn btn-red2 availability-notifier-btn spanhov
er">
+ 94         

```

```

+ 95 <span>{translate key='notify of product availability'}</span>
+ 96 </a>
+ 97 </div>
+ 98 {/dynamic}
+ 99 {/if}
100
101 <a href="{route key='panelRemoveFavourite' stockId=$id}" title="{translate key='remove'
} " class="btn remove spanhover">
102 

```

scripts/panel/index.tpl

```

28
29 <div class="box" id="box_panel">
30 <div class="boxhead">
- 31 <span>{translate key="Customer's panel"}</span>
+ 31 <span>{translate key="Customer panel"}</span>
32 </div>
33
34 <div class="innerbox">

```

```

40 <td class="id">{translate key='Order no.'}</td>
41 <td class="sum">{translate key='Value'}</td>
42 <td class="status">{translate key='Status'}</td>
- 43 <td class="parcels">{translate key='Package'}</td>
+ 43 <td class="parcels">{translate key='Shipment'}</td>
44 </tr>
45 </thead>
46 <tbody>

```

```

59 {assign var=onlinepayment value=$order->getOnlinePayment()}
60 {if !$onlinepayment->isFinished() or !$onlinepayment->isStarted()}
61 {if !$onlinepayment->isFinished() and $onlinepayment->isStarted()}
- 62 <a class="titlequestion" title="{translate key='Your payment is processed.
Are you sure you want to pay again?}'" href="{route
+ 62 <a class="titlequestion" title="{translate key='Your payment is currently b
eing processed. Are you sure you want to pay again?}'" href="{route
63 key='panelPayment' orderId=$id}">{translate key='pay again'}</a>
64 {else}
65 <a href="{route key='panelPayment' orderId=$id}">{translate key='pay'}</a>

```

```

71 {if count($order->parcels) > 0}
72 {foreach from=$order->parcels item=parcel}
73 {if strlen($parcel->getTraceLink())}
- 74 <a href="{ $parcel->getTraceLink()}" class="trace popup">
+ 74 <a href="{ $parcel->getTraceLink()}" target="_blank" class="trace">
75 { $parcel->parcel->shipping_code|escape}

```

```

76                                     </a>
- 77                                     <span class="smalldate">({translate key='shipped:'} {date value=$parcel->pa
rcel->send_date})</span>
+ 77                                     <span class="smalldate">({translate key='sent':} {date value=$parcel->parce
l->send_date})</span>
78                                     {/if}
79                                     {/foreach}
80                                     {else} - {/if}

```

```

102                                     </a>
103                                     <a href="{route key='panelPassword'}" class="changepass btn spanhover">
104                                         
- 105                                     <span>{translate key='Change your password'}</span>
+ 105                                     <span>{translate key='Change password'}</span>
106                                     </a>
107
108                                     <h4 class="separator row">{translate key='Addresses'}</h4>
109                                     <ul class="address row">
110                                         <li>
- 111                                     <b class="title">{translate key='Invoicing address'}</b>
+ 111                                     <b class="title">{translate key='Billing address'}</b>
112                                         {if $billing_address}
113                                             {assign var=address value=$billing_address->address}
114                                             {if $address->firstname || $address->lastname
115                                                 }<p>{if $address->firstname}{$address->firstname|escape} {/if}{if $address->lastname}{$addr
ess->lastname|escape}{/if}</p>{/if}
116                                             {if $address->company_name}<p>{$address->company_name|escape}</p>{/if}
- 117                                     {if $address->tax_id}<p>{translate key='NIP No.':} {$address->tax_id|escape}</p>{/if}
- 118                                     {if $address->pesel}<p>{translate key='PESEL':} {$address->pesel|escape}</p>{/if}
+ 117                                     {if $address->tax_id}<p>{translate key='Tax ID':} {$address->tax_id|escape}</p>{/if}
+ 118                                     {if $address->pesel}<p>{translate key='Personal Identification Number':} {$address->pesel|escap
e}</p>{/if}
119                                             {if $address->street_1}<p>{$address->street_1|escape}</p>{/if}
120                                             {if $address->zip_code || $address->city
121                                                 }<p>{if $address->zip_code}{$address->zip_code|escape}, {/if}{if $address->city}{$address->
city|escape}{/if}</p>{/if}

```

```

132                                     {if $address->firstname || $address->lastname
133                                         }<p>{if $address->firstname}{$address->firstname|escape} {/if}{if $address->lastname}{$addr
ess->lastname|escape}{/if}</p>{/if}
134                                     {if $address->company_name}<p>{$address->company_name|escape}</p>{/if}
- 135                                     {if $address->tax_id}<p>{translate key='NIP No.':} {$address->tax_id|escape}</p>{/if}
+ 135                                     {if $address->tax_id}<p>{translate key='Tax ID':} {$address->tax_id|escape}</p>{/if}
136                                     {if $address->street_1}<p>{$address->street_1|escape}</p>{/if}
137                                     {if $address->zip_code || $address->city
138                                         }<p>{if $address->zip_code}{$address->zip_code|escape}, {/if}{if $address->city}{$address->
city|escape}{/if}</p>{/if}

```

```

145     </ul>
146     <a href="{route key='panelAddressList'}" class="editaddresses btn spanhover">
147         
- 148         <span>{translate key='Go to address edition'}</span>
+ 148         <span>{translate key='Edit an address'}</span>
149     </a>
150
151     {if $loyalty}
152     <h4 class="separator row">{translate key='Loyalty program'}</h4>
153     <ul class="loyalty row">
154         <li>
- 155             <p class="sum">{translate key='Points total: %s%s%s' p1='<b>' p2=$loyalty_points p3='</b>'}</p>
+ 155             <p class="sum">{translate key='Total points: %s%s%s' p1='<b>' p2=$loyalty_points p3='</b>'}</p>
156         </li>
157         {if $loyalty_discount}
158         <li class="loyalty_discount">
- 159             <b>{translate key='Discount level'}</b>
+ 159             <b>{translate key='Discount threshold'}</b>
160             {if $loyalty_level && $loyalty_level.level}
- 161             <p class="current">{translate key='Permanent discount you have for gathering loylaty po
ints (%s%s%s)' p1='<b>' p2=$loyalty_level.level p3='</b>'}</p>
- 162             <h4>{translate key='discount %s' p1=$loyalty_level.discount}</h4>
+ 161             <p class="current">{translate key='Your permanent discount received for collecting a ce
rtain number of points (%s%s%s)' p1='<b>' p2=$loyalty_level.level p3='</b>'}</p>
+ 162             <h4>{translate key='%s discount' p1=$loyalty_level.discount}</h4>
163             {if $loyalty_next_level}
- 164             <p class="next">{translate key='To gain bigger discount gather another %s%s%s point
s' p1='<b>' p2=$loyalty_next_level p3='</b>'}</p>
+ 163             <p class="next">{translate key='To get a bigger discount collect another %s%s%s poi
nts' p1='<b>' p2=$loyalty_next_level p3='</b>'}</p>
164             {/if}
165             {elseif $loyalty_next_level}
- 166             <p class="next">{translate key="You need at least %s%s%s more points to gain permanent
discount" p1='<b>' p2=$loyalty_next_level p3='</b>'}</p>
+ 166             <p class="next">{translate key="You still need at least %s%s%s points to get a permanen
t discount" p1='<b>' p2=$loyalty_next_level p3='</b>'}</p>
167             {/if}
168         </li>
169     </ul>

172     {if $loyalty_exchange}
173     <a href="{route key='loyaltyList'}" class="loyaltylist button spanhover">
174         
- 175         <span>{translate key='Go to list of products for which points may be exchanged'}</span>
+ 175         <span>{translate key='Go to the list of products that you can exchange for points'}</span>
176     </a>
177     {/if}
178 </ul>

```

```

212             {if 1 == (int) $exevent->loyalty->status}
213                 {translate key='Exchanged'}
214             {else}
- 215                 {translate key='Requested'}
+ 215                 {translate key='Submitted for exchange'}
216                 <span class="smalldate">({date value=$exevent->loyalty->date})</span>
217             {/if}
218         </td>

```

```

228         {if $comments_count > 0}
229             <a href="{route key='panelComments'}" class="prodcomments btn spanhover">
230                 
- 231                 <span>{translate key='Your opinions about products (%d)' p0=$comments_count}</span>
+ 231                 <span>{translate key='Your product reviews (%d)' p0=$comments_count}</span>
232             </a>
233         {/if}
234         {if $favourites_count > 0}
235             <a href="{route key='panelFavourites'}" class="prodstorage btn spanhover">
236                 
- 237                 <span>{translate key='Stored products (%d)' p0=$favourites_count}</span>
+ 237                 <span>{translate key='Products on wishlist (%d)' p0=$favourites_count}</span>
238             </a>
239         {/if}
240     </div>

```

scripts/panel/order.tpl

```

35         <div class="row f-row order-details">
36             <ul class="details f-grid-4">
37                 <li class="id">
- 38                     <strong>{translate key='Order No.'}: </strong><span class="id">{$id|escape}</span>
+ 38                     <strong>{translate key='Order number'}: </strong><span class="id">{$id|escape}</span>
39                 </li>
40                 <li class="status">
41                     <strong>{translate key='Status'}: </strong><span class="status">{$order->status->translation->name|escape}</span>
42                 </li>
43                 <li class="date">
- 44                     <strong>{translate key='Order placement date'}: </strong><span class="date">{date value=$order->order->date}</span>
+ 44                     <strong>{translate key='Order date'}: </strong><span class="date">{date value=$order->order->date}</span>
45                 </li>
46             </ul>
47             {if $config_confirm}

```



```

62         <strong>{translate key='Payment'}: </strong><span class="payment">{$order->payment->translation
->title|escape}</span>
63     </li>
64     <li class="shipping">
- 65         <strong>{translate key='Delivery'}: </strong><span class="shipping">{$order->shipping->shipping
->name|escape}</span>
+ 65         <strong>{translate key='Shipping method'}: </strong><span class="shipping">{$order->shipping->s
hipping->name|escape}</span>
66     </li>
67
68     {if $order->invoice && true == $show_invoice}

72         {/if}
73
74         {if count($order->parcels) > 0}
- 75             <li class="parcel"><strong>{translate key='Package'}: </strong>
- 76                 <span class="parcel">
- 77                     {foreach from=$order->parcels item=parcel}
- 78                         {if strlen($parcel->getTraceLink())}
- 79                             <a href="{ $parcel->getTraceLink()}" class="trace popup">{$parcel->parcel->shipp
ing_code|escape}</a>
- 80                             <span class="date">({translate key='shipped:'} {date value=$parcel->parcel->sen
d_date})</span><br />
- 81                         {/if}
- 82                     {/foreach}
- 83                 </span>
- 84             </li>
+ 75             {if $order->parcels|count > 0}
+ 76                 <li class="parcel"><strong>{translate key='Shipment'}: </strong>
+ 77                     <span class="parcel">
+ 78                         {foreach from=$order->parcels item=parcel}
+ 79                             {if strlen($parcel->getTraceLink())}
+ 80                             <a href="{ $parcel->getTraceLink()}" target="_blank" class="trace">{$parcel-
>parcel->shipping_code|escape}</a>
+ 81                             <span class="date">({translate key='sent':} {date value=$parcel->parcel->se
nd_date})</span><br />
+ 82                         {/if}
+ 83                     {/foreach}
+ 84                 </span>
+ 85             </li>
+ 86             {/if}
87         {/if}
88
89         {if $order->order->notes_pub}
90         <li class="notes">
- 91             <strong>{translate key='Comments'}: </strong><span class="notes">{$order->order->notes_pub|
escape}</span>
+ 80             <strong>{translate key='Notes'}: </strong><span class="notes">{$order->order->notes_pub|esc
ape}</span>
81         </li>

```

```
82         {/if}
+ 83         {plugin module=shop template=panel-order-details-rwd}
84     </ul>
85
- 86     <ul class="address f-grid-4">
+ 85     <ul class="address f-grid-4 row">
86         <li>
87             {assign var=address value=$order->billingAddress}
- 88             <b>{translate key='Invoicing address'}</b>
+ 88             <b>{translate key='Billing address'}</b>
89             {if $address->firstname || $address->lastname}
90                 <p>
91                     {if $address->firstname}
```

```
114                 {/if}
115
116                 {if $address->tax_id}
- 117                 <p>{translate key='NIP No.:'} {$address->tax_id|escape}</p>
+ 117                 <p>{translate key='Tax ID'}: {$address->tax_id|escape}</p>
118                 {/if}
119
120                 {if $address->pesel}
- 121                 <p>{translate key='PESEL:'} {$address->pesel|escape}</p>
+ 121                 <p>{translate key='Personal Identification Number'}: {$address->pesel|escape}</p>
122                 {/if}
123
124                 {if $address->street1}
```

```
149     <ul class="address f-grid-4">
150         <li>
151             {assign var=address value=$order->deliveryAddress}
- 152             <b>{translate key='Delivery address'}</b>
- 153             {if $address->firstname || $address->lastname}
- 154             <p>
- 155                 {if $address->firstname}
- 156                 {$address->firstname|escape}
- 157                 {/if}
- 158                 {if $address->lastname}
- 159                 {$address->lastname|escape}
- 160                 {/if}
- 161             </p>
- 162             {/if}
+ 152
+ 153             {if $shippingHandler->isOverwriteDeliveryAddress()}
+ 154             {plugin module=shop template=panel-order-address-delivery-overwrite-rwd}
+ 155             {else}
+ 156             <b>{translate key='Delivery address'}</b>
+ 157             {if $address->firstname || $address->lastname}
```

```

+ 158                                     <p>
+ 159                                     {if $address->firstname}
+ 160                                     {$address->firstname|escape}
+ 161                                     {/if}
+ 162                                     {if $address->lastname}
+ 163                                     {$address->lastname|escape}
+ 164                                     {/if}
+ 165                                     </p>
+ 166                                     {/if}
167
- 168                                     {if $address->company}
- 169                                     <p>
- 170                                     {$address->company|escape}
- 171                                     </p>
- 172                                     {/if}
+ 154                                     {if $address->company}
+ 155                                     <p>
+ 156                                     {$address->company|escape}
+ 157                                     </p>
+ 158                                     {/if}
159
- 160                                     {if $address->tax_id}
- 161                                     <p>{translate key='NIP No.:'} {$address->tax_id|escape}</p>
- 162                                     {/if}
+ 156                                     {if $address->tax_id}
+ 157                                     <p>{translate key='Tax ID'}: {$address->tax_id|escape}</p>
+ 158                                     {/if}
159
- 160                                     {if $address->street1}
- 161                                     <p>{$address->street1|escape}</p>
- 162                                     {/if}
+ 158                                     {if $address->street1}
+ 159                                     <p>{$address->street1|escape}</p>
+ 160                                     {/if}
161
- 162                                     {if $address->postcode || $address->city}
- 163                                     <p>
- 164                                     {if $address->postcode}
- 165                                     {$address->postcode|escape},
- 166                                     {/if}
- 167                                     {if $address->city}
- 168                                     {$address->city|escape}
- 169                                     {/if}
- 170                                     </p>
- 171                                     {/if}
+ 160                                     {if $address->postcode || $address->city}
+ 161                                     <p>
+ 162                                     {if $address->postcode}
+ 163                                     {$address->postcode|escape},
+ 164                                     {/if}

```

```

+ 165 {if $address->city}
+ 166 {$address->city|escape}
+ 167 {/if}
+ 168 </p>
+ 169 {/if}
170
- 171 {if $address->country}
- 172 <p>{$address->country|escape}</p>
- 173 {/if}
+ 162 {if $address->country}
+ 163 <p>{$address->country|escape}</p>
+ 164 {/if}
165
- 166 {if $address->phone}
- 167 <p>{$address->phone|escape}</p>
+ 164 {if $address->phone}
+ 165 <p>{$address->phone|escape}</p>
+ 166 {/if}
167 {/if}
168 </li>
169 </ul>

```

```

220 </tr>
221
222 <tr class="shipping">
- 223 <td class="label" colspan="3">{translate key='Delivery cost'}</td>
+ 223 <td class="label" colspan="3">{translate key='Shipping cost'}</td>
224 <td class="value">{currency value=$order->order->shipping_cost}</td>
225 </tr>
226
227 {if $order->sumDiscounts() > 0}
228 <tr class="discount">
- 229 <td class="label" colspan="3">{translate key='Granted discount:'}</td>
+ 229 <td class="label" colspan="3">{translate key='Discounts granted'}:</td>
230 <td class="value">{currency value=$order->sumDiscounts()}</td>
231 </tr>
232 {/if}
233
234 <tr class="topay">
- 235 <td class="label" colspan="3">{translate key='Amount to be paid'}</td>
+ 235 <td class="label" colspan="3">{translate key='To pay'}</td>
236 <td class="value">{currency value=$order->sumOrder()}</td>
237 </tr>
238 </tfoot>

```

```

240 <tbody>
241 {foreach from=$order->products item=product name=list}
242 <tr class="{if $smarty.foreach.list.index % 2}odd{else}even{/if}">

```

```

- 243         <td class="name">{$product->product->name|escape}{if $product->product->option, <span clas
s="variant">{$product->product->option|escape}</span>{/if}</td>
+ 243         <td class="name">{$product->product->name|escape}{if $product->hasOptionsRepresentation(),
<span class="variant">{$product->getOptionsString()|escape}</span>{/if}</td>
244         <td class="quantity">{float value=$product->product->quantity}</td>
245         <td class="price">{currency value=$product->product->price}</td>
246         <td class="sum">{currency value=$product->getPriceTimesQuantity(false)}</td>

```

```

255         <form action="{route key='panelPayment' orderId=$id token=$token}" method="get" class="pay row">
256         <fieldset>
257             {if !$onlinepayment->isFinished() and $onlinepayment->isStarted()}
- 258             {translate key='Your payment is processed'}
+ 258             {translate key='Your payment is being processed.'}
259             <button class="btn btn-red2 important pay" type="submit">
260                 
261                 <span>{translate key='Pay again'}</span>

```

```

288             {/if}
289         {/foreach}
290     {else}
- 291     <p>{translate key='Files will be available to download after payment.'}</p>
+ 291
292     {/if}
293     <div class="row"></div>
294 {/if}

```

scripts/panel/orders.tpl

```

35         <thead>
36         <tr>
37             <td class="id">{translate key='ID'}</td>
- 38             <td class="date rwd-hide-medium">{translate key='Order placement date'}</td>
+ 38             <td class="date rwd-hide-medium">{translate key='Order date'}</td>
39             <td class="sum">{translate key='Value'}</td>
- 40             <td class="shipping">{translate key='Delivery'}</td>
+ 40             <td class="shipping">{translate key='Shipping method'}</td>
41             {if $config_confirm}<td class="status">{translate key='Confirmation'}</td>{/if}
42             <td class="actions">{translate key='Actions'}</td>
43         </tr>

```

scripts/panel/password.tpl

```

24
25         <div class="box" id="box_passchange">
26             <div class="boxhead">
- 27             <span>{translate key="Change of password"}</span>
+ 27             <span>{translate key="Password change"}</span>

```

```
28         </div>
29
30         <div class="innerbox">
```

```
58             </ul>
59         }{/if}
60
- 61         <label for="pass2_input"><em class="color">*</em> {translate key="Retype your password"}:</label>
+ 61         <label for="pass2_input"><em class="color">*</em> {translate key="Repeat password"}:</label>
62         <div class="shaded_inputwrap{if $data_error.pass2} error{/if}">
63             <input type="password" name="pass2" id="pass2_input" value="" size="30" />
64         </div>
```

scripts/product/comments.tpl

```
3         <div class="boxhead tab-head">
4             <h3>
5                 
- 6                 {translate key="Opinions about the product"} ({$product_comments|count})
+ 6                 {translate key="Product reviews"} ({$product_comments|count})
7             </h3>
8         </div>
9
```

```
23         <fieldset>
24             {include file='formantispam.tpl'}
25
- 26             <label for="commentuser">{translate key="Nick:"}</label>
+ 26             <label for="commentuser">{translate key="First and last name"}:</label>
27             <div class="f-row">
28                 <input name="user" type="text" id="commentuser" value="{if $user_logged}{$user->user->getName()|escape}{else}
e){$data.user|escape}{/if}" size="30" class="f-grid-12" >
29             </div>
```

```
35         </ul>
36     }{/if}
37
- 38     <label for="comment">{translate key="Your opinion:"}</label>
+ 38     <label for="comment">{translate key="Your review"}:</label>
39     <div class="f-row">
40         <textarea name="comment" id="comment" rows="5" cols="30" class="f-grid-12">{$data.comment|escape}</textarea
>
41     </div>
```

scripts/product/description.tpl

```

12         {if count($product->files)}
13             <div class="productfiles">
14                 <h5 class="">{translate key="Downloadable files:"}</h5>
- 15                 <h5 class="">{translate key="Files to download"}:</h5>
+ 15                 <ul class="productfiles">
16                     {foreach from=$product->files item=file}
17                         <li>
18

```

scripts/product/gallery-tab.tpl

```

12         {foreach from=$gallery item=img name=list}
13             <div class="f-grid-4">
14                 <a id="proding{$img->gfx_id}" rel="prettyPhoto[pp_gal]" href="{imageUrl type='productGfx' image=$img->unic_name
}" title="{ $img->name|escape}" class="gallery-img">
- 15                 
+ 15                 name|escape}">
16                 </a>
17             </div>
18         {/foreach}

```

scripts/product/gallery.tpl

```

6         {if 1 == count($gallery)}
7             <a id="proding{$img->gfx_id}" rel="prettyPhoto" href="{imageUrl type='productGfx' image=$img->unic_name}" title="{ $img->nam
e|escape}">
8                 <img class="photo {if 1 == (int) $skin_settings->productdetails->productzoom}innerzoom {elseif 2 == (int) $skin_setting
s->productdetails->productzoom}outerzoom {/if
- 9                 " src="{imageUrl type='productGfx' width=$skin_settings->img->big image=$img->unic_name}" alt="{ $img->name
|escape}">
+ 9                 " src="{imageUrl type='productGfx' width=$skin_settings->img->big height=$skin_settings->img->big image=$i
mg->unic_name}" alt="{ $img->name|escape}">
10             </a>
11         {else}
12             <img class="photo {if 1 == (int) $skin_settings->productdetails->productzoom}innerzoom {elseif 2 == (int) $skin_settings->p
roductdetails->productzoom}outerzoom {/if
13             src="{imageUrl
- 14             type='productGfx' width=$skin_settings->img->big image=$product->defaultStock->mainImageName() overlay=
1}" alt="{ $img->name|escape}" />
+ 14             type='productGfx' width=$skin_settings->img->big height=$skin_settings->img->big image=$product->defaul
tStock->mainImageName() overlay=1}" alt="{ $img->name|escape}" />
15         {/if}
16
17         {if $product->specialOffer || $product->isNew()}
18             <ul class="tags">
19                 {if $product->specialOffer}
- 20                 <li class="promo">{translate key="promotion"}</li>
+ 20                 <li class="promo">{translate key="on sale tag"}</li>

```

```

21         {/if}
22         {if $product->isNew()}
- 23         <li class="new">{translate key="new"}</li>
+ 23         <li class="new">{translate key="new product tag"}</li>
24         {/if}
25     </ul>
26     {/if}
27 </div>
- 28
- 29     {if count($gallery) > 1 && 0 == (int) $skin_settings->productdetails->miniaturesposition}
- 30     <div class="smallgallery row">
+ 28
+ 29     <div class="smallgallery row">
+ 30     {if count($gallery) > 1 && 0 == (int) $skin_settings->productdetails->miniaturesposition}
31         <div class="innersmallgallery">
32             <ul>
33                 {foreach from=$gallery item=img}
34                 <li class="productdetailsminigalleryimgsize">
35                     <a id="proding{$img->gfx_id}" rel="prettyPhoto[pp_gal]" href="{imageUrl type='productGfx' image=$img->unic_
name}" title="{ $img->name|escape}" class="gallery{if $img->gfx_id == $product->defaultStock->mainImageId()} current{/if}">
- 36                     name|escape}" data-img-name="{imageUrl type='productGfx' width=$ski
n_settings->img->big image=$img->unic_name}">
+ 34                     name|escape}" data-img-name="{imageUrl type='productGfx' width=$ski
n_settings->img->big height=$skin_settings->img->big image=$img->unic_name}">
36                     </a>
37                 </li>
38             {/foreach}
39         </ul>
40     </div>
+ 41     {/if}
42
- 43     <div class="innersmallgallery-rwd">
- 44     <ul>
- 45     {foreach from=$gallery item=img}
- 46     <li class="productdetailsminigalleryimgsize">
- 47     <a id="proding{$img->gfx_id}" href="{imageUrl type='productGfx' image=$img->unic_name}" title="{ $img->name|
escape}" class="gallery{if $img->gfx_id == $product->defaultStock->mainImageId()} current{/if}">
- 48     name|escape}" data-img-name="{imageUrl type='productGfx' width=$ski
n_settings->img->big image=$img->unic_name}">
- 50     </a>
- 51     </li>
- 52     {/foreach}
- 53     </ul>
- 54     </div>
+ 41     <div class="innersmallgallery-rwd">
+ 42     <ul>
+ 43     {foreach from=$gallery item=img}
+ 44     <li class="productdetailsminigalleryimgsize">

```



```

+ 45     <a id="proding{$img->gfx_id}-mini" href="{imageUrl type='productGfx' image=$img->unic_name}" title="{ $img->name
|escape}" class="gallery{if $img->gfx_id == $product->defaultStock->mainImageId()} current{/if}">
+ 46         name|escape}" data-img-name="{imageUrl type='productGfx' width=$skin_se
ttings->img->big height=$skin_settings->img->big" image=$img->unic_name}">
+ 48     </a>
+ 49 </li>
+ 50 {/foreach}
+ 51 </ul>
52 </div>
- 53 {/if}
+ 43 </div>
+ 44 {*
+ 45 <ul data-slider="true">
+ 46     {foreach from=$gallery item=img}
+ 47     <li style="width: 45px; height: 45px" class="productdetailsminigalleryimgsize">
+ 48         <a id="proding{$img->gfx_id}" href="{imageUrl type='productGfx' image=$img->unic_name}" title="{ $img->name|escape}" cla
ss="gallery{if $img->gfx_id == $product->defaultStock->mainImageId()} current{/if}">
+ 49             name|escape}" data-img-name="{imageUrl type='productGfx' width=$skin_settings->
img->big height=$skin_settings->img->big" image=$img->unic_name}">
+ 51         </a>
+ 52     </li>
+ 53 {/foreach}
+ 54 </ul>
+ 55 *}
56 </div>

```

scripts/product/index.tpl

```

1 {include file='header.tpl'}
+ 2
+ 3 {if $loyalty_exchange}
+ 4     {assign var=product_price value=0}
+ 5 {elseif $product->specialOffer}
+ 6     {assign var=product_price value=$product->defaultStock->getSpecialOfferPrice()}
+ 7 {else}
+ 8     {assign var=product_price value=$product->defaultStock->getPrice()}
+ 9 {/if}
+ 10
11 <body{if $body_id} id="{ $body_id|escape}"{/if}{if $body_class} class="{ $body_class|escape}"{/if}>
12     {include file='body_head.tpl'}
13     <div class="main row">

```

```

38         </h1>
39     </div>
40
- 41     <div class="innerbox" data-loading="{translate key="Uploading file"...}">
+ 41     <div class="innerbox" data-loading="{translate key="File upload in progress"...}">

```

```

42         <div class="maininfo row">
43             <div class="f-row">
44                 {include file='product/gallery.tpl'}

```

```

51         <div class="row">
52             {if 1 == $skin_settings->productdetails->availability && $product->defaultStock
->availability && $product->defaultStock->availability->translation}
53                 <div class="row availability">
- 54                     <span class="first">{translate key="Availability"}</span>
+ 54                     <span class="first">{translate key="Availability"}:</span>
55                     {if $product->defaultStock->availability->availability->photo}
56                     
57                 </div>

```

```

61             {if $product->canBuyStock() && 1 == $skin_settings->productdetails->time && $pr
oduct->defaultStock->delivery}
62                 <div class="delivery">
- 64                     <span class="first">{translate key="Shipment date:"}</span>
+ 64                     <span class="first">{translate key="Dispatched within"}:</span>
65                     <span class="second">{ $product->defaultStock->delivery->translation->na
me|escape}</span>
66                 </div>
67             </if>

```

```

116         </if>
117     </if>
118 </if>
- 119
+ 119
120     {if $product->getRichSnippetForAvailability() == 'instore_only'}
121         <link itemprop="availability" href="{ $schema}://schema.org/InStoreOnly" />
122     {elseif $product->getRichSnippetForAvailability() == 'out_of_stock'}

```

```

127     {if floatval($product->product->other_price)}
128         <div class="otherprice">
- 130             <span class="otherprice-name">{translate key="Price in other shops"}:</span
>
+ 130             <span class="otherprice-name">{translate key="Price in other stores"}:</spa
n>
131             <em>{currency value=$product->product->other_price ceil=2}</em>
132         </div>
133     </if>
134
- 135     <form class="form-basket{if false == $product->canBuyStock()} none{/if}{if $loyalty

```

```

exchange} loyaltyexchange{/if}" method="post" action="{route key=$basketAddRoute stockId='post'}" enctype="multipart/form-data">
+ 135 <form class="form-basket{if false == $product->canBuyStock() && ($enable_availability_notifier && $product->isEnabledNotifier()) == false} none{/if}{if $loyalty_exchange} loyaltyexchange{/if}" method="post" action="{route key=$basketAddRoute stockId='post'}" enctype="multipart/form-data">
136 {assign var=options value=$product->getOptionsConfigurationStruct()}
137 {if $product->product->group_id && count($options)}
138 <div class="stocks">

162 <div class="option_{$option.type|escape}{if 1 == $option.stock} option_truestock{/if}{if 1 == $option.required} option_required{/if}">
ock} option_truestock{/if}{if 1 == $option.required} option_required{/if}">
163 <span class="checkbox-wrap-yesno">
164 <input type="checkbox" id="option_{$option.id|escape}" name="option_{$option.id|escape}" value="1" />
- 165 <label data-yes="{translate key="TAK"}" data-no="{translate key="NIE"}" for="option_{$option.id|escape}"></label>
+ 165 <label data-yes="{translate key="YES"}" data-no="{translate key="NO"}" for="option_{$option.id|escape}"></label>
166 </span>
167 </div>
168 {/case}

180 {case expr='color'}
181 <div class="option_{$option.type|escape}{if 1 == $option.stock} option_truestock{/if}{if 1 == $option.required} option_required{/if}">
ock} option_truestock{/if}{if 1 == $option.required} option_required{/if}">
182 <select id="option_{$option.id|escape}" name="option_{$option.id|escape}">
- 183 <option value="" title="">{translate key='(choose)'}</option>
+ 183 <option value="" title="">({translate key='choose'})</option>
184 {foreach from=$option.values item=value}
185 <option value="{$value.id|escape}" title="{$value.color|escape}">{$value.name|escape}</option>
186 {/foreach}

191 <div class="option_{$option.type|escape}{if 1 == $option.stock} option_truestock{/if}{if 1 == $option.required} option_required{/if}">
ock} option_truestock{/if}{if 1 == $option.required} option_required{/if}">
192 <select id="option_{$option.id|escape}" name="option_{$option.id|escape}">
193 {if 0 == $option.stock}
- 194 <option value="" title="">{translate key='(choose)'}</option>
+ 194 <option value="" title="">({translate key='choose'})</option>
195 {/if}
196 {foreach from=$option.values item=value}
197 <option value="{$value.id|escape}">{$value.name|escape}</option>

```

```

206         </div>
207     </if>
208
- 209         <fieldset{if false == $enablebasket || 0 == (int) $product->defaultStock->avail
ability->availability->can_buy} class="none" {/if}>
+ 209         <fieldset class="addtobasket-container{if false == $enablebasket || 0 == (int)
$product->defaultStock->availability->availability->can_buy} none{/if}">
210             <div class="quantity_wrap">
211                 <span class="quantity_name">{translate key="quantity"}</span>
212                 <span class="number-wrap">
213
214
215
216
217
218         </div>
219         <div class="button_wrap">
220             <button type="submit" class="addtobasket btn btn-red">
- 221                 
- 222                 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{transl
ate key="Add to the basket"}{/if}</span>
+ 221                 
+ 222                 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{transl
ate key="Add to cart"}{/if}</span>
223             </button>
224             {if false != $loyalty_points && !$loyalty_exchange}
225                 <span class="loyalty_points{if 0 == $loyalty_points} none{/if}">
- 226                     {translate key="You earn %s%s%s points [%s?%s]" p1='<span class
="points">' p2=$loyalty_points p3='</span>' p4='<span class="tooltip_pointer">' p5='</span>'}
+ 225                     {translate key="You gain %s%s%s points [%s?%s]" p1='<span class
="points">' p2=$loyalty_points p3='</span>' p4='<span class="tooltip_pointer">' p5='</span>'}
226                 <label class="tooltip" id="loyalty_msg">
227                     {if $loyalty_msg_title}
- 228                         <p class="title">{$loyalty_msg_title|escape}</p>
+ 228                         <span class="title">{$loyalty_msg_title|escape}</span>
229                     {/if}
230                     {foreach from=$loyalty_msgs item=loyalty_msg}
- 231                         <p>{$loyalty_msg|escape}</p>
+ 231                         <span>{$loyalty_msg|escape}</span>
232                     {/foreach}
233                 </label>
234             </span>
235         {/if}
236     </div>
237 </fieldset>
+ 238
+ 239         {if $enable_availability_notifier}
+ 240             {dynamic}
+ 241             {assign var="availabilityNotifyUser" value=$product->defaultStock->getA
vailabilityNotifyByUser()}
+ 242         <fieldset class="availability-notifier-container{if $availabilityNotify

```

```

User != null || 1 == (int) $product->defaultStock->availability->can_buy} none{/if}">
+ 243 <div class="button_wrap">
+ 244 <button type="submit" class="availability-notifier-btn btn btn-
red" data-is-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->stock->stock_id}" data-produ
ct-id="{ $product->product->product_id}" data-product-name="{ $product->translation->name}">
+ 245 
+ 246 <span>{translate key="notify of product availability"}</spa
n>
+ 247 </button>
+ 248 </div>
+ 249 </fieldset>
+ 250 {if true == $user_logged}
+ 251 <fieldset class="availability-notifier-unsubscribe-container{if $av
ailabilityNotifyUser == null || 1 == (int) $product->defaultStock->availability->availability->can_buy} none{/if}">
+ 252 <div class="button_wrap">
+ 253 <button type="submit" class="availability-notifier-unsubscr
ibe-btn btn btn-red" data-stock-id="{ $product->defaultStock->stock->stock_id}">
+ 254 
+ 255 <span>{translate key="cancel notify"}</span>
+ 256 </button>
+ 257 </div>
+ 258 </fieldset>
+ 259 {/if}
+ 260 {/dynamic}
+ 261 {/if}
262 </form>
+ 263
+ 264
265 {if 1 == $skin_settings->productdetails->storage}
- 266 <a href="{route key='favouriteAdd' stockId=$product->defaultStock->getIdentifie
r()}" title="{translate key='Store'}" class="addtofav">
+ 240 <a href="{route key='favouriteAdd' stockId=$product->defaultStock->getIdentifie
r()}" title="{translate key='add to wish list'}" class="addtofav">
241 
- 242 <span>{translate key="Store"}</span>
+ 242 <span>{translate key="add to wish list"}</span>
243 </a>
244 {/if}
245 </div>

```

```

274 {if 1 == $skin_settings->productdetails->score || 1 == $skin_settings->productdetails->
producer || 1 == $skin_settings->productdetails->code ||
275 1 == $skin_settings->productdetails->storage || 1 == $skin_settings->productdetails
->recommend || ($scan_comment && 1 == $skin_settings->productdetails->comments) }
276
- 277 <div class="productdetails-more-details">
+ 277 <div class="productdetails-more-details clearfix">
278 {if 1 == $skin_settings->productdetails->score || 1 == $skin_settings->productd

```

```

etails->producer || 1 == $skin_settings->productdetails->code}
279                                     <div class="productdetails-more row">
280                                     {if 1 == $skin_settings->productdetails->score}
281                                     <div class="row evaluation" itemprop="aggregateRating" itemscope it
emtype="{ $schema }://schema.org/AggregateRating">
- 282                                     <em>{translate key="Evaluation"}:</em>
+ 282                                     <em>{translate key="Rating"}:</em>
283                                     <span class="votestars" {if $can_vote} id="votestars_{ $product->
getIdentifier()|escape}"{/if}>
284                                     {foreach from=$vote_stars item=star name=list}
285                                     
286                                     {/foreach}
+ 287                                     <meta itemprop="ratingValue" content="{ $product->vote->rate
}" />
288                                     </span>
- 289                                     <span class="none" itemprop="ratingValue">
+ 289                                     <span class="none">
289                                     { $product->vote->rate}
290                                     </span>
- 291                                     <span class="votecount">({translate key="Your score"}: <b itemp
rop="reviewCount">{if $product->vote->votes} { $product->vote->votes|escape|replace:'.':'-'} {else}0{/if}</b></span>
+ 291                                     <span class="votecount">({translate key="Number of ratings"}: <
b itemprop="reviewCount">{ $product_comments|@count}</b></span>
292                                     </div>
293                                     {/if}
294                                     {if 1 == $skin_settings->productdetails->producer}
295                                     <div class="row manufacturer">
- 296                                     <em>{translate key="Manufacturer"}:</em>
+ 296                                     <em>{translate key="Vendor"}:</em>
297                                     {if $product->product->producer_id}
298                                     {if $product->producer->manufacturer->web}
- 299                                     <a class="brand popup" href="{ $product->producer->manufactu
rer->web}" title="{ $product->producer->manufacturer->name|escape}">
+ 299                                     <a itemprop="brand" content="{ $product->producer->manufactu
rer->name|escape}" target="_blank" class="brand" href="{ $product->producer->manufacturer->web}" title="{ $product->producer->manufacturer
->name|escape}">
300                                     {else}
- 301                                     <a class="brand" href="{route function='producer' key=$prod
uct->producer->getIdentifier() producerName=$product->producer->manufacturer->name producerId=$product->producer->getIdentifier()
+ 301                                     <a itemprop="brand" content="{ $product->producer->manufactu
rer->name|escape}" class="brand" href="{route function='producer' key=$product->producer->getIdentifier() producerName=$product->produce
r->manufacturer->name producerId=$product->producer->getIdentifier()
302                                     page=1 sort=1 view=$view}" title="{ $product->produc
er->manufacturer->name|escape}">
303                                     {/if}
304                                     {if $product->producer->manufacturer->gfx}

313                                     {/if}
314                                     </div>
315                                     {/if}

```

```

+ 316 <span itemscope itemType="http://schema.org/Offer">
+ 317 <meta itemprop="category" content="{ $product->defaultCategory->tran
slation->name}" />
+ 318 </span>
319 {if 1 == $skin_settings->productdetails->code}
320 <div class="row code">
321 <em>{translate key="Product code"}:</em>

328 <ul class="row links-q">
329 {if 1 == $skin_settings->productdetails->question}
330 <li class="question">
- 331 <a href="{route key='productQuestion' productId=$product->getIdenti
fier()}" title="{translate key='ask about product'}" class="question ajaxlayer">
+ 331 <a data-href="{route key='productQuestion' productId=$product->getI
dentifier()}" title="{translate key='ask about product'}" class="question ajaxlayer">
332 
333 <span>{translate key="ask about product"}</span>
334 </a>
335 </li>
- 336 {/if}
- 337 {if $loyalty_exchange}
- 338 {assign var=product_price value=0}
- 339 {elseif $product->specialOffer}
- 340 {assign var=product_price value=$product->defaultStock->getSpecialOffer
Price()}
- 341 {else}
- 342 {assign var=product_price value=$product->defaultStock->getPrice()}
- 343 {/if}
- 344 {if $product_price >= 100}
- 345 {plugin module=shop template=product-zagiel}
- 346 {/if}
- 347 {if $product_price >= 500}
- 348 {plugin module=shop template=product-lukas}
349 {/if}
+ 350
351 {if 1 == $skin_settings->productdetails->recommend}
352 <li class="mailfriend">
353 <a href="{route key='productMailFriend' productId=$product->getIden
tifier()}" title="{translate key='recommend to a friend'}" class="mailfriend">

346 {if false != $product_comments && 1 == $skin_settings->productdetails->com
ments}
347 {if $can_comment}
348 <li class="comment">
- 349 <a href="#commentform" title="{translate key='add an opinion'}"
class="comment addcomment">
+ 349 <a href="#commentform" title="{translate key='add your review'}"
" class="comment addcomment">
350 
- 351 <span>{translate key="add an opinion"}</span>
+ 351 <span>{translate key="add your review"}</span>
352 </a>
353 </li>
354 {else}
355 <li class="comment">
- 356 <a href="#" title="{translate key='Only logged-in users can add
opinions.'" class="comment addcomment">
+ 356 <a href="#" title="{translate key='Only registered users can ad
d reviews.'" class="comment addcomment alert-modal">
357 
- 358 <span>{translate key="add an opinion"}</span>
+ 358 <span>{translate key="add your review"}</span>
359 </a>
360 </li>
361 {/if}
362 {/if}
+ 363 {plugin module=shop template=product-links product=$product}
365 </ul>
366 </div>
367 {/if}

```

```

405 {/if}
406 {else}
407 <div class="alert-error alert">
- 408 <p>{translate key="This product is not available."}</p>
+ 408 <p>{translate key="This product is unavailable."}</p>
409 </div>
410 {/if}
411

```

```

428 </div>
429 </div>
430 </div>
- 431
+ 431
432 <script type="text/javascript">
433 try {literal}{{/literal} Shop.values.OptionsConfiguration = "{$options_configuration|escape}"; Shop.values.OptionsDefault = "{$
options_default|escape}"; Shop.values.OptionCurrentStock = "{$stock_id|escape}"; Shop.values.optionCurrentVirt = "default"; Shop.values.
OptionImgWidth = "{$skin_settings->img->big|escape}"; Shop.values.OptionImgHeight = "0"; {literal}{{/literal} catch(e) {literal}{{ }{/lit
eral}
434 </script>

```

scripts/product/list.tpl


```

- 1 {php}$helper = $this->_tpl_vars['helper'];{/php}
2 {include file='header.tpl'}
3 <body{if $body_id} id="{ $body_id|escape}"{/if}{if $body_class} class="{ $body_class|escape}"{/if}>
4 {include file='body_head.tpl'}

43 <div class="boxhead">
44 <h1 class="category-name">
45 {if $body_class|strstr:"product_new" && $category_name|escape == ''}
- 46
+ 46 {translate key="New products"}
47 {elseif $body_class|strstr:"product_promo" && $category_name|escape == ''}
- 48 {translate key="Promocje"}
+ 48 {translate key="Promotions"}
49 {elseif $category_name}
50 { $category_name|escape}
51 {else}
- 52 {translate key='Number of products found:'} { $products->getTotalItemCount()}
+ 52 {translate key='Products found':} { $products->getTotalItemCount()}
53 {/if}
54 </h1>
55
56 <div class="sort-and-view">
57 {if true == $sort_links}
- 58 <span class="sortlinks">
+ 58 <div class="sortlinks">
59 <div class="products-sort-container">
- 60 <span class="products-active-sort">{translate key="Sort according to:"} </span>
+ 60 <span class="products-active-sort">{translate key="Sort by":} </span>
61 <div class="products-sort-options">
- 62 <a href="{php} echo $helper->url(array('sort' => 1));{/php}{if $google}?{ $google|e
scope}{/if}" {if $sort == 1}class="active-sort"{/if}>
+ 62 <a href="{array __key=urlOptions sort=1}{url urlOptions=$urlOptions}{if $google}?{ $
google|escape}{/if}" {if $sort == 1}class="active-sort"{/if}>
63 <b>{translate key="Product name A-Z"}</b>
64 </a>
- 65 <a href="{php} echo $helper->url(array('sort' => 2));{/php}{if $google}?{ $google|e
scope}{/if}" {if $sort == 2}class="active-sort"{/if}>
+ 65 <a href="{array __key=urlOptions sort=2}{url urlOptions=$urlOptions}{if $google}?{ $
google|escape}{/if}" {if $sort == 2}class="active-sort"{/if}>
66 <b>{translate key="Product name Z-A"}</b>
67 </a>
- 68 <a href="{php} echo $helper->url(array('sort' => 3));{/php}{if $google}?{ $google|e
scape}{/if}" {if $sort == 3}class="active-sort"{/if}>
- 69 <b>{translate key="Price: Low to High"}</b>
+ 68 <a href="{array __key=urlOptions sort=3}{url urlOptions=$urlOptions}{if $google}?{ $g
oogle|escape}{/if}" {if $sort == 3}class="active-sort"{/if}>
+ 69 <b>{translate key="Price ascending"}</b>
70 </a>
- 71 <a href="{php} echo $helper->url(array('sort' => 4));{/php}{if $google}?{ $google|e
scape}{/if}" {if $sort == 4}class="active-sort"{/if}>

```

```

- 72 <b>{translate key="Price: High to Low"}</b>
+ 70 <a href="{array __key=urlOptions sort=4}{url urlOptions=$urlOptions}{if $google}?{$
google|escape}{/if}" {if $sort == 4}class="active-sort"{/if}>
+ 71 <b>{translate key="Price descending"}</b>
72 </a>
+ 73 {if $body_class|strstr:"product_new" && $category_name|escape == ''}
+ 74 <a href="{array __key=urlOptions sort=5}{url urlOptions=$urlOptions}{if $google
}?{$google|escape}{/if}" {if $sort == 5}class="active-sort"{/if}>
+ 75 <b>{translate key="Newest"}</b>
+ 76 </a>
+ 77 {/if}
78 </div>
79 </div>
- 80 </span>
+ 74 </div>
75 {/if}
76
77 {if 1 == $skin_settings->productlist->allowviewchange}
78 <ul class="prodview inline text-right">
- 79 <li class="photo{if 'phot' == $view} selected{/if}"><a class="fa fa-th" href="{php} echo $h
elper->url(array('view' => 'phot')); {/php}{if $google}?{$google|escape}{/if
}" title="{translate key='View with photo'}
+ 79 <li class="photo{if 'phot' == $view} selected{/if}"><a class="fa fa-th" href="{array __key=
urlOptions view=phot}{url urlOptions=$urlOptions}{if $google}?{$google|escape}{/if
}" title="{translate key='Picture view'}
81 </a></li>
- 82 <li class="full{if 'full' == $view} selected{/if}"><a class="fa fa-list" href="{php} echo $
helper->url(array('view' => 'full')); {/php}{if $google}?{$google|escape}{/if
+ 81 <li class="full{if 'full' == $view} selected{/if}"><a class="fa fa-list" href="{array __key
=urlOptions view=full}{url urlOptions=$urlOptions}{if $google}?{$google|escape}{/if
82 }" title="{translate key='Full view'}
83 ></a></li>
84 </ul>

```

```

95
96 <div class="row search-info">
97 {if 'search' == $list_type}
- 98 <b class="count">{translate key='Number of products found:'} {$products->getTotalItemCount()}</
b>
+ 98 <b class="count">{translate key='Products found':} {$products->getTotalItemCount()}</b>
99 {/if}
100 </div>
101

```

```

119 </div>
120 {else}
121 <div class="alert-info alert">
- 122 <p>{translate key="No products have been found."}</p>
+ 122 <p>{translate key="No products matching your criteria have been found."}</p>

```

```
123         </div>
124     </if>
125
```

scripts/product/loyalty.tpl

```
2         <div class="boxhead">
3             <h3>
4                 
- 5                 {translate key="Products exchangeable in loyalty program"}
+ 5                 {translate key="Exchangeable products in the loyalty program"}
6             </h3>
7         </div>
8
9         <div class="innerbox">
10            <span class="user_points">{translate key="Your points: %s" p1=$user_points}</span>
- 11            <span class="get_more_points tooltip_pointer" title="loyalty_msg">{translate key="How to get more points"}<
/span>
+ 11            <span class="get_more_points tooltip_pointer" title="loyalty_msg">{translate key="How to gain more points"}
</span>
12
13            {if count($loyalty_msgs)}
14                <label class="tooltip indent" id="loyalty_msg">
```

```
21
22            <form class="loyalty_filter row" method="post" action="{route key='search'}">
23                <fieldset>
- 24                    <b>{translate key='Display:'}</b>
+ 24                    <b>{translate key='View'}:</b>
25                    <input type="radio" class="gotourl" name="loylaty_filter" value="{route key='loyaltyList' filter=0}
" id="loylaty_filter0"{if 0 == (int) $loyalty_filter} checked="checked"{/if} />
26                    <label for="loylaty_filter0">{translate key='all products'}</label>
27                    <input type="radio" class="gotourl" name="loylaty_filter" value="{route key='loyaltyList' filter=1}
" id="loylaty_filter1"{if 1 == (int) $loyalty_filter} checked="checked"{/if} />
```

scripts/product/mailfriend.tpl

```
23
24         <div class="box" id="box_mailfriend">
25             <div class="boxhead">
- 26                 <h3>{translate key="Recommend to a friend"}<
/h3>
+ 26                 <h3>{translate key="Recommend product to a f
riend"}</h3>
27             </div>
28
29             <div class="innerbox">
```

```

43         {/if}
44     </div>
45
- 46     <label for="email">{translate key="Your friend's e-mail address."}</label>
+ 46     <label for="email">{translate key="Friend's e-mail address"}:</label>
47
48     <div class="shaded_inputwrap">
49         <input type="text" name="email" id="email" value="{ $data.email|escape}" size="30" class="{if $data_
ata_error.email}error{/if}">

```

scripts/product/question.tpl

```

28     <div class="edition-form-field">
29         <label for="question_name">
30             <em class="color">*</em>
- 31             {translate key='Your name:'}
+ 31             {translate key='Your name'}:
32         </label>
33         <input type="text" name="name" id="question_name" size="40" value="{ $data.name|escape}" class="{if $data_er
ror.name}error{/if}">
34     </div>

```

```

44     <div class="edition-form-field">
45         <label for="question_mail">
46             <em class="color">*</em>
- 47             {translate key='Your e-mail:'}
+ 47             {translate key='Your e-mail address'}:
48         </label>
49         <input type="text" name="mail" id="question_mail" size="40" value="{ $data.mail|escape}" class="{if $data_er
ror.mail}error{/if}">
50     </div>

```

```

60     <div class="edition-form-field">
61         <label for="question_text">
62             <em class="color">*</em>
- 63             {translate key='Question:'}
+ 63             {translate key='Question'}:
64         </label>
65         <textarea name="question" id="question_text" rows="5" cols="40" class="{if $data_error.question}error{/if}"
>{ $data.question|escape}</textarea>
66     </div>

```

```

73     </ul>
74     {/if}
75
- 76     <label>{translate key='Answer will be sent to given e-mail address.'}</label>
+ 76     <label>{translate key='The reply will be sent to your e-mail address.'}</label>

```

77
78
79

```
<div class="row">  
  <button type="submit" class="btn">
```

scripts/product/related.tpl

```
73         </div>  
74     {/if}  
75  
- 76         {if $enablebasket && $rproduct->canBuyStock()}  
- 77             <div class="basket">  
- 78                 <form class="{if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$basketAddRoute sto  
ckId=$rproduct->defaultStock->getIdentifier()}" method="get">  
+ 76                     <div class="basket">  
+ 77                         <form class="{if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$basketAddRoute stockId  
=$rproduct->defaultStock->getIdentifier()}" method="post">  
+ 78                             {if $enablebasket && $rproduct->canBuyStock()}  
79                                 <fieldset>  
80                                     <button class="addtobasket btn btn-red" type="submit">  
81                                           
- 82                                         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to  
the basket"}{/if}</span>  
+ 80                                         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to  
cart"}{/if}</span>  
81                                     </button>  
82                                 </fieldset>  
- 83                             </form>  
- 84                         </div>  
- 85                     {/if}  
+ 83                     {elseif $enable_availability_notifier && $rproduct->isEnabledNotifier()}  
+ 84                         {dynamic}  
+ 85                         {assign var="availabilityNotifyUser" value=$rproduct->defaultStock->getAvailabilityNoti  
fyByUser()}  
+ 86                         <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} no  
ne{/if}">  
+ 87                             <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged=  
"{if true == $user_logged}true{else>false{/if}" data-stock-id="{rproduct->defaultStock->getIdentifier()}" data-product-id="{rproduct->  
product->product_id}" data-product-name="{rproduct->translation->name}">  
+ 88                                   
+ 89                                 <span>{translate key="Notify of product availability"}</span>  
+ 90                             </button>  
+ 91                         </fieldset>  
+ 92                         {if true == $user_logged}  
+ 93                             <fieldset class="availability-notifier-unsubscribe-container{if $availabilityNotify  
User == null} none{/if}">  
+ 94                                 <button type="submit" class="availability-notifier-unsubscribe-btn btn btn-red"  
data-stock-id="{rproduct->defaultStock->stock->stock_id}">  
+ 95                                       
+ 96                                     <span>{translate key="Cancel notify"}</span>  
+ 97                                 </button>
```

```
+ 98 </fieldset>
+ 99 </if>
+ 100 </dynamic>
+ 101 </if>
+ 102 </form>
+ 103 </div>
104 </div>
105 </div>
106 </div>
```

scripts/product/searchbox.tpl

```
2 <div class="boxhead">
3 <span>
4 
- 5 {translate key="Product search engine"}
+ 5 {translate key="Product search"}
6 </span>
7 </div>
8
```

```
14 <div class="row">
15 <div class="name f-row">
16 <div class="name-label f-grid-4">
- 17 <label for="search1">{translate key="Name or description:"}</label>
+ 17 <label for="search1">{translate key="Name or description"}:</label>
18 </div>
19
20 <div class="f-grid-8">
```

```
29 </div>
30 </div>
31
- 32 <div class="price f-row">
- 33 <div class="price-label f-grid-4">
- 34 <label for="search2">{translate key="Price:"}</label>
- 35 </div>
- 36
- 37 <div class="f-grid-8">
- 38 <input id="search2" type="text" name="pricefrom" value="{ $data.pricefrom|escape}" class="short">
- 39 -
- 40 <input type="text" name="priceto" value="{ $data.priceto|escape}" class="short">
- 41 </div>
- 42 </div>
- 43
- 44 <div class="manufacturer f-row">
- 45 <div class="manufacturer-label f-grid-4">
- 46 <label for="search3">{translate key="Manufacturer:"}</label>
```

```

- 47         </div>
- 48     </div>
- 49         <div class="f-grid-8">
- 50             <select name="producer" id="search3">
- 51                 <option></option>
- 52                 {foreach from=$producers item=producer}
- 53                 <option {if $producer->manufacturer->producer_id == $data.producer}selected="selected" {/if
- 54                 }value="{ $producer->manufacturer->producer_id|escape}">{$producer->manufacturer->name|escape}</
option>
- 55             {/foreach}
- 56         </select>
+ 32         {if $filter_price}
+ 33             <div class="price f-row">
+ 34                 <div class="price-label f-grid-4">
+ 35                     <label for="search2">{translate key="Price"}:</label>
+ 36                 </div>
+ 37             </div>
+ 38             <div class="f-grid-8">
+ 39                 <input id="search2" type="text" name="pricefrom" value="{ $data.pricefrom|escape}" class="short">
+ 40                 -
+ 41                 <input type="text" name="priceto" value="{ $data.priceto|escape}" class="short">
+ 42             </div>
+ 43         </div>
+ 44     {/if}
+ 45 </div>
+ 46     {if $filter_producer}
+ 47         <div class="manufacturer f-row">
+ 48             <div class="manufacturer-label f-grid-4">
+ 49                 <label for="search3">{translate key="Vendor"}:</label>
+ 50             </div>
+ 51         </div>
+ 52         <div class="f-grid-8">
+ 53             <select name="producer" id="search3">
+ 54                 <option></option>
+ 55                 {foreach from=$producers item=producer}
+ 56                 <option {if $producer->manufacturer->producer_id == $data.producer}selected="selected" {/if
+ 57                 }value="{ $producer->manufacturer->producer_id|escape}">{$producer->manufacturer->name|escap
e}</option>
+ 58             {/foreach}
+ 59         </select>
+ 60     </div>
61 </div>
- 62 </div>
+ 34 {/if}
35 </div>
36     <div class="category f-row">
37         <div class="category-label f-grid-4">
- 38         <label for="search4">{translate key="Category"}:</label>
+ 38         <label for="search4">{translate key="Category"}:</label>
39     </div>

```

```

40         <div class="f-grid-8">
41


---


79         </div>
80     </div>
81
- 82     <div class="promotion f-row">
- 83         <div class="promotion-label f-grid-4">
- 84             <label for="search5">{translate key="Only products in promotion"}</label>
+ 82             {if $filter_promotion}
+ 83                 <div class="promotion f-row">
+ 84                     <div class="promotion-label f-grid-4">
+ 85                         <label for="search5">{translate key="Only On Sale products"}</label>
+ 86                     </div>
+ 87                 </div>
+ 88                 <div class="f-grid-8">
+ 89                     <span class="checkbox-wrap">
+ 90                         <input type="checkbox" value="1" name="promotion" id="search5"{if 1 == $data.promotion} checked
+ 91                         = "checked" {/if}>
+ 92                         <label for="search5"></label>
+ 93                     </span>
+ 94                 </div>
- 95     </div>
- 96     <div class="f-grid-8">
- 97         <span class="checkbox-wrap">
- 98             <input type="checkbox" value="1" name="promotion" id="search5"{if 1 == $data.promotion} checked="ch
- 99             ecked" {/if}>
- 100             <label for="search5"></label>
- 101         </span>
- 102     </div>
+ 84     {/if}
85 </div>
86
87 <div class="f-row">

```

scripts/product/tableofproducts.tpl

```

4     {/if}
5     {if 0 < (int) $layout->layout->right_col_width}
6         {math equation="x - y" x=$columnCounter y=1 assign="columnCounter"}
- 7     {/if}
- 8     {php}$helper = $this->_tpl_vars['helper'];{/php}
+ 7     {/if}
8
9     {if 'full' == $view || $view == 'desc'}
10         <div class="products view{$view}" {if $skin_settings->global->pricemode == '2'}data-netto="true"{/if}>

```



```

29         <span class="productname">{$product->translation->name|escape}</span>
30     </a>
31
- 32     <div class="product-short-description large">
+ 32     <div class="product-short-description resetcss large">
33         {$product->translation->short_description}
34     </div>
35
36         {if ($product->defaultStock && $product->canBuyStock() && 1 == (int) $skin_settings->$settingsgroup->showdelivery) || ($product->defaultStock && 1 == (int) $skin_settings->$settingsgroup->showavailability)}
37         <p class="avail">
38             {if 1 == (int) $skin_settings->$settingsgroup->showavailability && $product->defaultStock->availability && $product->defaultStock->availability->translation}
- 39             <span class="availability">{translate key="Availability:"}</span>
+ 39             <span class="availability">{translate key="Availability"}:</span>
40             <span class="availability">{if $product->defaultStock->availability->availability->photo}
41                  {/if
42             }{$product->defaultStock->availability->translation->name}</span>

```

```

44         {if 1 == (int) $skin_settings->$settingsgroup->showdelivery && $product->canBuyStock() && $product->defaultStock->delivery}
45         </p>
46         <p class="deliv">
- 47             <span class="delivery">{translate key="Shipment date:"}</span>
+ 47             <span class="delivery">{translate key="Dispatched within"}:</span>
48             <span class="delivery">{$product->defaultStock->delivery->translation->name|escape}</span>
49             {/if}
50         </p>
51     {/if}
52
- 53     {if $enablebasket && $product->canBuyStock()}
+ 53     {if ($enable_availability_notifier && $product->isEnabledNotifier() || ($enablebasket && $product->canBuyStock()))}
54         {if true == $product->defaultStockOnly()}
55         <form class="basket f-grid-12 right {if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$basketAddRoute stockId='post'}" method="post">
56             {else}
57             <form class="basket f-grid-12 right {if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$basketAddRoute stockId=$product->defaultStock->getIdentifier()}" method="get">
58                 {/if}
+ 59             {/if}
60
- 61             {if $loyalty_exchange}
- 62             <div class="price">
+ 60             {if $loyalty_exchange}
+ 61             <div class="price{if ($enable_availability_notifier && $product->isEnabledNotifier()) == false && ($enablebasket && $product->canBuyStock()) == false} noform{/if}">
+ 62             <span>{translate key="Price"}:</span>
+ 63             <em>{float precision=0 value=$product->defaultStock->loyaltyPointsPrice(true)}</em>

```

```

+ 64         </div>
+ 65         {else}
+ 66         {if $showprices}
+ 67         <div class="price{if ($enable_availability_notifier && $product->isEnabledNotifier()) == false
&& ($enablebasket && $product->canBuyStock()) == false} noform{/if}">
68             <span>{translate key="Price"}:</span>
- 69             <em>{float precision=0 value=$product->defaultStock->loyaltyPointsPrice(true)}</em>
- 70         </div>
- 71         {else}
- 72         {if $showprices}
- 73         <div class="price">
- 74             <span>{translate key="Price"}:</span>
- 75             {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '3
'}
- 76                 {if $product->specialOffer}
- 77                 <em class="color">{currency value=$product->defaultStock->getSpecialOfferPrice(
)}</em>
- 78                 <del>{currency value=$product->defaultStock->getPrice()}</del>
- 79                 {else}
- 80                 <em>{currency value=$product->defaultStock->getPrice()}</em>
- 81                 {/if}
+ 62             {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '3'}
+ 63             {if $product->specialOffer}
+ 64             <em class="color">{currency value=$product->defaultStock->getSpecialOfferPrice()}</
em>
+ 65             <del>{currency value=$product->defaultStock->getPrice()}</del>
+ 66             {else}
+ 67             <em>{currency value=$product->defaultStock->getPrice()}</em>
68             {/if}
+ 69             {/if}
70
- 71             {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '2
'}
- 72                 {if $skin_settings->global->pricemode == '1'}
- 73                 <i class="price-netto">({translate key="net"}:
- 74                 {/if}
- 75                 {if $product->specialOffer}
- 76                 <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
>
- 77                 <del>{currency value=$product->defaultStock->getPrice(true)}</del>
- 78                 {else}
- 79                 <em>{currency value=$product->defaultStock->getPrice(true)}</em>
- 80                 {/if}
- 81                 {if $skin_settings->global->pricemode == '1'}
- 82                 )</i>
+ 65             {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '2'}
+ 66             {if $skin_settings->global->pricemode == '1'}
+ 67             <i class="price-netto">({translate key="net"}:
+ 68             {/if}
+ 69             {if $product->specialOffer}
+ 70             <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>

```

```

+ 71 <del>{currency value=$product->defaultStock->getPrice(true)}</del>
+ 72 {else}
+ 73 <em>{currency value=$product->defaultStock->getPrice(true)}</em>
74 {/if}
+ 75 {if $skin_settings->global->pricemode == '1'}
+ 76 )</i>
77 {/if}
- 78 </div>
- 79 {/if}
+ 68 {/if}
+ 69 </div>
70 {/if}
+ 71 {/if}
72
+ 73 {if ($enable_availability_notifier && $product->isEnabledNotifier()) || ($enablebasket && $product->can
BuyStock())}
+ 74 {if $enablebasket && $product->canBuyStock()}
75 <fieldset>
76 {if true == $product->defaultStockOnly()}
- 77 <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANTITY_PREC
ISION value=1 trim=true}" type="text" class="short center"></div>
- 78 <span class="unit">{$product->unit->translation->name|escape}</span>
- 79 <input type="hidden" value="{ $product->defaultStock->getIdentifier()|escape}" name="stock_i
d">
+ 73 <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANTITY_
PRECISION value=1 trim=true}" type="text" class="short center"></div>
+ 74 <span class="unit">{$product->unit->translation->name|escape}</span>
+ 75 <input type="hidden" value="{ $product->defaultStock->getIdentifier()|escape}" name="sto
ck_id">
76 {/if}
77 <button class="addtobasket btn btn-red" type="submit">
78 
- 79 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to the
basket"}{/if}</span>
+ 77 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart
"}{/if}</span>
78 </button>
79 </fieldset>
- 80 </form>
- 81 {else}
- 82 {if $loyalty_exchange}
- 83 <div class="price noform">
- 84 <span>{translate key="Price"}:</span>
- 85 <em>{float precision=0 value=$product->defaultStock->loyaltyPointsPrice(true)}</em>
- 86 </div>
- 87 {else}
- 88 {if $showprices}
- 89 <div class="price noform">
- 90 <span>{translate key="Price"}:</span>
- 91
- 92 {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '3

```

```

- 93         }
- 94         {if $product->specialOffer}
- 95         <em class="color">{currency value=$product->defaultStock->getSpecialOfferPrice(
- 96     )}</em>
- 97         <del>{currency value=$product->defaultStock->getPrice()}</del>
- 98         {else}
- 99         <em>{currency value=$product->defaultStock->getPrice()}</em>
- 100     {/if}
- 101     {/if}
- 102     {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '2
- 103     ' }
- 104     {if $skin_settings->global->pricemode == '1'}
- 105     <i class="price-netto">({translate key="net"}:
- 106     {/if}
- 107     {if $product->specialOffer}
- 108     <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em
- 109     >
- 110     <del>{currency value=$product->defaultStock->getPrice(true)}</del>
- 111     {else}
- 112     <em>{currency value=$product->defaultStock->getPrice(true)}</em>
- 113     {/if}
- 114     {if $skin_settings->global->pricemode == '1'}
- 115     )</i>
- 116     {/if}
- 117     {/if}
- 118     </div>
- 119     {/if}
+ 80     {elseif $enable_availability_notifier && $product->isEnabledNotifier()}
+ 81     {dynamic}
+ 82     {assign var="availabilityNotifyUser" value=$product->defaultStock->getAvailabilityNotifyByU
+ 83     ser()}
+ 84     <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} none{/
+ 85     if}">
+ 86     <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged="{if
+ 87     true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}" data-product-id="{ $product->produc
+ 88     t->product_id}" data-product-name="{ $product->translation->name}">
+ 89     
+ 90     <span>{translate key="Notify of product availability"}</span>
+ 91     </button>
+ 92     </fieldset>
+ 93     {if true == $user_logged}
+ 94     <fieldset class="availability-notifier-unsubscribe-container{if $availabilityNotifyUser
+ 95     == null} none{/if}">
+ 96     <button type="submit" class="availability-notifier-unsubscribe-btn btn btn-red" dat
+ 97     a-stock-id="{ $product->defaultStock->stock->stock_id}">
+ 98     
+ 99     <span>{translate key="Cancel notify"}</span>
+ 100     </button>
+ 101     </fieldset>
+ 102     {/if}

```

```

+ 97         {/dynamic}
98         {/if}
99     {/if}
+ 100
+ 101         {if ($enable_availability_notifier && $product->isEnabledNotifier() || ($enablebasket && $product->can
BuyStock()))}
+ 102         </form>
+ 103     {/if}
104     </div>
105 </div>
106 </div>

```

```

139     <ul class="tags">
140         {if $product->specialOffer}
141         <li class="promo">
- 142             <span>{translate key="promotion"}</span>
+ 142             <span>{translate key="on sale tag"}</span>
143         </li>
144         {/if}
145         {if $product->isNew()}
146         <li class="new">
- 147             <span>{translate key="new"}</span>
+ 147             <span>{translate key="new product tag"}</span>
148         </li>
149         {/if}
150     </ul>

```

```

176
177     {if $product->product->producer_id}
178     <div class="f-row manufacturer">
- 179         <em>{translate key="Manufacturer"}</em>
+ 179         <em>{translate key="Vendor"}</em>
180         {if $product->producer->manufacturer->web}
- 181         <a class="brand popup" href="{ $product->producer->manufacturer->web}" title="{ $product->producer->m
anufacturer->name|escape}">
+ 181         <a class="brand" target="_blank" href="{ $product->producer->manufacturer->web}" title="{ $product->p
roducer->manufacturer->name|escape}">
182         {else}
183         <a class="brand" href="{route function='producer' key=$product->producer->getIdentifier() producerN
ame=$product->producer->manufacturer->name producerId=$product->producer->getIdentifier()
184             page=1 sort=1 view=$view}" title="{ $product->producer->manufacturer->name|escape}">

```

```

189     {/if}
190
191     <div class="price f-row">
- 192         {if $enablebasket && $product->canBuyStock()}
- 193         {if $showprices}
- 194         {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '3'}

```

```

- 195 <span>{translate key="Price"}:</span>
+ 192 {if $showprices}
+ 193 {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '3'}
+ 194 <span>{translate key="Price"}:</span>
+ 195 {if $product->specialOffer}
+ 196 <em>{currency value=$product->defaultStock->getSpecialOfferPrice()}</em>
+ 197 <del>{currency value=$product->defaultStock->getPrice()}</del>
+ 198 {else}
+ 199 <em>{currency value=$product->defaultStock->getPrice()}</em>
+ 200 {/if}
+ 201 {/if}
+ 202
+ 203 {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '2'}
+ 204 {if $skin_settings->global->pricemode == '1'}
+ 205 <i class="price-netto">{translate key="net"}:
+ 206 {/if}
207 {if $product->specialOffer}
- 208 <em>{currency value=$product->defaultStock->getSpecialOfferPrice()}</em>
- 209 <del>{currency value=$product->defaultStock->getPrice()}</del>
+ 194 <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
+ 195 <del>{currency value=$product->defaultStock->getPrice(true)}</del>
196 {else}
- 197 <em>{currency value=$product->defaultStock->getPrice()}</em>
- 198 {/if}
- 199 {/if}
- 200
- 201 {if $skin_settings->global->pricemode == '1' || $skin_settings->global->pricemode == '2'}
- 202 {if $skin_settings->global->pricemode == '1'}
- 203 <i class="price-netto">{translate key="net"}:
+ 196 <em>{currency value=$product->defaultStock->getPrice(true)}</em>
197 {/if}
- 198 {if $product->specialOffer}
- 199 <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
- 200 <del>{currency value=$product->defaultStock->getPrice(true)}</del>
- 201 {else}
- 202 <em>{currency value=$product->defaultStock->getPrice(true)}</em>
- 203 {/if}
- 204 {if $skin_settings->global->pricemode == '1'}
- 205 )</i>
- 206 {/if}
- 207 {/if}
- 208 {/if}
+ 198 {if $skin_settings->global->pricemode == '1'}
+ 199 )</i>
+ 200 {/if}
+ 201 {/if}
202 {/if}
203 </div>
204

```

```

233
234         <button class="addtobasket btn btn-red" type="submit">
235             
- 236             <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to the bask
et"}{/if}</span>
+ 236             <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart"}{/
if}</span>
237         </button>
238     </fieldset>
239 </form>
+ 240     {elseif $enable_availability_notifier && $product->isEnabledNotifier()}
+ 241     {dynamic}
+ 242     <form class="availability-notifier">
+ 243         {assign var="availabilityNotifyUser" value=$product->defaultStock->getAvailabilityNotifyByUser(
)}
+ 244     <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} none{/if}"
>
+ 245         <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged="{if tru
e == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}" data-product-id="{ $product->product->p
roduct_id}" data-product-name="{ $product->translation->name}">
+ 246             
+ 247             <span>{translate key="Notify of product availability"}</span>
+ 248         </button>
+ 249     </fieldset>
+ 250     {if true == $user_logged}
+ 251     <fieldset class="availability-notifier-unsubscribe-container{if $availabilityNotifyUser ==
null} none{/if}">
+ 252         <button type="submit" class="availability-notifier-unsubscribe-btn btn btn-red" data-st
ock-id="{ $product->defaultStock->stock->stock_id}">
+ 253             
+ 254             <span>{translate key="Cancel notify"}</span>
+ 255         </button>
+ 256     </fieldset>
+ 257     {/if}
+ 258 </form>
+ 259 {/dynamic}
260 {/if}
- 261
- 262     <a class="btn large tablet quickview" data-eval="{ $skin_settings->productdetails->score}" data-id="{ $produc
t->product->product_id}">
- 263         <span>{translate key="Details"}</span>
+ 241
+ 242     <a class="btn large tablet quickview" {if $enablebasket}data-price="true" {/if} data-eval="{ $skin_settings->
productdetails->score}" data-id="{ $product->product->product_id}">
+ 243         <span>{translate key="check more"}</span>
244     </a>
245 </div>
246 </div>

```

```

269         <ul class="tags">
270             {if $product->specialOffer}
271                 <li class="promo">
- 272                     <span>{translate key="promotion"}</span>
+ 272                     <span>{translate key="on sale tag"}</span>
273                 </li>
274             {/if}
275
276             {if $product->isNew()}
277                 <li class="new">
- 278                     <span>{translate key="new"}</span>
+ 278                     <span>{translate key="new product tag"}</span>
279                 </li>
280             {/if}
281         </ul>

```

scripts/switch.tpl

```

4         {if $smarty.cookies.show_full_page == 1}
5             {translate key="View responsive version"}
6         {else}
- 7             {translate key="View desktop version"}
+ 7             {translate key="View full version of the site"}
8         {/if}
9     </span>
10 </div>
11 {/dynamic}
- 12 {$snippet_body}
+ 12
+ 13 {$snippet_body}
+ 14 <script type="text/javascript">
+ 15     {dynamic}
+ 16     {if true == $user_logged}Shop.basket.shopVisitorId = '{ $user->user->userinfo->user_id|escape|base64_encode}';{/if}
+ 17     {if $body_class|escape == 'shop_basket_done'}Shop.basket.orderDone = true;{/if}
+ 18     Shop.basket.basketProducts = '{if 0 != $user->basket->countProducts()}{foreach from=$user->basket item=basket_product name=basket}
    {$basket_product->product->product_id|base64_encode},{/foreach}{/if}';
+ 19     Shop.basket.categoryProducts = '{foreach from=$products item=product name=prodlist}{$product->product->product_id|base64_encode},{/fo
    reach}';
+ 20     {/dynamic}
+ 21 </script>

```

Pliki .css

Pliki .less

styles/_article.less

```
+ 1 article {
+ 2     clear: both;
+ 3
+ 4     .article-header {
+ 5         border-bottom: 1px solid @borderColor;
+ 6         padding: 0.7em 0;
+ 7         margin-bottom: 0.5em;
+ 8
+ 9         .article-name {
+ 10            text-transform: uppercase;
+ 11            font-size: 1.4em;
+ 12            padding-top: 0.55em;
+ 13            float: left;
+ 14            display: block;
+ 15
+ 16            &.article-name-inactive:hover {
+ 17                color: @acolor;
+ 18            }
+ 19        }
+ 20
+ 21        .article-comments {
+ 22            width: 2.6em;
+ 23            float: right;
+ 24            background: @tableZebraColor;
+ 25            .border-radius(50%);
+ 26            padding: .45em 0;
+ 27            font-size: 1.1em;
+ 28            font-weight: 400;
+ 29            text-align: center;
+ 30            position: absolute;
+ 31            right: 0;
+ 32
+ 33            span{
+ 34                &::before{
+ 35                    .fontawesome;
+ 36                    content: "\f086";
+ 37                    text-decoration: inherit;
+ 38                    -webkit-font-smoothing: antialiased;
+ 39                    background-color: transparent;
+ 40                    color: @colorBlack;
+ 41                    display: inline-block;
+ 42                    padding: 0 0.5em;
+ 43                    border: 0;
+ 44                }
+ 45            }
+ 46        }
+ 47    }
+ 48
```

```
+ 49 .article-info {
+ 50     color: #a6a6a6;
+ 51     margin-bottom: 2em;
+ 52
+ 53     .article-date, .article-categories, .article-author {
+ 54         color: #000;
+ 55     }
+ 56 }
+ 57
+ 58 .article-content {
+ 59     border-bottom: 1px dashed @borderColor;
+ 60     padding-bottom: 1.5em;
+ 61     margin-bottom: 1em;
+ 62
+ 63     .article-image {
+ 64         float: left;
+ 65         padding: 0 1.5em 1.5em 0;
+ 66     }
+ 67 }
+ 68
+ 69 .readmore {
+ 70     color: #FB5642;
+ 71     float: right;
+ 72     font-weight: bold;
+ 73     font-size: 1.1em;
+ 74 }
+ 75 }
+ 76
+ 77 .article-tags {
+ 78     li {
+ 79         background: @tableZebraColor;
+ 80         display: inline-block;
+ 81
+ 82         a {
+ 83             padding: 0.5em 1em;
+ 84             display: block;
+ 85         }
+ 86     }
+ 87 }
+ 88
+ 89 #box_articlefiles .tab-files {
+ 90     li {
+ 91         border-bottom: 1px dashed @borderColor;
+ 92         padding: 0.5em 0 0.5em 1em;
+ 93
+ 94         &:nth-child(even) {
+ 95             background-color: @tableZebraColor;
+ 96         }
+ 97     }
+ 98 }
```

```
+ 99  
+ 100 #box_article .article-content {  
+ 101     border: 0;  
+ 102     padding-bottom: 0;  
+ 103     margin-bottom: 0;  
+ 104 }  
+ 105  
+ 106 #box_articlelist {  
+ 107     article {  
+ 108         margin-bottom: 3.5em;  
+ 109     }  
+ 110 }  
+ 111  
+ 112 #box_articlelistsmall {  
+ 113     .article-info {  
+ 114         margin-bottom: 0.5em;  
+ 115     }  
+ 116 }  
+ 117  
+ 118 #box_article_comments, .tab-comments {  
+ 119     form {  
+ 120         margin-top: 2em;  
+ 121     }  
+ 122  
+ 123     .articlecomment {  
+ 124         border-bottom: 1px dashed @borderColor;  
+ 125         padding-bottom: 1em;  
+ 126         padding-left: 1em;  
+ 127  
+ 128         &:nth-child(even) {  
+ 129             background-color: @tableZebraColor;  
+ 130         }  
+ 131  
+ 132         &:last-child {  
+ 133             margin-bottom: 2em;  
+ 134         }  
+ 135     }  
+ 136 }  
+ 137  
+ 138 #box_article_tagcloud {  
+ 139     .tagcloud {  
+ 140         li {  
+ 141             display: inline-block;  
+ 142             padding: 0 0.5em;  
+ 143         }  
+ 144     }  
+ 145 }
```

```
98
99 #cart-options {
100     margin-top: 2em;
- 101     overflow: hidden;
102
103     .recount {
104         font-size: 1.1em;
```

```
164
165     .promo {
166         text-align: right;
- 167         margin-bottom: 2em;
+ 167
+ 168         &:last-child {
+ 169             margin-bottom: 2em;
+ 170         }
171
172     .value {
173         font-weight: bold;
```

```
604         border-right: 1px solid @borderColor;
605         padding-right: 1.5em;
606         padding-bottom: 2.5em;
+ 607         min-height: 15em;
608     }
609
610     .basket-no-register {
- 611         padding-top: 4em;
+ 610         &.register-enabled {
+ 611             padding-top: 4em;
+ 612         }
613     }
614
615     .innerbox {
```

```
630     div.basket-no-register {
631         border-right: none;
632         padding-right: 0;
- 633         padding-top: 4em;
+ 633         &.register-enabled {
+ 634             padding-top: 4em;
+ 635         }
636     }
637
638     div.login {
```

```
708     list-style-position: inside;
709   }
710 }
+ 711 }
+ 712
+ 713 .price-total {
+ 714     display: inline-block;
+ 715 }
+ 716
+ 717 .price-total-discount {
+ 718     display: block;
719 }
```

styles/_formBasic.less

```
95     input[type="email"],
96     input[type="search"]
97     .uneditable-input {
- 98     .transition(border linear 0.2s, box-shadow linear 0.2s);
+ 98     .transition(border linear 0.2s);
99
100     display: inline-block;
101     height: 24px;
```

```
120
121     &.short {
122         width: 40% !important;
- 123         min-width: 2em;
+ 123         min-width: 3em;
124     }
125 }
126
```

```
199
200 select {
201     -webkit-appearance: none;
- 202     -moz-appearance: none;
203     text-indent: 0.01px;
204     text-overflow: '';
205     width: 100%;
```

```
208     border: 1px solid @borderColor;
209     padding: 0.6em 1.4em 0.6em 0.4em;
210
- 211     &:hover, &:active {
+ 211     &:hover {
212         border-color: @maincolor;
```

```
213     color: @colorWhite;
214     background: @maincolor url("../images/ico_arrow_down_light.png") no-repeat 95% 50%;
```

```
451
452 // Ugly fix for Firefox 30.
453 @-moz-document url-prefix() {
+ 454     #box_producers .producers_wrap {
+ 455         border: none !important;
+ 456         background: none !important;
+ 457     }
+ 458     select {
+ 459         opacity: 1 !important;
+ 460     }
+ 461 }
+ 462
463     select {
464         text-indent: inherit !important;
465         background-image: none !important;
466         padding: 0.66em !important;
+ 467         min-height: inherit !important;
468     }
469     &:hover {
470         background-image: none !important;
```

styles/_iefallback.less

```
+ 1     html {
+ 2         &:not(.lt-ie9) {
+ 3             select {
+ 4                 &:active {
+ 5                     border-color: @maincolor;
+ 6                     color: @colorWhite;
+ 7                     background: @maincolor url("../images/ico_arrow_down_light.png") no-repeat 95% 50%;
+ 8                 }
+ 9                 option {
+ 10                    background-color: @colorWhite;
+ 11                    color: @fontBasicColor;
+ 12                }
+ 13            }
+ 14        }
+ 15    }
+ 16
+ 17    &.lt-ie9 {
+ 18        select {
+ 19            background-image: none;
+ 20            padding: 0.6em;
+ 21        }
+ 22    }
+ 23 }
```

```
+ 24  
25 .lt-ie8 {  
26 .container {  
27 width: 992px
```

```
57 }  
58  
59 .btn {  
- 60 &.addtobasket {  
- 61 min-width: 7em;  
- 62 }  
+ 60 &.addtobasket, .availability-notifier-btn, .availability-notifier-unsubscribe-btn {  
+ 61 min-width: 7em;  
+ 62 }  
63 }  
64  
65 .layer-mask, .mask {
```

styles/_menu.less

```
122 &.parent:hover {  
123 > div {  
124 > ul {  
- 125 right: -100.9%;  
+ 125 right: -100.8%;  
126 top: -1px;  
127 width: 100%;  
128 min-height: 100%;
```

```
135 top: 23px;  
136 width: 9px;  
137 }  
+ 138  
+ 139 &.sub-right {  
+ 140 right: 100%;  
+ 141  
+ 142 &::before {  
+ 143 border-top: 1px solid @borderColor;  
+ 144 border-right: 1px solid @borderColor;  
+ 145 border-left: medium none;  
+ 146 border-bottom: medium none;  
+ 147 left: 98.3%;  
+ 148 }  
+ 149 }  
150 }  
151 }  
152 };  
153 }
```

```
154     }
155     }
+ 156
+ 157     &::after {
+ 158         content: '';
+ 159         position: absolute;
+ 160         display: block;
+ 161         height: 5em;
+ 162         width: 20%;
+ 163     }
164     }
165 }
166
```

styles/_mixins.less

```
19     border-bottom-right-radius: @bottomright;
20     border-bottom-left-radius: @bottomleft;
21     border-top-left-radius: @topleft;
- 22     .background-clip(padding-box);
23 }
24
25 .box-sizing() {
```

styles/_modal.less

```
40     font-size: 1.2em;
41     line-height: inherit;
42     color: @colorWhite;
+ 43     width: 80%;
44 }
45
46     .modal-close {
```

```
101 }
102
103     .mask {
- 104     .radial();
- 105
106     z-index: 9000;
107     position: fixed;
108     top: 0;
```

styles/_modules.less

```
225     }
226 }
```



```
227
- 228 #box_menu{
+ 228 #box_menu, #box_article_categories {
229     ul{
230         .ul;
231
```

```
300         display: none;
301     }
302 }
+ 303
+ 304 .advanced-search {
+ 305     float: right;
+ 306 }
307 }
308
309 #box_loginsmall {
```

```
515
516     a {
517         > span {
- 518             display: block;
+ 518             display: inline-block;
519             width: 20px;
520             height: 20px;
521         }
522     }
523 }
+ 524
+ 525 &.foldable {
+ 526     li {
+ 527         a {
+ 528             > em {
+ 529                 vertical-align: top;
+ 530             }
+ 531         }
+ 532     }
+ 533 }
534 }
535 }
536
```

```
829     span {
830         span {
831             color: @borderColor;
+ 832
+ 833             &.color-filter {
+ 834                 width: 20px;
```

```
+ 835         height: 20px;
+ 836         display: inline-block;
+ 837         margin: 0px 5px 0px 0px;
+ 838         vertical-align: middle;
+ 839         position: relative;
+ 840         top: -2px;
+ 841         border: 1px solid #D8D8D8;
+ 842     }
843     }
844 }
845 }
```

```
905         display: block;
906     }
907 }
+ 908 }
+ 909 }
+ 910 .calendar {
+ 911     width: 100%;
+ 912     border-spacing: 4px;
+ 913     border-collapse: separate;
+ 914     text-transform: uppercase;
+ 915 }
+ 916     thead {
+ 917         td {
+ 918             text-align: center;
+ 919         }
+ 920     }
+ 921 }
+ 922     tbody {
+ 923         td {
+ 924             width: 14.3%;
+ 925             padding: 1em 0;
+ 926         }
+ 927 }
+ 928         td:not([colspan]) {
+ 929             background: @tableZebraColor;
+ 930             text-align: center;
+ 931 }
+ 932         &.focused {
+ 933             background: @color2;
+ 934 }
+ 935         a {
+ 936             color: @colorWhite;
+ 937             text-decoration: none;
+ 938         }
+ 939     }
+ 940 }
+ 941 }
```

```
+ 942 |
+ 943 |     td {
+ 944 |         color: @colorBlack;
+ 945 |     }
+ 946 | }
+ 947 |
+ 948 | .calendar-nav {
+ 949 |     text-transform: uppercase;
+ 950 |
+ 951 |     .calendar-nav-prev {
+ 952 |         float: left;
+ 953 |     }
+ 954 |     .calendar-nav-next {
+ 955 |         float: right;
+ 956 |     }
+ 957 | }
+ 958 |
+ 959 | .boxingsize {
+ 960 |     display: block;
+ 961 | }
```

styles/_other.less

```
71 |         display: inline-block;
72 |         width: 49%;
73 |         vertical-align: middle;
+ 74 |
+ 75 |     .product-variant {
+ 76 |         display: block;
+ 77 |         font-size: 0.8em;
+ 78 |         color: @greyFont;
+ 79 |     }
80 |     }
81 |
82 |     .product-info {
```

```
88 |     }
89 |
90 |     .remove-product {
- 91 |         display: none;
92 |         position: absolute;
93 |         right: 0;
94 |         top: 0;
```

```
115 |     .basket-price {
116 |         float: right;
117 |         font-size: 1.2em;
+ 118 |
```

```
+ 119     &.basket-price-discount {
+ 120         text-align: right;
+ 121         position: relative;
+ 122         top: -0.6em;
+ 123     }
124     }
125 }
126 }
```

```
219     position: fixed;
220     bottom: 100px;
221     right: 50px;
+ 222     z-index: 5;
223
224     span{
225         display: none;
```

```
234     form{
235         margin-top: 2em;
236     }
+ 237 }
+ 238
+ 239 .ajaxlayer {
+ 240     cursor: pointer;
241 }
```

styles/_panel.less

```
49     }
50
51     .favourites {
- 52     thead {
- 53     td {
- 54         background-color: @maincolor;
- 55         color: @colorWhite;
- 56     }
- 57     }
+ 52     thead {
+ 53     td {
+ 54         background-color: @maincolor;
+ 55         color: @colorWhite;
+ 56     }
+ 57     }
58
- 59     .actions {
- 60     width: 18em;
- 61     text-align: center;
- 62     }
```

```
+ 54     .actions {
+ 55         width: 21em;
+ 56         text-align: center;
+ 57     }
+ 58     .availability-notifier-container, .availability-notifier-unsubscribe-container {
+ 59         display: inline;
+ 60     }
+ 61 }
62 }
63
64 .details {
```

styles/_prettyphoto.less

```
18     }
19
20     .pp_close {
- 21         position: absolute;
- 22         right: 2em;
- 23         top: 2.1em;
+ 21         float: right;
22         text-transform: uppercase;
+ 23         margin-left: 0.5em;
24
25         &:hover {
26             text-decoration: none;
```

```
36     }
37
38     .pp_expand, .pp_contract {
- 39         position: absolute;
- 40         top: 2.2em;
41         z-index: 9999;
42         font-weight: normal;
43         font-style: normal;
```

```
43         -webkit-font-smoothing: antialiased;
44         *margin-right: .3em;
45         display: block;
- 46         right: 8em;
47         text-transform: uppercase;
+ 48         float: right;
49
50         &::after {
51             font-family: FontAwesome;
```

```
61     }
```

```
62
63 .ppt{
- 64 border-bottom: 3px solid;
65 font-size: 1.7em;
66 font-weight: bold;
67 margin-bottom: 0.5em;
68 padding-bottom: 0.5em;
69 width: 60% !important;
- 70 padding-right: 40%;
+ 69 float: left;
70 word-break: break-all;
71 }
72
```

```
74 position:relative;
75 text-align:left;
76 width:100%;
+ 77 overflow: hidden;
+ 78 border-top: 3px solid;
79
80 .pp_left {
81 background-color: @colorWhite;
```

```
123 content: "";
124 height: 15px;
125 position: absolute;
- 126 right: 0;
+ 126 right: 0.2em;
127 top: 50%;
128 width: 15px;
129 }
```

```
144 content: "";
145 height: 15px;
146 position: absolute;
- 147 left: 0em;
+ 147 left: 0.2em;
148 top: 50%;
149 width: 15px;
150 }
```

styles/_product.less

```
166 color: @greyFont;
167 height: 1.35em;
168 overflow: hidden;
+ 169 display: none;
```

```
170     }
171     .price {
172         padding-top: 1em;
```

```
489     }
490     .form-basket{
491         margin-top: 30px;
- 492         margin-bottom: 30px;
+ 492         margin-bottom: 0px;
493
494     .quantity_wrap{
495         float: left;
```

```
503     }
504     }
505
+ 506     .availability-notifier-container, .availability-notifier-unsubscribe-container {
+ 507         .button_wrap {
+ 508             width: 100%;
+ 509             button {
+ 510                 min-height: 40px;
+ 511                 float: right;
+ 512             }
+ 513         }
+ 514     }
+ 515
516     .button_wrap {
517         float: left;
518         min-width: 75%;
519
- 520     .addtobasket {
+ 510     .addtobasket, .availability-notifier-btn, .availability-notifier-unsubscribe-btn {
511         margin-top: 0;
512         width: 100%;
513         min-height: 40px;
```

```
556         right: 4px;
557     }
558
- 559     p.title {
+ 559     span.title {
+ 560         display: block;
561         margin-bottom: 0.5em;
562         font-weight: bold;
563     }
```

```
612 }
```

```
613
614     .productdetails-more-details {
- 615     overflow: hidden;
616     border-top: 1px solid @borderColor;
617     border-bottom: 1px solid @borderColor;
618     padding: 1em 0 0em;
```

```
1160
1161     img {
1162         max-width: 200px;
+ 1163         max-height: 200px;
1164         float: left;
1165         margin-right: 2.5em;
1166     }
```

```
1238     .f-row, .product-info {
1239         width: auto;
1240         display: inline-block;
+ 1241         min-width: 250px;
1242     }
1243
1244     .price {
```

```
1298     }
1299 }
1300
+ 1301 .availability_notify_form {
+ 1302     margin: 0;
+ 1303     max-width: 400px;
+ 1304     float: right;
+ 1305
+ 1306     input[type="text"] {
+ 1307         width: 20em;
+ 1308         margin-bottom: 0;
+ 1309     }
+ 1310
+ 1311     button {
+ 1312         font-size: 1.25em;
+ 1313     }
+ 1314
+ 1315     p {
+ 1316         padding: 0.2em 0;
+ 1317     }
+ 1318
+ 1319     h3 {
+ 1320         margin-top: 0;
+ 1321     }
+ 1322
```

```
+ 1323     .notify-small-font {
+ 1324         font-size: 0.9em;
+ 1325         margin-bottom: 1em;
+ 1326     }
+ 1327 }
+ 1328
+ 1329 .availability_notify_info {
+ 1330     float: left;
+ 1331     margin-right: 3em;
+ 1332     margin-bottom: 1em;
+ 1333     max-width: 180px;
+ 1334     min-width: 180px;
+ 1335
+ 1336     img {
+ 1337         max-width: 180px;
+ 1338     }
+ 1339 }
+ 1340
1341 #box_productgallery {
1342     .gallery {
1343         .f-grid-4 {
```

```
1355             color: @fontLightColor;
1356             font-size: 0.85em;
1357         }
+ 1358     }
+ 1359
+ 1360 #box_productdata {
+ 1361     table {
+ 1362         &.table {
+ 1363             border-top: none;
+ 1364         }
+ 1365     }
+ 1366 }
+ 1367
+ 1368 .product-modules {
+ 1369     #box_productdata {
+ 1370         &.box {
+ 1371             .boxhead {
+ 1372                 margin-bottom: 0;
+ 1373             }
+ 1374         }
+ 1375     }
+ 1376 }
+ 1377
+ 1378 .product-tab {
+ 1379     .gallery {
+ 1380         .f-grid-4 {
+ 1381             text-align: center;
```

```
+ 1382         margin-bottom: 2%;
+ 1383     }
+ 1384     &:nth-child(3n - 2) {
+ 1385         margin-left: 0;
+ 1386         clear: both;
+ 1387     }
+ 1388 }
+ 1389 }
1390 }
```

styles/_responsive.less

```
5     .rwd-hide-full {
6         display: none !important;
7     }
- 8
- 9     @media (max-width: @Large) {
+ 8         // Max Width 1200px
+ 9     @media screen and (max-width: 1200px) {
10         .container{
11             width: 940px;
12     }
```

```
62     }
63     }
64 }
- 65
- 66     @media (max-width: @Medium) {
+ 65         // Max Width 767
+ 66     @media screen and (max-width: 767px) {
67         #turn-classic.rwd, #turn-classic {
68             display: block !important;
69     }
```

```
240     }
241     }
242 }
+ 243     #box_register {
+ 244         .hint {
+ 245             color: @greyFont;
+ 246             display: block;
+ 247             margin-left: 26%;
+ 248             line-height: 14px;
+ 249             margin-bottom: 0.7em;
+ 250         }
+ 251     }
+ 252
253     .flex-1, .flex-2, .flex-3, .flex-4,
```

```
254 .flex-5, .flex-6, .flex-7, .flex-8,  
255 .flex-9, .flex-10{
```

```
520 .button_wrap {  
521     width: 83%;  
522  
- 523     .addtobasket {  
+ 523     .addtobasket, .availability-notifier-btn, .availability-notifier-unsubscribe-btn {  
524         font-size: 1.4em;  
525         padding: 0.35em;  
526     }
```

```
818         padding-top: 0;  
819         padding-bottom: 15px;  
820         font-weight: 700;  
- 821         background-color: @colorWhite;  
822         border-bottom: 1px dashed @borderColor;  
823         margin-bottom: 1px;  
824         position: relative;  
825         display: block;  
+ 826         background-color: transparent;  
827  
828         &.hidden {  
829             border-bottom: none;
```

```
970  
971     #box_basketaddress .client-data {  
972         width: 100%;  
- 973         float none;  
+ 973         float: none;  
+ 974     }  
+ 975  
+ 976     .modal {  
+ 977         .product-innerdesc-wrap {  
+ 978             max-width: 450px;  
+ 979  
+ 980             .f-row {  
+ 981                 max-width: none;  
+ 982                 margin-right: 0;  
+ 983             }  
+ 984  
+ 985             .gallery {  
+ 986                 display: block;  
+ 987                 text-align: center;  
+ 988                 width: 100%;  
+ 989             }  
+ 990  
+ 991             .product-info {
```

```
+ 992 width: 100%;
+ 993 float: none;
+ 994 }
+ 995
+ 996 .productdetails-more {
+ 997 float: right;
+ 998 }
+ 999 }
1000 }
1001
1002 .ajax-basket-container {
```

```
1009 border-bottom: 1px solid @borderColor;
1010 margin-bottom: 1em;
1011 padding-bottom: 1em;
+ 1012 padding-right: 0;
1013
1014 img {
1015 float: none;
```

```
1077 }
1078 }
1079 }
- 1080 }
1081
- 1082 @media (min-width: @Medium + 1) and (max-width: (@preLarge - 1)) {
+ 1081 .rwd {
+ 1082 #box_productgallery {
+ 1083 .gallery {
+ 1084 &.f-row {
+ 1085 .f-grid-4 {
+ 1086 width: 50%;
+ 1087 text-align: center;
+ 1088
+ 1089 &:nth-child(odd) {
+ 1090 clear: both;
+ 1091 }
+ 1092
+ 1093 &:nth-child(3n-2) {
+ 1094 clear: none;
+ 1095 }
+ 1096 }
+ 1097 }
+ 1098 }
+ 1099 }
+ 1100 }
+ 1101 }
+ 1102 // Min Width 768 and Max Width 980;
```

```
+ 1103 @media screen and (min-width: 768px) and (max-width: (979px)) {
1104     #turn-classic.rwd, #turn-classic {
1105         display: block !important;
1106     }
```

```
1371         font-size: 1.4em;
1372     }
1373 }
+ 1374
+ 1375     .parent:hover {
+ 1376         > div {
+ 1377         > ul {
+ 1378             top: 34px;
+ 1379         }
+ 1380     }
+ 1381 }
+ 1382 }
+ 1383 }
+ 1384
+ 1385     #box_register {
+ 1386         .hint {
+ 1387             color: @greyFont;
+ 1388             display: block;
+ 1389             margin-left: 26%;
+ 1390             line-height: 14px;
+ 1391             margin-bottom: 0.7em;
1392         }
1393     }
1394 }
```

```
1477         line-height: 27px;
1478     }
1479 }
- 1480
1481     .menu-list {
- 1482         border-bottom: none;
+ 1481         border-bottom: none;
1482     }
+ 1483
1484 }
1485 }
1486 }
```

```
1503
1504     #box_basketaddress .client-data {
1505         width: 100%;
- 1506         float none;
+ 1506         float: none;
```

```
1507 }
- 1508 }
1509
- 1510 @media (min-width: (@Small + 1)) and (max-width: @Medium){
+ 1509     .ajax-basket-container {
+ 1510     .ajax-product-block {
+ 1511         border-right: none;
+ 1512         margin-right: 0;
+ 1513         margin-left: 0;
+ 1514         display: block;
+ 1515         text-align: center;
+ 1516         border-bottom: 1px solid @borderColor;
+ 1517         margin-bottom: 1em;
+ 1518         padding-bottom: 1em;
+ 1519         padding-right: 0;
+ 1520     }
+ 1521     img {
+ 1522         float: none;
+ 1523         display: block;
+ 1524         margin: 0 auto;
+ 1525     }
+ 1526     }
+ 1527 }
+ 1528     .ajax-cart-block {
+ 1529         display: block;
+ 1530         text-align: center;
+ 1531     }
+ 1532     }
+ 1533 }
+ 1534     .modal {
+ 1535         .product-innerdesc-wrap {
+ 1536             max-width: 700px;
+ 1537         }
+ 1538         .f-row {
+ 1539             max-width: none;
+ 1540             margin-right: 0;
+ 1541         }
+ 1542     }
+ 1543     .gallery {
+ 1544         display: block;
+ 1545         text-align: center;
+ 1546         width: 100%;
+ 1547     }
+ 1548 }
+ 1549     .product-info {
+ 1550         width: 100%;
+ 1551         float: none;
+ 1552     }
+ 1553 }
+ 1554     .productdetails-more {
```

```
+ 1555 float: right;
+ 1556 }
+ 1557 }
+ 1558 }
+ 1559 }
+ 1560 // Min Width 481px and Max Width 767px
+ 1561 @media screen and (min-width: (481px)) and (max-width: 767px){
1562     #turn-classic.rwd, #turn-classic {
1563         display: block !important;
1564     }
```

```
1676     }
1677 }
1678 }
- 1679
- 1680 @media (max-width: @Small) {
+ 1679 // Max Width 480px
+ 1680 @media screen and (max-width: 480px) {
1681     .rwd {
1682         .rwd-hide-small {
1683             display: none !important;
```

```
1767         margin-left: 0;
1768     }
1769 }
+ 1770
+ 1771 .hint {
+ 1772     margin-left: 0.2em;
+ 1773 }
1774 }
1775
1776 .menu{
```

```
1799     display: none;
1800 }
1801
- 1802 #box_menu{
+ 1802 #box_menu, #box_article_categories {
1803     display: block;
1804 }
1805
```

styles/_shopGallery.less

```
+ 1 .mask {
+ 2     .transition(opacity 0.2s linear);
+ 3
```

```

+ 4     z-index: 9000;
+ 5     position: fixed;
+ 6     top: 0;
+ 7     bottom: 0;
+ 8     left: 0;
+ 9     right: 0;
+ 10    background-color: rgba(0, 0, 0, 0);
+ 11    background-image: radial-gradient(ellipse farthest-corner at center center , rgba(127, 127, 127, 0.5), rgba(127, 127, 127, 0.5) 35%
, rgba(0, 0, 0, 0.7) 100%) !important;
+ 12
+ 13    &.mask-inactive {
+ 14        opacity: 0;
+ 15
+ 16    &.mask-hidden {
+ 17        z-index: -100;
+ 18    }
+ 19    }
+ 20    }
+ 21
+ 22    .shop-gallery {
+ 23        //transition(left 0.2s linear);
+ 24        transition-property: width, height, transform, opacity;
+ 25        position: fixed;
+ 26        z-index: 9001;
+ 27
+ 28        &.inactive {
+ 29            opacity: 1;
+ 30        }
+ 31
+ 32        .shop-gallery-skin {
+ 33            .box-shadow(0 0 10px 2px rgba(0, 0, 0, 0.3));
+ 34            background-color: #fff;
+ 35            position: relative;
+ 36            padding-bottom: 2em;
+ 37
+ 38            .shop-gallery-inner {
+ 39                position: relative;
+ 40                margin: 0 2em;
+ 41                border-top: 2px solid;
+ 42
+ 43                .shop-gallery-img-container {
+ 44                    margin: 0 auto;
+ 45                    padding: 0 3em;
+ 46
+ 47                    .shop-gallery-img {
+ 48                        .transition(all 0.2s linear);
+ 49                        width: 100%;
+ 50                        height: 100%;
+ 51                        max-width: 100%;
+ 52                        max-height: 100%;

```



```
+ 53 |
+ 54 |         &.inactive {
+ 55 |             opacity: 0;
+ 56 |         }
+ 57 |     }
+ 58 | }
+ 59 |
+ 60 |     .shop-gallery-nav {
+ 61 |         position: absolute;
+ 62 |         top: 0;
+ 63 |         bottom: 0;
+ 64 |         width: 50%;
+ 65 |         cursor: pointer;
+ 66 |
+ 67 |         &:hover {
+ 68 |             &::after {
+ 69 |                 color: @maincolor;
+ 70 |             }
+ 71 |         }
+ 72 |
+ 73 |         &.shop-gallery-nav-prev {
+ 74 |             &::after {
+ 75 |                 .rotate(-45deg);
+ 76 |
+ 77 |                 border-left: 3px solid;
+ 78 |                 border-top: 3px solid;
+ 79 |                 content: "";
+ 80 |                 height: 15px;
+ 81 |                 position: absolute;
+ 82 |                 left: 0;
+ 83 |                 top: 50%;
+ 84 |                 width: 15px;
+ 85 |                 margin-top: -8px;
+ 86 |             }
+ 87 |         }
+ 88 |
+ 89 |         &.shop-gallery-nav-next {
+ 90 |             left: 50%;
+ 91 |
+ 92 |             &::after {
+ 93 |                 .rotate(135deg);
+ 94 |
+ 95 |                 border-left: 3px solid;
+ 96 |                 border-top: 3px solid;
+ 97 |                 content: "";
+ 98 |                 height: 15px;
+ 99 |                 position: absolute;
+ 100 |                 right: 0;
+ 101 |                 top: 50%;
+ 102 |                 width: 15px;
```

```
+ 103         margin-top: -8px;
+ 104     }
+ 105 }
+ 106 }
+ 107 }
+ 108
+ 109     .shop-gallery-title {
+ 110         font-size: 1.7em;
+ 111         margin: 0 1.1em;
+ 112         padding: 1em 4em 1em 0em;
+ 113         min-width: 300px;
+ 114     }
+ 115 }
+ 116
+ 117     .shop-gallery-close {
+ 118         position: absolute;
+ 119         right: -1em;
+ 120         top: -1em;
+ 121         background-color: @maincolor;
+ 122         padding: 0.4em 0.7em 0.5em 0.7em;
+ 123         color: #fff;
+ 124         cursor: pointer;
+ 125
+ 126         &::after {
+ 127             content: "x";
+ 128             font-size: 17px;
+ 129             font-weight: bold;
+ 130             margin-left: 5px;
+ 131             text-transform: lowercase;
+ 132         }
+ 133     }
+ 134
+ 135     .shop-gallery-preview {
+ 136         overflow: hidden;
+ 137         min-width: 300px;
+ 138         max-width: 500px;
+ 139         margin: 1em auto 0;
+ 140         height: 83px;
+ 141         background-color: #fff;
+ 142         padding: 1.5em 3em;
+ 143         position: relative;
+ 144
+ 145         .shop-gallery-container {
+ 146             overflow: hidden;
+ 147             padding-bottom: 1px;
+ 148             padding-top: 1px;
+ 149             position: relative;
+ 150
+ 151             .shop-gallery-slider {
+ 152                 .transition(left 0.4s linear);
```

```
+ 153 |
+ 154 |         position: relative;
+ 155 |         left: 0;
+ 156 |     }
+ 157 | }
+ 158 |
+ 159 |     .shop-gallery-item-preview {
+ 160 |         width: 70px;
+ 161 |         height: 70px;
+ 162 |         display: inline-block;
+ 163 |         vertical-align: top;
+ 164 |         border: 1px solid;
+ 165 |         padding: 5px;
+ 166 |         margin-right: 7px;
+ 167 |         cursor: pointer;
+ 168 |
+ 169 |         &:hover, &.active {
+ 170 |             border-color: @maincolor;
+ 171 |         }
+ 172 |
+ 173 |         img {
+ 174 |             max-width: 100%;
+ 175 |             max-height: 100%;
+ 176 |         }
+ 177 |     }
+ 178 |
+ 179 |     .shop-gallery-mini-prev {
+ 180 |         position: absolute;
+ 181 |         left: 0;
+ 182 |         bottom: 0;
+ 183 |         top: 0;
+ 184 |         width: 39px;
+ 185 |         cursor: pointer;
+ 186 |
+ 187 |         &:hover {
+ 188 |             &::after {
+ 189 |                 color: @maincolor;
+ 190 |             }
+ 191 |         }
+ 192 |
+ 193 |         &::after {
+ 194 |             .rotate(-45deg);
+ 195 |
+ 196 |             content: '';
+ 197 |             border-left: 1px solid;
+ 198 |             border-top: 1px solid;
+ 199 |             height: 10px;
+ 200 |             width: 10px;
+ 201 |             display: block;
+ 202 |             position: absolute;
```

```
+ 203         top: 54px;
+ 204         left: 17px;
+ 205     }
+ 206 }
+ 207
+ 208     .shop-gallery-mini-next {
+ 209         position: absolute;
+ 210         right: 0;
+ 211         bottom: 0;
+ 212         top: 0;
+ 213         width: 39px;
+ 214         cursor: pointer;
+ 215
+ 216         &:hover {
+ 217             &::after {
+ 218                 color: @maincolor;
+ 219             }
+ 220         }
+ 221
+ 222         &::after {
+ 223             .rotate(135deg);
+ 224
+ 225             content: '';
+ 226             border-left: 1px solid;
+ 227             border-top: 1px solid;
+ 228             height: 10px;
+ 229             width: 10px;
+ 230             display: block;
+ 231             position: absolute;
+ 232             top: 54px;
+ 233             right: 17px;
+ 234         }
+ 235     }
+ 236 }
+ 237 }
+ 238
+ 239     .shop-gallery-loader {
+ 240         .border-radius(5px);
+ 241
+ 242         width: 45px;
+ 243         height: 45px;
+ 244         background-color: rgba(0, 0, 0, 0.2);
+ 245         z-index: 9999;
+ 246         position: fixed;
+ 247         left: 50%;
+ 248         top: 50%;
+ 249         margin-left: -22.5px;
+ 250         margin-top: -22.5px;
+ 251
+ 252         &::after {
```

```
+ 253 .transition(all 0.4s linear);
+ 254
+ 255 display: inline-block;
+ 256 font-family: FontAwesome;
+ 257 font-style: normal;
+ 258 font-weight: normal;
+ 259 line-height: 1;
+ 260 -webkit-font-smoothing: antialiased;
+ 261 -moz-osx-font-smoothing: grayscale;
+ 262 -webkit-animation: spin 2s infinite linear;
+ 263 -moz-animation: spin 2s infinite linear;
+ 264 -o-animation: spin 2s infinite linear;
+ 265 animation: spin 2s infinite linear;
+ 266 content: "\f013";
+ 267 position: absolute;
+ 268 left: 11px;
+ 269 top: 9px;
+ 270 z-index: 99999 !important;
+ 271 font-size: 2em;
+ 272 color: #fff;
+ 273 }
+ 274 }
+ 275
+ 276 .fullscreen {
+ 277   .shop-gallery {
+ 278     top: 0 !important;
+ 279     bottom: 0 !important;
+ 280     left: 0 !important;
+ 281     width: 100% !important;
+ 282     background-color: #fff;
+ 283   }
+ 284   .shop-gallery-close {
+ 285     right: 0;
+ 286     top: 0;
+ 287   }
+ 288
+ 289   .shop-gallery-preview {
+ 290     margin: 0 auto;
+ 291   }
+ 292
+ 293   .shop-gallery-skin {
+ 294     .box-shadow(none);
+ 295     padding-bottom: 8em;
+ 296   }
+ 297
+ 298   .shop-gallery-inner {
+ 299     padding-top: 5em;
+ 300   }
+ 301 }
+ 302 }
```

styles/_slider.less

```
+ 1  .slider {
+ 2    position: relative;
+ 3    text-align: center;
+ 4    padding: 0 6px 0 10px;
+ 5
+ 6    .slider-wrapper {
+ 7      overflow: hidden;
+ 8      margin: 0 auto;
+ 9
+10     [data-slider="true"] {
+11       overflow: hidden;
+12       display: inline-block;
+13       position: relative;
+14
+15       li {
+16         float: left;
+17         margin-right: 4px;
+18
+19         /* test */
+20         border: 1px solid #D8D8D8;
+21       }
+22     }
+23   }
+24
+25   .slider-controls {
+26     [class*="slider-control"] {
+27       position: absolute;
+28       width: 10px;
+29       height: 10px;
+30       background-color: red;
+31       top: 15px;
+32       z-index: 10;
+33       cursor: pointer;
+34     }
+35
+36     .slider-control-next {
+37       right: 0;
+38     }
+39
+40     .slider-control-prev {
+41       left: 0;
+42     }
+43   }
+44 }
```

styles/styles.less

```
19 @import "_fonts.less";
20 @import "_rwdCustom.less";
21 @import "_iefallback.less";
+ 22 @import "_article.less";
+ 23 @import "_shopGallery.less";
+ 24 @import "_slider.less";
25 @import "_skin.less";
```

Pliki .js

js/main.js

```
1 Shop.include({
2   selectorFunctions : {
- 3     rwdCheck: {
- 4       resize: function(el, shopInstance) {
- 5         el.resize(function(){
- 6           shopInstance.rwdCheck($(this));
- 7         }
- 8       if(Shop.RwdMenu.condition()) {
- 9         shopInstance.rwdmenu.createMenu(shopInstance);
-10       }
-11     });
-12   },
-13 },
-14
15   boxslider: {
16     selector: '.box.slider',
17     load: function(slider) {
-18
-19       _slideWidth,
-20       _sliderWidth,
-21       _visibleSlides,
-22       _maxHeight = 0,
+23       _maxHeight = 0,
13       _autoMove = false,
14       _autoMoveDuration = Shop.useroptions.slider.automove;
15
-58       next.hide();
-59       prev.hide();
-60     }
-61   });
-62
-63   $(window).trigger('resize');
```

```
+ 61      }).trigger('resize');
+ 62
+ 63      next.on('click', function() {
+ 64          slides.animate({
```

```
148      }
149      },
150
- 151      //CHECK
+ 151      clickhide: {
+ 152          selector: '.clickhide',
+ 153          domready: function (el) {
+ 154              el.on('mouseup', function () {
+ 155                  $(this).hide();
+ 156              });
+ 157          }
+ 158      },
+ 159
160      titlequestion: {
161          selector: '.titlequestion',
162          domready: function(el) {
```

```
227      flashmessageclose: {
228          selector: '.alert .close',
229          domready: function(el) {
- 230              console.log(el);
231          el.on('click', function(e) {
232              e.stopPropagation();
233              e.preventDefault();
```

```
239      }
240      },
241
- 242      popup: {
- 243          selector: '.popup',
- 244
- 245          domready: function(el, shopInstance) {
- 246              el.off('click').on('click', function(e){
- 247                  shopInstance.popup(this.href, e, '', this);
- 248              });
- 249          }
- 250      },
+ 242      alert: {
+ 243          selector: '.alert-modal',
+ 244          domready: function(el, shopInstance) {
+ 245              el.on('click', function (e) {
+ 246                  e.preventDefault();
+ 247                  shopInstance.alert($(this).attr('title'));
```

```
+ 248     }));
+ 249     }
+ 250     },
251
252     basketsubmit: {
253         selector: '#box_productfull form.form-basket',
```

```
340     },
341
342     footerTab: {
- 343         selector: '.innerfooter .head',
+ 343         selector: '.innerfooter ul.overall',
+ 344         liSelector: '.innerfooter .head',
345
346         domready: function(el, shopInstance) {
- 347             el.off('click').on('click', [this], function(e){
- 348                 self = e.data[0];
- 349
- 350                 if(shopInstance.rwd.small) {
+ 346                 var self = this;
+ 347                 el.find('.head').each(function () {
+ 348                     $(this).off('click').on('click', [this], function(e) {
349                     var toShow = $(this).parent().children(':not(:visible)');
- 350                     var toHide = $(self.selector).parent().children(':visible:not(.head)');
+ 348                     var toHide = $(self.liSelector).parent().children(':visible:not(.head)');
349
- 350                     if(!$$(this).hasClass('active')) {
+ 350                     if(!$$(this).hasClass('active') && shopInstance.rwd.small) {
351                         toHide.slideUp();
- 352                     $(self.selector).removeClass('active').addClass('hidden');
+ 352                     $(self.liSelector).removeClass('active').addClass('hidden');
353
354                         $(this).removeClass('hidden').addClass('active');
355                         toShow.slideDown();
356                     }
- 357                 });
+ 357             });
358         });
- 359
- 360         var liElems = $(this.selector).parent().children(':not(.head)');
- 361         var that = this;
+ 359
+ 360         var liElems = $(this.liSelector).parent().children(':not(.head)');
361
362         $(window).resize(function() {
363             if(window.innerWidth > shopInstance.rwd.breakPoints.mid) {
368     }
```

```
369         else {
370             liElems.hide();
- 371             $(that.selector).removeClass('active').addClass('hidden')
+ 371             $(self.liSelector).removeClass('active').addClass('hidden');
372         }
373     });
374 }
```

```
395         $('<img />').attr('href', nlink.attr('href'));
396
397         if(img.hasClass('innerzoom') || img.hasClass('outerzoom')) {
- 398             if(img._zoomimage) {
- 399                 img._zoomimage.remove();
- 400             }
+ 398             if(img._zoomimage) {
+ 399                 img._zoomimage.remove();
+ 400             }
401
- 402             img.removeClass('non-stock-img');
+ 400             img.removeClass('non-stock-img');
401
- 402             Shop.ImageZoom.setOptions({
- 403                 img: img,
- 404                 inner: img.hasClass('innerzoom')
- 405             });
+ 402             Shop.ImageZoom.setOptions({
+ 403                 img: img,
+ 404                 inner: img.hasClass('innerzoom')
+ 405             });
406
- 407             shopInstance.subclass('ImageZoom');
- 408             }
+ 404             shopInstance.subclass('ImageZoom');
+ 405             }
406         });
407
- 408         el.on('click', function(e){
+ 407         el.on('click', function(e){
408             e.preventDefault();
409             e.stopPropagation();
410
```

```
440     },
441
442     underdescgallery: {
- 443         selector: '#box_productgallery',
+ 443         selector: '#box_productgallery .gallery, .innerbox.tab-content .gallery',
444         load: function (el, shopInstance) {
```

```
445     var img = $('#box_productfull .maininfo .productimg div.mainimg img.productimg');
446     if(!Shop.exist(img)) return;
447     if(img.hasClass('innerzoom') || img.hasClass('outerzoom')) return;
448
449     img.off('click').on('click', function () {
- 450         el.find('.gallery > div:first-child > a').trigger('click');
+ 450         el.find('> div:first-child > a').trigger('click');
451     });
452 }
453 },
```

```
520     $('select[name=country]').on('change', function() {
521         var c = $('#box_basketaddress input[name=address_type][value=2]').prop('checked');
522         var tr = $(this).parents('table').find('input[name=pesel]');
- 523
524         if(!tr) {
525             if('PL' == $(this).val().toUpperCase().replace(/^[A-Z]/g, '') && c == false) {
526                 tr.parents('tr').removeClass('none');
```

```
601     }
602 },
603
+ 604     horizontalMenuAdjust: {
+ 605         selector: '.menu .innermenu li.parent',
+ 606         domready: function (el, shopInstance) {
+ 607             el.on('mouseenter', function () {
+ 608                 var childUl = el.find('> .submenu > ul');
+ 609
+ 610                 if ((childUl.offset().left + childUl.outerWidth()) > window.outerWidth) {
+ 611                     childUl.addClass('sub-right');
+ 612                     childUl.find('ul').addClass('sub-right');
+ 613                 }
+ 614             });
+ 615         }
+ 616     },
+ 617
618     accordion: {
619         selector: '.accordion',
620         header_class: 'acc-header',
```

```
665     cookiepolicy: {
666         selector: '#cookie .close',
667         domready: function(el) {
- 668             el.on('click', function(e) {
+ 668             el.on('mousedown', function(e) {
669                 e.stopPropagation();
670                 e.preventDefault();
671
```

```
672     $.cookie('cookie_read', 1, {
673         path : '/',
- 674         duration : (365 * 3)
+ 674         expires : 365
675     });
676     $(this).parent().parent().remove();
677 });
```

```
696     }
697
698     widget.each(function(self){
- 699         var width = $(this).find(self.hidden_part).outerWidth()
- 700         widget.css(side, -(width+1));
- 701
- 702         $(this).find(self.seen_part).on(ev, function(){
- 703             if(ev == 'click' && $(this).parent().hasClass('active')) {
- 704                 $(this).parent().removeClass('active');
- 705
- 706                 if (side === 'right') {
- 707                     $(this).parent().stop(true, true).animate({
- 708                         'right': -(width+1),
- 709                         'z-index': 1000
- 710                     }, 300)
- 711                 } else {
- 712                     $(this).parent().stop(true, true).animate({
- 713                         'left': -(width+1),
- 714                         'z-index': 1000
- 715                     }, 300)
+ 699         if (!this.widget) {
+ 700             var width = $(this).find(self.hidden_part).outerWidth()
+ 701             widget.css(side, -(width+1));
+ 702
+ 703             $(this).find(self.seen_part).on(ev, function(){
+ 704                 if(ev == 'click' && $(this).parent().hasClass('active')) {
+ 705                     $(this).parent().removeClass('active');
+ 706
+ 707                     if (side === 'right') {
+ 708                         $(this).parent().stop(true, false).animate({
+ 709                             'right': -(width+1),
+ 710                             'z-index': 1000
+ 711                         }, 300)
+ 712                     } else {
+ 713                         $(this).parent().stop(true, false).animate({
+ 714                             'left': -(width+1),
+ 715                             'z-index': 1000
+ 716                         }, 300)
+ 717                     }
718                 }
- 719             }
```

```

- 720         else {
- 721             $(this).parent().addClass('active');
- 722             if (side === 'right') {
- 723                 $(this).parent().stop(true, true).animate({
- 724                     'right': 0,
- 725                     'z-index': 99999
- 726                 }, 300)
- 727             } else {
- 728                 $(this).parent().stop(true, true).animate({
- 729                     'left': 0,
- 730                     'z-index': 99999
- 731                 }, 300)
+ 701         else {
+ 702             $(this).parent().addClass('active');
+ 703             if (side === 'right') {
+ 704                 $(this).parent().stop(true, false).animate({
+ 705                     'right': 0,
+ 706                     'z-index': 99999
+ 707                 }, 300)
+ 708             } else {
+ 709                 $(this).parent().stop(true, false).animate({
+ 710                     'left': 0,
+ 711                     'z-index': 99999
+ 712                 }, 300)
+ 713             }
714         }
+ 715     });
+ 716
+ 717     if(ev !== 'click') {
+ 718         $(this).on('mouseleave', function(){
+ 719             if (side === 'right') {
+ 720                 $(this).stop(true, false).animate({
+ 721                     'right': -(width+1),
+ 722                     'z-index': 1000
+ 723                 }, 300)
+ 724             } else {
+ 725                 $(this).stop(true, false).animate({
+ 726                     'left': -(width+1),
+ 727                     'z-index': 1000
+ 728                 }, 300)
+ 729             }
+ 730         });
731     }
- 732 });
733
- 734     if(ev !== 'click') {
- 735         $(this).on('mouseleave', function(){
- 736             if (side === 'right') {
- 737                 $(this).stop(true, true).animate({
- 738                     'right': -(width+1),

```

```
- 739         'z-index': 1000
- 740     }, 300)
- 741     } else {
- 742         $(this).stop(true, true).animate({
- 743             'left': -(width+1),
- 744             'z-index': 1000
- 745         }, 300)
- 746     }
- 747     });
+ 705     this.widget = true;
706     }
707     }, [this]);
708 }
```

```
814
815     $('html, body').animate({
816         'scrollTop': 0
- 817     }, 500)
+ 817     }, 500);
818     });
819     }
820     },
```

```
832         left: basketPos.left - 140,
833         width: basket.outerWidth() + 150
834     });
- 835     }).trigger('resize');
+ 835     });
836
837
838     basket.off('mouseenter mouseleave').on('mouseenter', function() {
```

```
848         if(!$e.relatedTarget).is(basket))
849             $(this).stop(true, true).slideUp('fast');
850     });
- 851
- 852     products.off('mouseleave mouseenter').on('mouseenter', function() {
- 853         $(this).find('.remove-product').show('fast');
- 854     }).on('mouseleave', function() {
- 855         $(this).find('.remove-product').hide('fast');
- 856     });
857     }
858     },
859 }
```

```
905     searchButton.off('click');
906     el.removeClass('mini-search');
```

```

907     }
- 908     }).trigger('resize');
+ 908     });
909     }
910 }
911 }

980 }
981
982     return false;
- 983 }
+ 983 };
984
985     Shop.AjaxBasket.condition = function(shopInstance) {
986         return (Shop.useroptions.ajaxbasket.mode === 2);
- 987 }
+ 987 };
988
989     Shop.AjaxLayer.condition = function() {
990         return Shop.exist($('.ajaxlayer'));
- 991 }
+ 991 };
992
993     Shop.CreditCard.condition = function() {
994         return Shop.exist($('.form .credit-card-container'));
- 995 }
+ 995 };
996
997     Shop.FilterPrice.condition = function() {
998         return Shop.exist($('#box_filter .priceinput input'));
- 999 }
+ 999 };
1000
1001     Shop.FilterSelects.condition = function() {
1002         return (Shop.exist($('.centercol #box_filter')) || Shop.exist($('.top #box_filter')) || Shop.exist($('.footer #box_filter')));
- 1003 }
+ 1003 };
1004
1005     Shop.FilterFolder.condition = function() {
- 1006         return (Shop.exist($('.leftcol #box_filter.foldable')) || Shop.exist($('.rightcol #box_filter.foldable')));
- 1007 }
+ 1006         return (Shop.exist($('.leftcol #box_filter')) || Shop.exist($('.rightcol #box_filter')));
+ 1007     };
1008
1009     Shop.RwdMenu.condition = function(shopInstance) {
1010         return true;
- 1011 }
+ 1010 };
1011

```

```

1012 Shop.RwdGallery.condition = function(shopInstance) {
- 1013     return Shop.exist($('.innersmallgallery'));
- 1014 }
+ 1013     return Shop.exist($('.innersmallgallery-rwd'));
+ 1014 };
+ 1015
+ 1016 Shop.Gallery.condition = function(shopInstance) {
+ 1017     return Shop.exist($(' [data-gallery="true"]')) && (shopInstance.versionParser(shopInstance.version) >= shopInstance.versionParser('5
        .6.0'));
+ 1018 };
+ 1019
+ 1020 Shop.Mask.condition = function(shopInstance) {
+ 1021     return true;
+ 1022 };
1023
1024 Shop.Modal.condition = function(shopInstance) {
1025     return true;
- 1026 }
+ 1017 };
1018
1019 Shop.QuickView.condition = function(shopInstance) {
1020     return Shop.exist($('.quickview'));
- 1021 }
+ 1021 };
1022
1023 Shop.xhrBox.condition = function(shopInstance) {
1024     return (Shop.exist($('.box-xhr')) || Shop.exist($('#box_productfull')));
- 1025 }
+ 1025 };
1026
1027 Shop.ImageSlider.condition = function() {
1028     var div = ($('#box_productfull .productimg .smallgallery'));

```

```

1044     return true;
1045 } else {
1046     return false;
- 1047 };
- 1048 }
+ 1047 };
+ 1048 };
1049
1050 Shop.ImageZoom.condition = function() {
1051     var img = $('img.innerzoom');
- 1052     $("a[rel^='prettyPhoto']").prettyPhoto(Shop.useroptions.prettyphoto);
- 1053 }
+ 1051
1052     if(!Shop.exist(img)) {
1053         img = $('img.outerzoom');
1054     }

```



```

- 1055
+ 1055
1056     if(Shop.exist(img)) {
1057         Shop.ImageZoom.setOptions({
1058             img: img,

1063     }
1064
1065     return false;
- 1066 }
+ 1066 };
1067
1068 Shop.PageSlider.condition = function() {
- 1069     return (Shop.exist($('.pageslider ul.slides li')));
- 1070 }
+ 1069     return (Shop.exist($('.pageslider ul.slides')));
+ 1070 };
+ 1071
+ 1072 Shop.ProductAvailability.condition = function() {
+ 1073     return (Shop.exist($('.availability-notifier-btn, .availability-notifier-unsubscribe-btn')));
+ 1074 };
+ 1075
+ 1076 Shop.ProductAvailability.setOptions({
+ 1077     selectors: {
+ 1078         availabilitynotifier: '.availability-notifier-container',
+ 1079         availabilitynotifier_btn: '.availability-notifier-btn',
+ 1080         availabilitynotifier_unsub: '.availability-notifier-unsubscribe-container',
+ 1081         availabilitynotifier_btn_unsub: '.availability-notifier-unsubscribe-btn'
+ 1082     }
+ 1083 });
1084
1085 Shop.ProductVoter.condition = function() {
1086     var span = $('span.votestars');
1087     return !(Shop.exist(span) && span.attr('id'));
- 1088 }
+ 1074 };
1075
1076 Shop.SkinPreviewBox.condition = function() {
1077     return !(typeof($.cookie('skinpreview')) == 'string' && $.cookie('skinpreview').length && window.self === window.top);
- 1078 }
+ 1078 };
1079
1080 Shop.LoyaltyPoints.condition = function() {
1081     return Shop.exist($('#box_productfull .loyalty_points .points'));
- 1082 }
+ 1082 };
1083
1084 Shop.Tabs.condition = function(shopInstance) {
1085     return Shop.exist($('.product-modules.active'));

```

```
- 1086 }  
+ 1086 };  
1087  
1088 Shop.StockDownloader.setOptions({  
1089   getstockurl: 'product/getstock/stock/{sid}/imgwidth/{imgwidth}/imgheight/{imgheight}',
```

```
1110     price: '#box_productfull .maininfo div.price',  
1111     nettoprice: '#box_productfull .maininfo div.price-netto',  
1112     addtofav: '#box_productfull a.addtofav',  
- 1113     basketform: '#box_productfull form.form-basket fieldset',  
+ 1113     basketform: '#box_productfull form.form-basket fieldset.addtobasket-container',  
+ 1114     availabilitynotifier: '#box_productfull form.form-basket fieldset.availability-notifier-container',  
+ 1115     availabilitynotifier_btn: '#box_productfull form.form-basket button.availability-notifier-btn',  
+ 1116     availabilitynotifier_unsub: '#box_productfull form.form-basket fieldset.availability-notifier-unsubscribe-container',  
+ 1117     availabilitynotifier_btn_unsub: '#box_productfull form.form-basket button.availability-notifier-unsubscribe-btn',  
1118     unit: '#box_productfull form.form-basket span.unit',  
1119     smallgallery: '#box_productfull .smallgallery a img',  
1120     code: '#box_productfull .code span',
```

```
1133   } else {  
1134     return false;  
1135   }  
- 1136 }  
+ 1136 };  
+ 1137  
+ 1138 Shop.BasketDeliveryPayment.condition = function() {  
+ 1139   return (Shop.exist($('#cart-options')));  
+ 1140 };  
+ 1141  
+ 1142 Shop.BasketDeliveryPayment.setOptions({  
+ 1143   selectors: {  
+ 1144     deliveryCheckboxList: '.delivery-container .delivery input[name=shipping_id]',  
+ 1145     summaryTotalPrice: '.summary-container .sum .value'  
+ 1146   }  
+ 1147 });  
1148  
1149 Shop.useroptions.slider = {  
1150   fadearrows : false,  
1151   automove : 4000  
- 1152 }  
+ 1141 };  
1142  
1143 Shop.useroptions.prettyphoto = {  
1144   animation_speed: 'fast',
```

```
1167   wmode: 'opaque',  
1168   autoplay: true,  
1169   modal: false,
```

```
- 1170     deeplinking: true,  
+ 1170     deeplinking: false,  
1171     overlay_gallery: true,  
1172     keyboard_shortcuts: true,  
1173     ie6_fallback: false,
```

```
1234     if(!window.shoper) {  
1235         window.shoper = new Shop();  
1236     }  
- 1237     });  
+ 1237  
+ 1238     $("a[rel^='prettyPhoto']").prettyPhoto(Shop.useroptions.prettyphoto);  
+ 1239     $(window).trigger('resize');  
+ 1240     });
```