

## Pliki .tpl

boxes/Bestsellers/box.tpl

```
53             {/if}
54         </div>
55
- 56             {if $enablebasket && $bs_product->canBuyStock()}
+ 56             {if ($enable_availability_notifier && $bs_product->isEnabledNotifier() || $enablebasket && $bs
product->canBuyStock())}
57                 {if true == $bs_product->defaultStockOnly()}
58                 <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{rou
te key=$basketAddRoute stockId='post'}" method="post">
59                     {else}
60                     <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{rou
te key=$basketAddRoute stockId=$bs_product->defaultStock->getIdentifier()}" method="get">
61                     {/if}
62
- 63                 <fieldset>
- 64                 {if true == $bs_product->defaultStockOnly()}
- 65                 <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANT
ITY_PRECISION value=1 trim=true}" type="text" class="short center"></div>
- 66                 <span class="unit">{$bs_product->unit->translation->name|escape}</span>
- 67                 <input type="hidden" value="{ $bs_product->defaultStock->getIdentifier()|escape}" na
me="stock_id">
- 68                 {/if}
- 69                 <button class="addtobasket btn btn-red" type="submit">
- 70                 
- 71                 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add
to cart"}{/if}</span>
- 72                 </button>
- 73                 </fieldset>
+ 63                 {if $enablebasket && $bs_product->canBuyStock()}
+ 64                 <fieldset>
+ 65                 {if true == $bs_product->defaultStockOnly()}
+ 66                 <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$Q
UANTITY_PRECISION value=1 trim=true}" type="text" class="short center"></div>
+ 67                 <span class="unit">{$bs_product->unit->translation->name|escape}</span>
+ 68                 <input type="hidden" value="{ $bs_product->defaultStock->getIdentifier()|escape}
" name="stock_id">
+ 69                 {/if}
```

```

+ 70         <button class="addtobasket btn btn-red" type="submit">
+ 71             
+ 72             <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key=
"Add to cart"}{/if}</span>
+ 73         </button>
+ 74     </fieldset>
+ 75     {elseif $enable_availability_notifier && $bs_product->isEnabledNotifier()}
+ 76     {dynamic}
+ 77         {assign var="availabilityNotifyUser" value=$bs_product->defaultStock->getAvaila
bilityNotifyByUser()}
+ 78     <fieldset class="availability-notifier-container{if $availabilityNotifyUser !=
null} none{/if}">
+ 79         <button class="availability-notifier-btn btn btn-red" type="submit" data-is
-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $bs_product->defaultStock->getIdentifier()}" data-product-id="{ $
bs_product->product->product_id}" data-product-name="{ $bs_product->translation->name|escape}">
+ 80             
+ 81             <span>{translate key="Notify of product availability"}</span>
+ 82         </button>
+ 83     </fieldset>
+ 84     {if true == $user_logged}
+ 85     <fieldset class="availability-notifier-unsubscribe-container{if $availabili
tyNotifyUser == null} none{/if}">
+ 86         <button type="submit" class="availability-notifier-unsubscribe-btn btn
btn-red" data-stock-id="{ $bs_product->defaultStock->stock->stock_id}">
+ 87             
+ 88             <span>{translate key="Cancel notify"}</span>
+ 89         </button>
+ 90     </fieldset>
+ 91     {/if}
+ 92     {/dynamic}
+ 93     {/if}
94     </form>
95     {/if}
96 </div>

```

### boxes/NewProducts/box.tpl

```

53         {/if}
54     </div>
55
- 56     {if $enablebasket && $newproduct->canBuyStock()}
+ 56     {if ($enable_availability_notifier && $newproduct->isEnabledNotifier() || $enablebasket && $ne
wproduct->canBuyStock())}
57         {if true == $newproduct->defaultStockOnly()}
58         <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{rou
te key=$basketAddRoute stockId='post'}" method="post">
59             {else}
60         <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{rou
te key=$basketAddRoute stockId=$newproduct->defaultStock->getIdentifier()}" method="get">
61         {/if}

```

```

62
- 63 <fieldset>
- 64 {if true == $newproduct->defaultStockOnly()}
- 65 <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANT
ITY_PRECISION value=1 trim=true}" type="text" class="short center"></div>
- 66 <span class="unit">{$newproduct->unit->translation->name|escape}</span>
- 67 <input type="hidden" value="{ $newproduct->defaultStock->getIdentifier()|escape}" na
me="stock_id">
- 68 {/if}
- 69 <button class="addtobasket btn btn-red" type="submit">
- 70 
- 71 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add
to cart"}{/if}</span>
- 72 </button>
- 73 </fieldset>
+ 63 {if $enablebasket && $newproduct->canBuyStock()}
+ 64 <fieldset>
+ 65 {if true == $newproduct->defaultStockOnly()}
+ 66 <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$Q
UANTITY_PRECISION value=1 trim=true}" type="text" class="short center"></div>
+ 67 <span class="unit">{$newproduct->unit->translation->name|escape}</span>
+ 68 <input type="hidden" value="{ $newproduct->defaultStock->getIdentifier()|escape}
" name="stock_id">
+ 69 {/if}
+ 70 <button class="addtobasket btn btn-red" type="submit">
+ 71 
+ 72 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key=
"Add to cart"}{/if}</span>
+ 73 </button>
+ 74 </fieldset>
+ 75 {elseif $enable_availability_notifier && $newproduct->isEnabledNotifier()}
+ 76 {dynamic}
+ 77 {assign var="availabilityNotifyUser" value=$newproduct->defaultStock->getAvaila
bilityNotifyByUser()}
+ 78 <fieldset class="availability-notifier-container{if $availabilityNotifyUser !=
null} none{/if}">
+ 79 <button class="availability-notifier-btn btn btn-red" type="submit" data-is
-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $newproduct->defaultStock->getIdentifier()}" data-product-id="{ $
newproduct->product->product_id}" data-product-name="{ $newproduct->translation->name|escape}">
+ 80 
+ 81 <span>{translate key="Notify of product availability"}</span>
+ 82 </button>
+ 83 </fieldset>
+ 84 {if true == $user_logged}
+ 85 <fieldset class="availability-notifier-unsubscribe-container{if $availabili
tyNotifyUser == null} none{/if}">
+ 86 <button type="submit" class="availability-notifier-unsubscribe-btn btn
btn-red" data-stock-id="{ $newproduct->defaultStock->stock->stock_id}">
+ 87 
+ 88 <span>{translate key="Cancel notify"}</span>
+ 89 </button>

```

```

+ 90                                     </fieldset>
+ 91                                     {/if}
+ 92                                     {/dynamic}
+ 93                                     {/if}
94                                     </form>
95                                     {/if}
96                                     </div>

```

## boxes/ProductOfTheDay/box.tpl

```

47                                     </div>
48
49
- 50                                     {if $enablebasket && $potd->canBuyStock()}
+ 50                                     {if ($enable_availability_notifier && $potd->isEnabledNotifier()) || $enablebasket && $potd->canBuyStoc
k()}
51                                     {if true == $potd->defaultStockOnly()}
52                                     <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$
basketAddRoute stockId='post'}" method="post">
53                                     {else}
54                                     <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$
basketAddRoute stockId=$potd->defaultStock->getIdentifier()}" method="get">
55                                     {/if}
56
- 57                                     <fieldset>
- 58                                     {if true == $potd->defaultStockOnly()}
- 59                                     <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANTITY_PREC
ISION value=1 trim=true}" type="text" class="short center"></div>
- 60                                     <span class="unit">{$potd->unit->translation->name|escape}</span>
- 61                                     <input type="hidden" value="{ $potd->defaultStock->getIdentifier()|escape}" name="stock_id">
- 62                                     {/if}
- 63                                     <button class="addtobasket btn btn-red" type="submit">
- 64                                     
- 65                                     <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart
"}{/if}</span>
- 66                                     </button>
- 67                                     </fieldset>
+ 57                                     {if $enablebasket && $potd->canBuyStock()}
+ 58                                     <fieldset>
+ 59                                     {if true == $potd->defaultStockOnly()}
+ 60                                     <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANTITY_
PRECISION value=1 trim=true}" type="text" class="short center"></div>
+ 61                                     <span class="unit">{$potd->unit->translation->name|escape}</span>
+ 62                                     <input type="hidden" value="{ $potd->defaultStock->getIdentifier()|escape}" name="stock_
id">
+ 63                                     {/if}
+ 64                                     <button class="addtobasket btn btn-red" type="submit">
+ 65                                     
+ 66                                     <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to

```

```

+ 67     cart"}/{/if}</span>
+ 68     </button>
+ 69     </fieldset>
+ 70     {elseif $enable_availability_notifier && $potd->isEnabledNotifier()}
+ 71     {dynamic}
+ 72     {assign var="availabilityNotifyUser" value=$potd->defaultStock->getAvailabilityNotifyBy
User()}
+ 73     <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} none{/if}">
+ 74         <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged=
"if true == $user_logged>true{else}false{/if}" data-stock-id="{ $potd->defaultStock->getIdentifier()}" data-product-id="{ $potd->product-
>product_id}" data-product-name="{ $potd->translation->name|escape}">
+ 75         
+ 76         <span>{translate key="Notify of product availability"}</span>
+ 77     </button>
+ 78     </fieldset>
+ 79     {if true == $user_logged}
+ 80     <fieldset class="availability-notifier-unsubscribe-container{if $availabilityNotify
User == null} none{/if}">
+ 81     <button type="submit" class="availability-notifier-unsubscribe-btn btn btn-red"
data-stock-id="{ $potd->defaultStock->stock->stock_id}">
+ 82     
+ 83     <span>{translate key="Cancel notify"}</span>
+ 84     </button>
+ 85     </fieldset>
+ 86     {/if}
+ 87     {/dynamic}
+ 88     {/if}
+ 89     </form>
+ 90     {/if}
</div>

```

### boxes/Recent/box.tpl

```

47     {/if}
48     </div>
49
- 50     {if $enablebasket && $special_product->canBuyStock()}
+ 50     {if ($enable_availability_notifier && $special_product->isEnabledNotifier()) || $enablebasket && $special_product->
canBuyStock()}
51     {if true == $special_product->defaultStockOnly()}
52     <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$basketAddRou
te stockId='post'}" method="post">
53     {else}
54     <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$basketAddRou
te stockId=$special_product->defaultStock->getIdentifier()}" method="get">
55     {/if}
56
- 57     <fieldset>
- 58     {if true == $special_product->defaultStockOnly()}

```

```

- 59         <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANTITY_PRECISION value=
1 trim=true}" type="text" class="short center"></div>
- 60         <span class="unit">{$special_product->unit->translation->name|escape}</span>
- 61         <input type="hidden" value="{ $special_product->defaultStock->getIdentifier()|escape}" name="stock_id">
- 62         {/if}
- 63         <button class="addtobasket btn btn-red" type="submit">
- 64         
- 65         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart"}{/if}</spa
n>
- 66     </button>
- 67 </fieldset>
+ 57     {if $enablebasket && $special_product->canBuyStock()}
+ 58     <fieldset>
+ 59         {if true == $special_product->defaultStockOnly()}
+ 60         <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANTITY_PRECISIO
N value=1 trim=true}" type="text" class="short center"></div>
+ 61         <span class="unit">{$special_product->unit->translation->name|escape}</span>
+ 62         <input type="hidden" value="{ $special_product->defaultStock->getIdentifier()|escape}" name="sto
ck_id">
+ 63         {/if}
+ 64         <button class="addtobasket btn btn-red" type="submit">
+ 65         
+ 66         <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart"}{/if}<
/span>
+ 67         </button>
+ 68     </fieldset>
+ 69     {elseif $enable_availability_notifier && $special_product->isEnabledNotifier()}
+ 70     {dynamic}
+ 71     {assign var="availabilityNotifyUser" value=$special_product->defaultStock->getAvailabilityNotifyByU
ser()}
+ 72     <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} none{/if}">
+ 73         <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged="{if true ==
$user_logged}true{else}false{/if}" data-stock-id="{ $special_product->defaultStock->getIdentifier()}" data-product-id="{ $special_product
->product->product_id}" data-product-name="{ $special_product->translation->name|escape}">
+ 74         
+ 75         <span>{translate key="Notify of product availability"}</span>
+ 76         </button>
+ 77     </fieldset>
+ 78     {if true == $user_logged}
+ 79     <fieldset class="availability-notifier-unsubscribe-container{if $availabilityNotifyUser == null
} none{/if}">
+ 80         <button type="submit" class="availability-notifier-unsubscribe-btn btn btn-red" data-stock-
id="{ $special_product->defaultStock->stock->stock_id}">
+ 81         
+ 82         <span>{translate key="Cancel notify"}</span>
+ 83         </button>
+ 84     </fieldset>
+ 85     {/if}
+ 86     {/dynamic}
+ 87     {/if}
88 </form>

```

```
89         {/if}
90     </div>
```

## boxes/SpecialOffer/box.tpl

```
47         </div>
48     {/if}
49
- 50     {if $enablebasket && $special_product->canBuyStock()}
+ 50     {if ($enable_availability_notifier && $special_product->isEnabledNotifier()) || $enablebasket && $special_product->canBuyStock()}
51         {if true == $special_product->defaultStockOnly()}
52             <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$
basketAddRoute stockId='post'}" method="post">
53                 {else}
54                 <form class="basket basket-box {if $loyalty_exchange}loyaltyexchange{/if}" action="{route key=$
basketAddRoute stockId=$special_product->defaultStock->getIdentifier()}" method="get">
55                     {/if}
56
- 57         <fieldset>
- 58             {if true == $special_product->defaultStockOnly()}
- 59             <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANTITY_PREC
ISION value=1 trim=true}" type="text" class="short center"></div>
- 60             <span class="unit">{$special_product->unit->translation->name|escape}</span>
- 61             <input type="hidden" value="{ $special_product->defaultStock->getIdentifier() |escape}" name=
"stock_id">
- 62             {/if}
- 63             <button class="addtobasket btn btn-red" type="submit">
- 64                 
- 65                 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to cart
"}{/if}</span>
- 66             </button>
- 67         </fieldset>
+ 57         {if $enablebasket && $special_product->canBuyStock()}
+ 58         <fieldset>
+ 59             {if true == $special_product->defaultStockOnly()}
+ 60             <div class="shaded_inputwrap"><input name="quantity" value="{float precision=$QUANTITY_
PRECISION value=1 trim=true}" type="text" class="short center"></div>
+ 61             <span class="unit">{$special_product->unit->translation->name|escape}</span>
+ 62             <input type="hidden" value="{ $special_product->defaultStock->getIdentifier() |escape}" n
ame="stock_id">
+ 63             {/if}
+ 64             <button class="addtobasket btn btn-red" type="submit">
+ 65                 
+ 66                 <span>{if $loyalty_exchange}{translate key="Exchange"}{else}{translate key="Add to
cart"}{/if}</span>
+ 67             </button>
+ 68         </fieldset>
+ 69         {elseif $enable_availability_notifier && $special_product->isEnabledNotifier()}
+ 70         {dynamic}
```

```

+ 71         {assign var="availabilityNotifyUser" value=$special_product->defaultStock->getAvailabil
ityNotifyByUser()}
+ 72         <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} no
ne{/if}">
+ 73             <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged=
"{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $special_product->defaultStock->getIdentifier()}" data-product-id="{ $spe
cial_product->product->product_id}" data-product-name="{ $special_product->translation->name|escape}">
+ 74                 
+ 75                 <span>{translate key="Notify of product availability"}</span>
+ 76             </button>
+ 77         </fieldset>
+ 78         {if true == $user_logged}
+ 79         <fieldset class="availability-notifier-unsubscribe-container{if $availabilityNotify
User == null} none{/if}">
+ 80             <button type="submit" class="availability-notifier-unsubscribe-btn btn btn-red"
data-stock-id="{ $special_product->defaultStock->stock->stock_id}">
+ 81                 
+ 82                 <span>{translate key="Cancel notify"}</span>
+ 83             </button>
+ 84         </fieldset>
+ 85         {/if}
+ 86     {/dynamic}
+ 87 {/if}
88     </form>
89 {/if}
90

```

### scripts/basket/index.tpl

```

189
190         <div class="recount">
191             <span>
- 192                 <span class="button" id="recalc">
+ 192                 <span class="button" id="recalc" data-recount="{if $recount}true{else}false{/if}">
193                     <input type="hidden" name="recount" value="1" />
194                     <button type="submit" name="button" value="button" class="btn">
195                         

```

### scripts/basket/step3.tpl

```

66         <div class="clear overflow">
67             <div class="address delivery">
68                 <h4 class="separator delivery">{translate key="Delivery address"}</h4>
- 69
70                 {if $shipping->handler->isOverwriteDeliveryAddress()}
71                     {plugin module=shop template=basket-address-delivery-overwrite-rwd}
72                 {else}

```



```
88         <p>{translate key='Tax ID': {$data.nip2|escape}</p>
89         {/if}
90
- 91         {if $data.street2}
- 92         <p>{$data.street2|escape}</p>
+ 91         {if $data.other_address2}
+ 92         <p>{$data.other_address2|escape}</p>
93         {/if}
94
95         {if $data.zip2 || $data.city2}
```

```
135         <p>{translate key='Tax ID': {$data.nip|escape}</p>
136         {/if}
137
- 138         {if $data.street}
- 139         <p>{$data.street|escape}</p>
+ 138         {if $data.other_address}
+ 139         <p>{$data.other_address|escape}</p>
140         {/if}
141
142         {if $data.zip || $data.city}
```

## scripts/body\_head.tpl

```
128         {/dynamic}
129         {/if}
130
- 131         {if 1 == $skin_settings->header->searchbox}
- 132         <form class="search-form right" action="{route key='search'}" method="post">
- 133         <fieldset>
- 134         <input type="text" name="search" placeholder="{translate key='search in the store...'}" value="" class="search-
input s-grid-3" />
- 135         <button type="submit" class="search-btn btn btn-red">
- 136         
- 137         <span>{translate key="Search"}</span>
- 138         </button>
- 139         <a href="{route key='search'}" title="{translate key='advanced search'}" class="none adv-search">{translate
key='advanced search'}</a>
- 140         </fieldset>
- 141         </form>
- 142         {/if}
+ 131         <form class="search-form right {if 1 != $skin_settings->header->searchbox}none{/if}" action="{route key='search'}" method="
post">
+ 132         <fieldset>
+ 133         <input type="text" name="search" placeholder="{translate key='search in the store...'}" value="" class="search-inpu
t s-grid-3" />
+ 134         <button type="submit" class="search-btn btn btn-red">
+ 135         
+ 136         <span>{translate key="Search"}</span>
```

```

+ 137         </button>
+ 138         <a href="{route key='search'}" title="{translate key='advanced search'}" class="none adv-search">{translate key
='advanced search'}</a>
+ 139     </fieldset>
+ 140 </form>
141     </div>
142 </header>
143

```

```

153
154     <ul class="path left inline">
155         {foreach from=$breadcrumbs->getBreadCrumbs() item=item name=bclist}
- 156         <li class="bred-{$smarty.foreach.bclist.iteration} {if $smarty.foreach.bclist.last}last{/if}" itemscope itemtyp
e="http://data-vocabulary.org/Breadcrumb">
+ 156         <li class="bred-{$smarty.foreach.bclist.iteration} {if $smarty.foreach.bclist.last}last{/if}" {if $item.url}ite
mscope itemtype="http://data-vocabulary.org/Breadcrumb" {/if}>
157             {if $item.url}<a href="{ $item.url|escape}" itemprop="url">{/if}
158             <span class="raq">&raquo;</span>
159             <span itemprop="title">{$item.name}</span>

```

### scripts/news/files.tpl

```

10     <ul class="innerbox tab-content tab-files">
11         {foreach from=$article->files item=file name=list}
12             <li class="articlefile" id="file{$file->file_id}">
- 13                 <a href="{route key='newsDownload' fileId=$file->file_id fileName=$file->name}" target="_blank">{$file->name}</a>
- 14                 <p>{$file->description}</p>
+ 13                 <a href="{route key='newsDownload' fileId=$file->file_id fileName=$file->name}" target="_blank">{$file->name|escape
}</a>
+ 14                 <p>{$file->description|escape}</p>
15             </li>
16         {/foreach}
17     </ul>

```

### scripts/news/index.tpl

```

41         {foreach from=$article->getActiveCategories() item=category name=listCat}
42             {if $smarty.foreach.listCat.index == 0}
43                 {capture assign="articleCategories"}
- 44                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->ge
tIdentifier() categoryName=$category->category->name}">{$category->category->name}</a>
+ 44                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->ge
tIdentifier() categoryName=$category->category->name}">{$category->category->name|escape}</a>
45                 {/capture}
46             {else}
47                 {capture append="articleCategories"}
- 48                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->ge
tIdentifier() categoryName=$category->category->name}">{$category->category->name}</a>
+ 48                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->ge

```

```

49         tIdentifier() categoryName=$category->category->name">{$category->category->name|escape}</a>
50             {/capture}
51         {/if}
52     {/foreach}
53     {if $articleCategories|is_array}
54         {assign var="articleCategories" value=', '|implode:$articleCategories}
55     {/if}
56     {if $article->article->author}
57         {translate key="Added: %s in category: %s author: %s" s1='<span class="article-date">'|cat:$articleDate
58         |cat:'</span>' s2='<span class="article-categories">'|cat:$articleCategories|cat:'</span>' s3='<span class="article-author">'|cat:$artic
59         le->article->author|cat:'</span>'}
60     {/if}
61     {assign var="articleAuthor" value=$article->article->author|escape}
62     {if $articleAuthor}
63         {translate key="Added: %s in category: %s author: %s" s1='<span class="article-date">'|cat:$articleDate
64         |cat:'</span>' s2='<span class="article-categories">'|cat:$articleCategories|cat:'</span>' s3='<span class="article-author">'|cat:$artic
65         leAuthor|cat:'</span>'}
66     {else}
67         {translate key="Added: %s in category: %s" s1='<span class="article-date">'|cat:$articleDate|cat:'</spa
68         n>' s2='<span class="article-categories">'|cat:$articleCategories|cat:'</span>'}
69     {/if}

```

```

72     {if $article->tags|count > 0}
73         <ul class="article-tags">
74             {foreach from=$article->tags item=tag name=listTag}
75                 <li><a href="{route key='newsTag' tagName=$tag->tag->name}">#{$tag->tag->name}</a></li>
76                 <li><a href="{route key='newsTag' tagName=$tag->tag->name}">#{$tag->tag->name|escape}</a></li>
77             {/foreach}
78         </ul>
79     {/if}

```

## scripts/news/listofarticles.tpl

```

25     {foreach from=$article->getActiveCategories() item=category name=listCat}
26         {if $smarty.foreach.listCat.index == 0}
27             {capture assign="articleCategories"}
28                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->getIdentif
29                 ier() categoryName=$category->category->name}">{$category->category->name}</a>
30                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->getIdentif
31                 ier() categoryName=$category->category->name}">{$category->category->name|escape}</a>
32             {/capture}
33         {else}
34             {capture append="articleCategories"}
35                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->getIdentif
36                 ier() categoryName=$category->category->name}">{$category->category->name}</a>
37                 <a href="{route function='newsCategory' key=$category->getIdentifier() categoryId=$category->getIdentif
38                 ier() categoryName=$category->category->name}">{$category->category->name|escape}</a>
39             {/capture}
40         {/if}
41     {/foreach}

```

```

36         {if $articleCategories|is_array}
37             {assign var="articleCategories" value=', '|implode:$articleCategories}
38        {/if}
- 39         {if $article->article->author}
- 40             {translate key="Added: %s in category: %s author: %s" s1='<span class="article-date">'|cat:$articleDate|cat:'</span>' s2='<span class="article-categories">'|cat:$articleCategories|cat:'</span>' s3='<span class="article-author">'|cat:$article->article->author|cat:'</span>'}
+ 39
+ 40         {assign var="articleAuthor" value=$article->article->author|escape}
+ 41         {if $articleAuthor}
+ 42             {translate key="Added: %s in category: %s author: %s" s1='<span class="article-date">'|cat:$articleDate|cat:'</span>' s2='<span class="article-categories">'|cat:$articleCategories|cat:'</span>' s3='<span class="article-author">'|cat:$articleAuthor|cat:'</span>'}
43         {else}
44             {translate key="Added: %s in category: %s" s1='<span class="article-date">'|cat:$articleDate|cat:'</span>' s2='<span class="article-categories">'|cat:$articleCategories|cat:'</span>'}
45        {/if}

```

---

### scripts/panel/favourites.tpl

```

66         {if $product->availability && $product->availability->translation}
67             {if $product->availability->availability->photo}
68                 {/if}
- 69                 {$product->availability->translation->name}
+ 69                 {$product->availability->translation->name|escape}
70             {else}
71                 -
72            {/if}

```

```

90         </div>
91
92         <div class="availability-notifier-container{if $availabilityNotifyUser} none{/if} f}">
- 93         <a href="#" data-is-logged="{if true == $user_logged}true{else}false{/if}"
data-product-id="{ $product->product->product->product_id}" data-stock-id="{ $product->stock->stock_id}" data-product-name="{ $product->product->translation->name}" title="{translate key="notify of product availability"}" class="btn btn-red2 availability-notifier-btn spanhover">
+ 93         <a href="#" data-is-logged="{if true == $user_logged}true{else}false{/if}"
data-product-id="{ $product->product->product->product_id}" data-stock-id="{ $product->stock->stock_id}" data-product-name="{ $product->product->translation->name|escape}" title="{translate key="notify of product availability"}" class="btn btn-red2 availability-notifier-btn spanhover">
94         
95         <span>{translate key='notify of product availability'}</span>
96     </a>

```

---

### scripts/product/index.tpl

```

55         {if $product->defaultStock->availability->availability->photo}
56         

```

```

57     }" alt="">
- 58     </if>
- 58     <span class="second">{$product->defaultStock->availability->translation
+ 58     <span class="second">{$product->defaultStock->availability->translation
+ 58     ->name|escape}</span>
59
60     </div>
61     </if>

```

```

235     {assign var="availabilityNotifyUser" value=$product->defaultStock->getA
    vailabilityNotifyByUser()}
236     <fieldset class="availability-notifier-container{if $availabilityNotify
    User != null || 1 == (int) $product->defaultStock->availability->availability->can_buy} none{/if}">
237     <div class="button_wrap">
- 238     <button type="submit" class="availability-notifier-btn btn btn-
    red" data-is-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->stock->stock_id}" data-produ
    ct-id="{ $product->product->product_id}" data-product-name="{ $product->translation->name}">
+ 238     <button type="submit" class="availability-notifier-btn btn btn-
    red" data-is-logged="{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->stock->stock_id}" data-produ
    ct-id="{ $product->product->product_id}" data-product-name="{ $product->translation->name|escape}">
239     
240     <span>{translate key="notify of product availability"}</spa
    n>
241     </button>

```

```

446     {if 1 == $skin_settings->productdetails->pinit}
447     <script type="text/javascript" src="//assets.pinterest.com/js/pinit.js"></script>
448     {/if}
- 449
450     {include file='switch.tpl'}
+ 451
+ 452     {$snippet_product}
453 </body>
454 </html>

```

### scripts/product/list.tpl

```

146     {include file='footer.tpl' force_include_cache='1' force_include_cache_tags='Logic_SkinFooterGroupList,Logic_SkinFooterLinkList,Logic_S
    kinFooterGroup,Logic_SkinFooterLink'}
147     {plugin module=shop template=footer}
148     {include file='switch.tpl'}
+ 149     {$snippet_product_list}
150 </body>
151 </html>

```

### scripts/product/related.tpl

```

86         {dynamic}
87         {assign var="availabilityNotifyUser" value=$rproduct->defaultStock->getAvailabilityNoti
fyByUser()}
88         <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} no
ne{/if}">
- 89         <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged=
"{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $rproduct->defaultStock->getIdentifier()}" data-product-id="{ $rproduct->
product->product_id}" data-product-name="{ $rproduct->translation->name}">
+ 89         <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged=
"{if true == $user_logged}true{else}false{/if}" data-stock-id="{ $rproduct->defaultStock->getIdentifier()}" data-product-id="{ $rproduct->
product->product_id}" data-product-name="{ $rproduct->translation->name|escape}">
90         
91         <span>{translate key="Notify of product availability"}</span>
92     </button>

```

### scripts/product/tableofproducts.tpl

```

111         {dynamic}
112         {assign var="availabilityNotifyUser" value=$product->defaultStock->getAvailabilityNotifyByU
ser()}
113         <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} none{/
if}">
- 114         <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged="{if
true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}" data-product-id="{ $product->produc
t->product_id}" data-product-name="{ $product->translation->name}">
+ 114         <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged="{if
true == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}" data-product-id="{ $product->produc
t->product_id}" data-product-name="{ $product->translation->name|escape}">
115         
116         <span>{translate key="Notify of product availability"}</span>
117     </button>

```

```

242     <form class="availability-notifier">
243         {assign var="availabilityNotifyUser" value=$product->defaultStock->getAvailabilityNotifyByUser(
)}
244         <fieldset class="availability-notifier-container{if $availabilityNotifyUser != null} none{/if}"
>
- 245         <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged="{if tru
e == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}" data-product-id="{ $product->product->p
roduct_id}" data-product-name="{ $product->translation->name}">
+ 245         <button class="availability-notifier-btn btn btn-red" type="submit" data-is-logged="{if tru
e == $user_logged}true{else}false{/if}" data-stock-id="{ $product->defaultStock->getIdentifier()}" data-product-id="{ $product->product->p
roduct_id}" data-product-name="{ $product->translation->name|escape}">
246         
247         <span>{translate key="Notify of product availability"}</span>
248     </button>

```

## Pliki .less

---

### styles/\_responsive.less

```
1603         clear: both;
1604         margin-bottom: 0;
1605         margin-top: 6em;
- 1606         display: block;
+ 1606         display: block !important;
1607
1608         .search-input {
1609             width: 91%;
```

### styles/\_slider.less

```
1  .slider {
- 2  position: relative;
- 3  text-align: center;
- 4  padding: 0 6px 0 10px;
+ 2  //position: relative;
+ 3  //text-align: center;
+ 4  //padding: 0 6px 0 10px;
5
6  .slider-wrapper {
7  overflow: hidden;
```

## Pliki .js

---

### js/main.js

```
936         deliverytrvalue : 'span.value',
937         trradio : 'input[type=radio]',
938         countrytr : 'div.deliverycountry',
- 939         trcountryselect : 'select'
+ 939         trcountryselect : 'select',
+ 940         recal : '#recalc',
+ 941         recalcbtn : '#recalc button'
942     },
943     ordersumfield : $('#box_basketlist #cart-options div.sum span.value')
944 });
945 Binary files /home/adrian/packages/ram/packages/builder/builds/partners/shoper/3d69f13b5cf6627438e4f07284de2019629dcb71/repo/skins/default/rwd_shoper/preview.png and /home/adrian/packages/ram/packages/builder/builds/partners/shoper/b5cc4ab4f7f1ede2ba235f3c85e083921fafb3b11/repo/skins/default/rwd_shoper/preview.png differ
```