

## Pliki .tpl

scripts/basket/address.tpl

```
56         }>{$c|escape}</option>
57         {/foreach}
58     </select>
+ 59     {elseif $str.type === 'checkbox'}
+ 60     <span class="checkbox-wrap">
+ 61         <input type="{ $str.type|escape}" { $str.name|escape} value="{ $
tr.value|escape}" id="input_{ $str.name|escape}">
+ 62         <label for="input_{ $str.name|escape}"></label>
+ 63     </span>
64     {else}
65     <div class="shaded_inputwrap{if $str.error} error{/if}">
66         <input type="{ $str.type|escape}" name="{ $str.name|escape}" va
lue="{ $str.value|escape}" id="input_{ $str.name|escape}">
```

```
318         {/if}
319
320         <td class="label">
- 321         {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKB
OX') }
- 322         {if 1 == $field->field->req}<em class="color">*</em>{/if}
- 323         {else}
- 324         <label for="{ $name|escape}">
+ 321         {if $field->field->type != 6}
+ 322         {if $field->field->type == constant('Logic_AdditionalField::TYPE_CH
ECKBOX' ) }
323         {if 1 == $field->field->req}<em class="color">*</em>{/if}
- 324         {$field->translation->description}
- 325         </label>
+ 323         {else}
+ 324         <label for="{ $name|escape}">
+ 325         {if 1 == $field->field->req}<em class="color">*</em>{/if}
+ 326         {$field->translation->description}
+ 327         </label>
+ 328         {/if}
329         {/if}
330     </td>
```

```

331 <td class="input" colspan="2">
- 332 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKB
OX')}}
- 333 <span class="checkbox-wrap">
- 334 {additionalField field=$field name=$name value=$additional_valu
e.$name editable=true}
- 335 <label for="{ $name|escape}"></label>
- 336 </span>
- 337 <label for="{ $name|escape}">{$field->translation->description}</lab
el>
- 338 {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_TE
XT')}}
- 339 <div class="shaded_inputwrap{if $additional_error.$name} error{/if}
">
+ 327 {if $field->field->type != 6}
+ 328 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CH
ECKBOX')}}
+ 329 <span class="checkbox-wrap">
+ 330 {additionalField field=$field name=$name value=$additional_
value.$name editable=true}
+ 331 <label for="{ $name|escape}"></label>
+ 332 </span>
+ 333 <label for="{ $name|escape}">{$field->translation->description}<
/label>
+ 334 {elseif $field->field->type == constant('Logic_AdditionalField::TYP
E_TEXT')}}
+ 335 <div class="shaded_inputwrap{if $additional_error.$name} error{
/if}">
+ 336 {additionalField field=$field name=$name value=$additional_
value.$name|escape editable=true}
+ 337 </div>
+ 338 {else}
339 {additionalField field=$field name=$name value=$additional_valu
e.$name|escape editable=true}
- 340 </div>
- 341 {else}
- 342 {additionalField field=$field name=$name value=$additional_value.$n
ame|escape editable=true}
+ 329 {/if}
+ 330 {elseif $field->field->type == 6}
+ 331 <p>
+ 332 {$field->translation->description}
+ 333 </p>
334 {/if}
335 </td>
336 </tr>

```

### scripts/basket/step3.tpl

```

115 <p>{$data.phone2|escape}</p>
116 {/if}

```

```
117         {/if}
+ 118
+ 119         <p>
+ 120         <a href="{route key='basketStep2'}">({translate key="change"})</a>
+ 121         </p>
122     </div>
123
124     <div class="address invoice">
```

```
173         {if $data.phone}
174         <p>{$data.phone|escape}</p>
175         {/if}
+ 176
+ 177         <p>
+ 178         <a href="{route key='basketStep2'}">({translate key="change"})</a>
+ 179         </p>
180     </div>
181
182     <div class="address information">
```

```
194         <li class="delivery">
195             <span>
196                 {translate key='Selected form of delivery'}:
- 197                 <strong class="delivery">{$shipping->translation->name|escape} ({$currency value=$sh
ipping->getCost()})</strong>
+ 197                 <strong class="delivery">{$shipping->translation->name|escape} ({$currency value=$sh
ipping->getCost()})</strong> <a href="{if $shipping_extra_step == 1}{route key='basketStep3'}{else}{route key='basket'}{/if}">({translat
e key="change"})</a>
198             </span>
199         </li>
200
201         <li class="payment">
202             <span>
203                 {translate key='Selected form of payment'}:
- 204                 <strong class="payment">{$payment->translation->title|escape}</strong>
+ 204                 <strong class="payment">{$payment->translation->title|escape}</strong> <a href="{if
$shipping_extra_step == 1}{route key='basketStep3'}{else}{route key='basket'}{/if}">({translate key="change"})</a>
205             </span>
206         </li>
207
```

## scripts/body\_head.tpl

```
156         <li class="bred-{$smarty.foreach.bclist.iteration} {if $smarty.foreach.bclist.last}last{/if}" {if $item.url}ite
mscope itemtype="http://data-vocabulary.org/Breadcrumb"{/if}>
157             {if $item.url}<a href="{ $item.url|escape}" itemprop="url">{/if}
158             <span class="raq">&raquo;</span>
- 159             <span itemprop="title">{$item.name}</span>
```

```
+ 159 <span{if $item.url} itemprop="title"{/if}>{$item.name}</span>
160 {if $item.url}</a>{/if}
161 </li>
162 {/foreach}
```

## scripts/login/register.tpl

```
43 </span>
44
45 <div class="input">
- 46 <span class="shaded_inputwrap{if $tr.error} error{/if}">
- 47 <input type="{ $tr.type|escape}" name="{ $tr.name|escape}" value="{ $tr.value|escape}"
size="25" id="input_{ $tr.name|escape}" />
- 48 </span>
+ 46 {if $tr.type === 'checkbox'}
+ 47 <span class="checkbox-wrap">
+ 48 <input type="{ $tr.type|escape}" { $tr.name|escape} value="{ $tr.value|escape}" id
="input_{ $tr.name|escape}">
+ 49 <label for="input_{ $tr.name|escape}"></label>
+ 50 </span>
+ 51 {else}
+ 52 <span class="shaded_inputwrap{if $tr.error} error{/if}">
+ 53 <input type="{ $tr.type|escape}" name="{ $tr.name|escape}" value="{ $tr.value|esca
pe}" size="25" id="input_{ $tr.name|escape}" />
+ 54 </span>
+ 55 {/if}
56
57 {if $tr.error}
58 <div>
```

```
154 {/if}
155
156 <div class="input">
- 157 <span class="check-label">
- 158 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
- 159 {if 1 == $field->field->req}<em class="color">*</em>{/if}
- 160 {else}
- 161 <label for="{ $name|escape}">
+ 157 {if $field->field->type != 6}
+ 158 <span class="check-label">
+ 159 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
]
160 {if 1 == $field->field->req}<em class="color">*</em>{/if}
- 161 { $field->translation->description}
- 162 </label>
- 163 {/if}
- 164 </span>
- 165
- 166 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
```

```

- 167 <span class="checkbox-wrap">
- 168 {additionalField field=$field name=$name value=$additional_value.$name editable=true}
- 169 <label for="{ $name|escape}"></label>
+ 159 {else}
+ 160 {if $field->field->type != 6}<label for="{ $name|escape}">{/if}
+ 161 {if 1 == $field->field->req}<em class="color">*</em>{/if}
+ 162 {$field->translation->description}
+ 163 {if $field->field->type != 6}</label>{/if}
+ 164 {/if}
165 </span>
- 166 <label for="{ $name|escape}">{$field->translation->description}</label>
- 167 {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_SELECT')}
- 168 {additionalField field=$field name=$name value=$additional_value.$name|escape editable=true}
- 169 {else}
- 170 <span class="shaded_inputwrap{if $additional_error.$name} error{/if}">
- 171 {additionalField field=$field name=$name value=$additional_value.$name|escape editable=true size=25}
- 172 </span>
- 173 {/if}
+ 161 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
+ 162 <span class="checkbox-wrap">
+ 163 {additionalField field=$field name=$name value=$additional_value.$name editable=true}
+ 164 <label for="{ $name|escape}"></label>
+ 165 </span>
+ 166 <label for="{ $name|escape}">{$field->translation->description}</label>
+ 167 {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_SELECT')}
+ 168 {additionalField field=$field name=$name value=$additional_value.$name|escape editable=true}
+ 169 {else}
+ 170 <span class="shaded_inputwrap{if $additional_error.$name} error{/if}">
+ 171 {additionalField field=$field name=$name value=$additional_value.$name|escape editable=true size=25}
+ 172 </span>
+ 173 {/if}
+ 174 {elseif $field->field->type == 6}
+ 175 <p>
+ 176 {$field->translation->description}
+ 177 </p>
+ 178 {/if}
179 </div>
180
181 {if $tr.hint}

```

### scripts/panel/address.tpl

```

93 <span>{translate key='edit'}</span>
94 </a>

```

```

95
- 96 <a href="{route key='panelAddressRemove' addressId=$address->address_book_id}" class="r
remove btn spanhover titlequestion" title="{translate key='Are you sure you want to remove the address: %s, %s %s?' pl=$address->street_1
p2=$address->zip_code p3=$address->city}">
+ 96 <a href="{route key='panelAddressRemove' addressId=$address->address_book_id}" class="r
remove btn spanhover titlequestion" title="{translate key='Are you sure you want to remove the address: %s, %s %s?' pl=$address->street_1
|escape p2=$address->zip_code|escape p3=$address->city|escape}">
97 
98 <span>{translate key='remove'}</span>
99 </a>

```

## scripts/panel/edit.tpl

```

72 </ul>
73 {/if}
74
+ 75 <label for="newsletter_input">{translate key="Newsletter"}</label>
+ 76 <div class="shaded_inputwrap">
+ 77 <span class="checkbox-wrap">
+ 78 <input type="checkbox" name="newsletter" id="newsletter_input" value="1" {if 1 == $data.new
sletter} checked{/if}>
+ 79 <label for="newsletter_input"></label>
+ 80 </span>
+ 81 <label for="newsletter_input">{translate key='I voluntarily agree to receive information about
new products and promotions'}</label>
+ 82 </div>
+ 83
+ 84 {if $data_error.newsletter}
+ 85 <ul class="input_error">
+ 86 {foreach from=$data_error.newsletter item=err_text}
+ 87 <li>{$err_text|escape}</li>
+ 88 {/foreach}
+ 89 </ul>
+ 90 {/if}
+ 91
92 {if count($additional_fields) > 0}
93 <h4 class="separator">{translate key='Additional information'}</h4>
94
95 {foreach from=$additional_fields item=field}
96 {assign var=name value='additional_'|cat:$field->getIdentifier()}
- 97
+ 80
81 <label for="{ $name}" {if $data_error.$name && $field->field->type == constant('Logic_Additi
onalField::TYPE_CHECKBOX')} class="witherror_checkbox" {/if}>
82 {if 1 == $field->field->req}
83 <em class="color">*</em>
84 {/if}
- 85
+ 85
86 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}

```

```

87         <span class="checkbox-wrap">
88         {additionalField field=$field name=$name value=$data.$name}

```

---

```

111         {$field->translation->description}
112     </label>
113     {additionalField field=$field name=$name value=$additional_value.$name|escape editable=true}
- 114     {else}
+ 114     {else}
115     {$field->translation->description}
116     </label>
117     <div class="shaded_inputwrap{if $data_error.$name} error{/if}">

```

---

### scripts/panel/index.tpl

```

71         {if count($order->parcels) > 0}
72         {foreach from=$order->parcels item=parcel}
73             {if strlen($parcel->getTraceLink())}
- 74             <a href="{ $parcel->getTraceLink() }" target="_blank" class="trace">
+ 74             <a href="{ $parcel->getTraceLink() |escape }" target="_blank" class="trace">
75                 { $parcel->parcel->shipping_code |escape }
76             </a>
77             <span class="smalldate">({translate key='sent': {date value=$parcel->parce
l->send_date}})</span>

```

---

### scripts/panel/order.tpl

```

77         <span class="parcel">
78             {foreach from=$order->parcels item=parcel}
79                 {if strlen($parcel->getTraceLink())}
- 80                 <a href="{ $parcel->getTraceLink() }" target="_blank" class="trace">{$parcel-
>parcel->shipping_code |escape}</a>
+ 80                 <a href="{ $parcel->getTraceLink() |escape }" target="_blank" class="trace">{$
parcel->parcel->shipping_code |escape}</a>
81                 <span class="date">({translate key='sent': {date value=$parcel->parcel->se
nd_date}})</span><br />
82             {/if}
83         {/foreach}

```

### Pliki .css

### Pliki .less

### styles/\_basket.less

```
744
745 .payment-container {
746     float: right;
+ 747
+ 748     .payment {
+ 749         clear: left;
+ 750     }
751 }
752
753 .total-values {
```

## Pliki .js